


# Turn Signal/Hazard Flasher System


## Circuit Diagram





## Turn Signal/Hazard Relay Input Test

Remove the dashboard lower panel, then remove the turn signal/hazard relay from the dash fuse box.  
 Make the following input tests at the relay holder pins.  
 If all tests prove OK, but the relay fails to work, replace the turn signal/hazard relay.




No.	Terminal	Test condition	Test : desired result	Possible cause (if result is not obtained)
1	E	Under all conditions.	Check for continuity to ground : should be continuity	<ul style="list-style-type: none"> <li>• Poor ground (G201, G401)</li> <li>• An open in the BLK wire.</li> </ul>
2	B	Ignition switch ON.	Check for voltage to ground : should be battery voltage.	<ul style="list-style-type: none"> <li>• Blown No.1 (10A) fuse.</li> <li>• An open in the BRN or LT GRN/PNK wire.</li> <li>• Faulty hazard switch.</li> </ul>
3	B and L	Hazard switch ON and connect the B terminal to the L terminal.	Hazard lights should come on.	<ul style="list-style-type: none"> <li>• Blown No.40 (10A) fuse.</li> <li>• Blown bulb.</li> <li>• Poor ground (G201, G301, G401, G501, G502).</li> <li>• Faulty hazard switch.</li> <li>• An open in the BRN/ORN, LT GRN/BRN GRN/RED or GRN/WHT wire.</li> </ul>
		Ignition switch ON and turn signal switch in R or L and connect the B terminal to the L terminal.	R or L side turn lights should come on.	<ul style="list-style-type: none"> <li>• Faulty turn signal switch.</li> </ul>


# Turn Signal/Hazard Flasher System

## Hazard Switch Removal

1. Remove the dashboard lower panel. Push out the switches from behind the instrument panel, then disconnect the connectors from the switches.
2. Remove the hazard switch from the switch panel.



3. Turn the socket 45° counterclockwise (0.84W)



## Hazard Switch Test

1. Remove the hazard switch.
2. Check for continuity between the terminals in each switch position according to the table.

Terminal Position	A	B	C	D	E	F	G
OFF	○				○		
ON		○	○		○	○	○

