
GENERAL

CONTENTS

| | | | |
|-------------------------------------|----------|-----------------------------------|----------|
| HOW TO USE THIS MANUAL | 2 | Model Code | 4 |
| Model Indications | 2 | Chassis Number | 5 |
| VEHICLE IDENTIFICATION | 3 | Engine Model Number | 6 |
| Models | 3 | MAJOR SPECIFICATIONS | 7 |

HOW TO USE THIS MANUAL

MODEL INDICATIONS

The following abbreviations are used in this manual for classification of model types.

1600: Indicates models equipped with the 1,597 ml <4G92> petrol engine.

1800: Indicates models equipped with the 1,834 ml <4G93> petrol engine.

1900D: Indicates models equipped with the 1,870 ml <F8QT> diesel engine.

MPI: Indicates the multipoint injection, or engines equipped with the multipoint injection.

SOHC: Indicates an engine with the single overhead camshaft, or a model equipped with such an engine.

DOHC: Indicates an engine with the double overhead camshaft, or a model equipped with such an engine.

M/T: Indicates the manual transmission, or models equipped with the manual transmission.

A/T: Indicates the automatic transmission, or models equipped with the automatic transmission.

A/C: Indicates the air conditioner.


ECU: Indicates the electronic control unit.

VEHICLE IDENTIFICATION**MODELS****<HATCHBACK>**

| Model code | | Engine model | Transmission model | Fuel supply system |
|------------|-----------|----------------------|--------------------|---------------------|
| DA1A | LNDEL6/R6 | 4G92-SOHC (1,597 ml) | F5MR1 (2WD-5M/T) | MPI |
| | LNDEL6/R6 | | | |
| | LRDEL6/R6 | | F4A41 (2WD-4A/T) | |
| | LNJEL6/R6 | | F5MR1 (2WD-5M/T) | |
| | LRJEL6/R6 | | F4A41 (2WD-4A/T) | |
| DA2A | LNJEL6/R6 | 4G93-SOHC (1,834 ml) | F5MR2 (2WD-5M/T) | |
| | LRJEL6/R6 | | F4A42 (2WD-4A/T) | |
| | LNPEL6/R6 | | F5MR2 (2WD-5M/T) | |
| | LRPEL6/R6 | | F4A42 (2WD-4A/T) | |
| | LNGML6 | 4G93-DOHC (1,834 ml) | F5MR2 (2WD-5M/T) | |
| DA4A | LNDFL6/R6 | F8QT (1,870 ml) | F5MR3 (2WD-5M/T) | Fuel injection pump |
| | LNJFL6/R6 | | | |
| | LNPFL6/R6 | | | |


<SEDAN>

| Model code | | Engine model | Transmission model | Fuel supply system |
|------------|------------------|----------------------|--------------------|---------------------|
| DA1A | SNMEL6/R6 | 4G92-SOHC (1,597 ml) | F5MR1 (2WD-5M/T) | MPI |
| | SNMVL6B | | | |
| | SNDEL6/R6 | | | |
| | SNDVL6B | | F4A41 (2WD-4A/T) | |
| | SRDEL6/R6 | | | |
| | SRDVL6B | | | |
| | SNJEL6/R6 | | F5MR1 (2WD-5M/T) | |
| | SNJVL6B | | | |
| | SRJEL6/R6 | | | |
| SRJVL6B | F4A41 (2WD-4A/T) | | | |
| DA2A | SNJEL6/R6 | 4G93-SOHC (1,834 ml) | F5MR2 (2WD-5M/T) | |
| | SRJEL6/R6 | | F4A42 (2WD-4A/T) | |
| | SNPEL6/R6 | | F5MR2 (2WD-5M/T) | |
| | SRPEL6/R6 | | F4A42 (2WD-4A/T) | |
| | SNGML6 | 4G93-DOHC (1,834 ml) | F5MR2 (2WD-5M/T) | |
| DA4A | SNDFL6/R6 | F8QT (1,870 ml) | F5MR3 (2WD-5M/T) | Fuel injection pump |
| | SNJFL6/R6 | | | |
| | SNPFL6/R6 | | | |




MODEL CODE

| No. | Items | Contents |
|-----|--------------------------|-----------------------------------|
| 1 | Development | DA: MITSUBISHI CARISMA |
| 2 | Engine type | 1: 1,597 mℓ petrol engine |
| | | 2: 1,834 mℓ petrol engine |
| | | 4: 1,870 mℓ diesel engine |
| 3 | Sort | A: Passenger car |
| 4 | Body style | S: 4-door sedan |
| | | L: 5-door hatchback |
| 5 | Transmission type | N: 5-speed manual transmission |
| | | R: 4-speed automatic transmission |
| 6 | Trim level | M: EL |
| | | D: GL |
| | | J: GLX |
| | | P: GLS |
| | | G: MSX |
| 7 | Specified engine feature | E or V: MPI-SOHC |
| | | M: MPI-DOHC |
| | | F: Turbocharger with intercooler |
| 8 | Steering wheel location | L: Left hand |
| | | R: Right hand |
| 9 | Destination | 6: For Europe |




CHASSIS NUMBER

The chassis number is stamped on the toeboard inside the engine compartment.



| No. | Items | Contents | |
|-----|-------------------------|----------|--------------------------------|
| 1 | Steering wheel location | XMC | Left hand drive |
| | | XMD | Right hand drive |
| 2 | Body style | S | 4-door sedan |
| | | L | 5-door hatchback |
| 3 | Transmission type | N | 5-speed manual transmission |
| | | R | 4-speed automatic transmission |
| 4 | Vehicle line | DA | CARISMA |
| 5 | Development order | 1 | 1,597 ml petrol engine |
| | | 2 | 1,834 ml petrol engine |
| | | 4 | 1,870 ml diesel engine |
| 6 | Sort | A | Passenger car |
| 7 | Model year | V | 1997 |
| 8 | Factory code | F | Netherlands Car B.V. |
| 9 | Serial number | - | - |




ENGINE MODEL NUMBER

The engine model number is stamped at the cylinder block as shown in the following.

| Engine model | Engine displacement |
|--------------|---------------------|
| 4G92 | 1,597 |
| 4G93 | 1,834 |
| F8QT | 1,870 |

MAJOR SPECIFICATIONS

HATCHBACK



00U0005


<DA1A>

| Items | | DA1A LNME6, LNME6 | DA1A LNDE6, LNDE6 | DA1A LRDE6, LRDE6 | DA1A LNJE6, LNJE6 | DA1A LRJE6, LRJE6 | |
|-----------------------------|-------------------------------------|--|-------------------------|-------------------------|-------------------------|-------------------------|-------|
| Vehicle dimensions mm | Overall length | 1 | 4,435 | 4,435 | 4,435 | 4,435 | |
| | Overall width | 2 | 1,695 | 1,695 | 1,695 | 1,695 | |
| | Overall height (unladen) | 3 | 1,405 | 1,405 | 1,405 | 1,405 | |
| | Wheelbase | 4 | 2,550 | 2,550 | 2,550 | 2,550 | |
| | Track-front | 5 | 1,455 | 1,455 | 1,455 | 1,455 | |
| | Track-rear | 6 | 1,475 | 1,475 | 1,475 | 1,475 | |
| | Overhang-front | 7 | 880 | 880 | 880 | 880 | |
| | Overhang-rear | 8 | 1,005 | 1,005 | 1,005 | 1,005 | |
| | Ground clearance (unladen) | 9 | 155 | 155 | 150 | 155 | 150 |
| Vehicle weight kg | Kerb weight | | 1,105 | 1,105 | 1,135 | 1,110 | 1,140 |
| | Max. gross vehicle weight rating | | 1,630 | 1,630 | 1,660 | 1,630 | 1,660 |
| | Max. axle weight rating-front | | 900 | 900 | 900 | 900 | 900 |
| | Max. axle weight rating-rear | | 865 | 865 | 865 | 865 | 865 |
| Seating capacity | | | 5 | | | | |
| Engine | Model No. | 4G92 | | | | | |
| | Total displacement ml | 1,597 | | | | | |
| Transmis- sion | Model No. | F5MR1 | | F4A41 | F5MR1 | F4A41 | |
| | Type | 5-speed manual | | 4-speed automatic | 5-speed manual | 4-speed automatic | |
| Fuel system | Fuel supply system | Electronic control multipoint fuel injection | | | | | |

<DA2A, DA4A>

| Items | | | DA2A LNJEL6, LNJER6 | DA2A LRJEL6, LRJER6 | DA2A LNPEL6, LNPER6 | DA2A LRPEL6, LRPER6 | DA2A LNGML6 | DA4A LNDFL6, LNDFR6 | DA4A LNJFL6, LNJFR6 | DA4A LNPFL6, LNPPR6 |
|----------------------------------|--------------------------------------|-----|--|---------------------------|---------------------------|---------------------------|-------------------|---------------------------|---------------------------|---------------------------|
| Vehicle dimen- sions mm | Overall length | 1 | 4,435 | 4,435 | 4,435 | 4,435 | 4,435 | 4,445 | 4,445 | 4,445 |
| | Overall width | 2 | 1,695 | 1,695 | 1,695 | 1,695 | 1,695 | 1,695 | 1,695 | 1,695 |
| | Overall height (unladen) | 3 | 1,405 | 1,405 | 1,405 | 1,405 | 1,405 | 1,405 | 1,405 | 1,405 |
| | Wheelbase | 4 | 2,550 | 2,550 | 2,550 | 2,550 | 2,550 | 2,550 | 2,550 | 2,550 |
| | Track-front | 5 | 1,455 | 1,455 | 1,455 | 1,455 | 1,455 | 1,455 | 1,455 | 1,455 |
| | Track-rear | 6 | 1,475 | 1,475 | 1,475 | 1,475 | 1,475 | 1,475 | 1,475 | 1,475 |
| | Overhang-front | 7 | 880 | 880 | 880 | 880 | 880 | 890 | 890 | 890 |
| | Overhang-rear | 8 | 1,005 | 1,005 | 1,005 | 1,005 | 1,005 | 1,005 | 1,005 | 1,005 |
| Ground clearance (unladen) | 9 | 155 | 150 | 155 | 150 | 155 | 155 | 155 | 155 | |
| Vehicle weight kg | Kerb weight | | 1,130 | 1,160 | 1,135 | 1,165 | 1,175 | 1,155 | 1,165 | 1,170 |
| | Max. gross vehicle weight rating | | 1,660 | 1,690 | 1,660 | 1,690 | 1,685 | 1,695 | 1,695 | 1,695 |
| | Max. axle weight rating-front | | 900 | 900 | 900 | 900 | 900 | 900 | 900 | 900 |
| | Max. axle weight rating-rear | | 875 | 875 | 875 | 875 | 880 | 870 | 870 | 870 |
| Seating capacity | | | 5 | | | | | | | |
| Engine | Model No. | | 4G93 | | | | | F8QT | | |
| | Total displacement m ^l | | 1,834 | | | | | 1,870 | | |
| Trans- mission | Model No. | | F5MR2 | F4A42 | F5MR2 | F4A42 | F5MR2 | F5MR3 | | |
| | Type | | 5-speed manual | 4-speed auto- matic | 5-speed manual | 4-speed auto- matic | 5-speed manual | 5-speed manual | | |
| Fuel system | Fuel supply system | | Electronic control multipoint fuel injection | | | | | Fuel injection pump | | |

SEDAN



00U0115

<DA1A>

| Items | | | DA1A SNMEL6, SNMER6 | DA1A SNMVL6B | DA1A SNDEL6, SNDER6 | DA1A SNDVL6B | DA1A SRDEL6, SRDER6 | DA1A SRDVL6B |
|-----------------------------|-------------------------------------|--|---------------------------|-----------------|---------------------------|-----------------|---------------------------|-----------------|
| Vehicle dimensions mm | Overall length | 1 | 4,435 | 4,435 | 4,435 | 4,435 | 4,435 | 4,435 |
| | Overall width | 2 | 1,695 | 1,695 | 1,695 | 1,695 | 1,695 | 1,695 |
| | Overall height (unladen) | 3 | 1,405 | 1,420 | 1,405 | 1,420 | 1,405 | 1,420 |
| | Wheelbase | 4 | 2,550 | 2,550 | 2,550 | 2,550 | 2,550 | 2,550 |
| | Track-front | 5 | 1,455 | 1,455 | 1,455 | 1,455 | 1,455 | 1,455 |
| | Trakt-rear | 6 | 1,475 | 1,475 | 1,475 | 1,475 | 1,475 | 1,475 |
| | Overhang-front | 7 | 880 | 880 | 880 | 880 | 880 | 880 |
| | Overhang-rear | 8 | 1,005 | 1,005 | 1,005 | 1,005 | 1,005 | 1,005 |
| | Ground clearance (unladen) | 9 | 155 | 170 | 155 | 170 | 150 | 165 |
| Vehicle weight kg | Kerb weight | | 1,080 | 1,100 | 1,080 | 1,100 | 1,110 | 1,125 |
| | Max. gross vehicle weight rating | | 1,610 | 1,610 | 1,610 | 1,610 | 1,640 | 1,640 |
| | Max. axle weight rating-front | | 900 | 900 | 900 | 900 | 900 | 900 |
| | Max. axle weight rating-rear | | 840 | 840 | 840 | 840 | 840 | 840 |
| Seating capacity | | | 5 | | | | | |
| Engine | Model No. | 4G92 | | | | | | |
| | Total displacement ml | 1,597 | | | | | | |
| Transmis- sion | Model No. | F5MR1 | | | | | F4A41 | |
| | Type | 5-speed manual | | | | | 4-speed automatic | |
| Fuel system | Fuel supply system | Electronic control multipoint fuel injection | | | | | | |

| Items | | | DA1A SNJEL6, SNJER6 | DA1A SNJVL6B | DA1A SRJEL6, SRJER6 | DA1A SRJVL6B |
|-----------------------------|-------------------------------------|---|--|-----------------|---------------------------|-----------------|
| Vehicle dimensions mm | Overall length | 1 | 4,435 | 4,435 | 4,435 | 4,435 |
| | Overall width | 2 | 1,695 | 1,695 | 1,695 | 1,695 |
| | Overall height (unladen) | 3 | 1,405 | 1,420 | 1,405 | 1,420 |
| | Wheelbase | 4 | 2,550 | 2,550 | 2,550 | 2,550 |
| | Track-front | 5 | 1,455 | 1,455 | 1,455 | 1,455 |
| | Track-rear | 6 | 1,475 | 1,475 | 1,475 | 1,475 |
| | Overhang-front | 7 | 880 | 880 | 880 | 880 |
| | Overhang-rear | 8 | 1,005 | 1,005 | 1,005 | 1,005 |
| | Ground clearance (unladen) | 9 | 155 | 170 | 150 | 165 |
| Vehicle weight kg | Kerb weight | | 1,090 | 1,110 | 1,120 | 1,140 |
| | Max. gross vehicle weight rating | | 1,610 | 1,610 | 1,640 | 1,640 |
| | Max. axle weight rating-front | | 900 | 900 | 900 | 900 |
| | Max. axle weight rating-rear | | 840 | 840 | 840 | 840 |
| Seating capacity | | | 5 | | | |
| Engine | Model No. | | 4G92 | | | |
| | Total displacement ml | | 1,597 | | | |
| Transmis- sion | Model No. | | F5MR1 | | F4A41 | |
| | Type | | 5-speed manual | | 4-speed automatic | |
| Fuel system | Fuel supply system | | Electronic control multipoint fuel injection | | | |

<DA2A, DA4A>

| Items | | | DA2A SNJEL6, SNJER6 | DA2A SRJEL6, SRJER6 | DA2A SNPEL6, SNPER6 | DA2A SRPEL6, SRPER6 | DA2A SNGML6 | DA4A SNDFL6, SNDFR6 | DA4A SNJFL6, SNJFR6 | DA4A SNPFL6, SNPFR6 |
|--------------------------|----------------------------------|---|--|---------------------------|---------------------------|---------------------------|----------------|---------------------------|---------------------------|---------------------------|
| Vehicle dimensions mm | Overall length | 1 | 4,435 | 4,435 | 4,435 | 4,435 | 4,435 | 4,445 | 4,445 | 4,445 |
| | Overall width | 2 | 1,695 | 1,695 | 1,695 | 1,695 | 1,695 | 1,695 | 1,695 | 1,695 |
| | Overall height (unladen) | 3 | 1,405 | 1,405 | 1,405 | 1,405 | 1,405 | 1,405 | 1,405 | 1,405 |
| | Wheelbase | 4 | 2,550 | 2,550 | 2,550 | 2,550 | 2,550 | 2,550 | 2,550 | 2,550 |
| | Track-front | 5 | 1,455 | 1,455 | 1,455 | 1,455 | 1,455 | 1,455 | 1,455 | 1,455 |
| | Track-rear | 6 | 1,475 | 1,475 | 1,475 | 1,475 | 1,475 | 1,475 | 1,475 | 1,475 |
| | Overhang-front | 7 | 880 | 880 | 880 | 880 | 880 | 890 | 890 | 890 |
| | Overhang-rear | 8 | 1,005 | 1,005 | 1,005 | 1,005 | 1,005 | 1,005 | 1,005 | 1,005 |
| | Ground clearance (unladen) | 9 | 155 | 150 | 155 | 150 | 155 | 155 | 155 | 155 |
| Vehicle weight kg | Kerb weight | | 1,110 | 1,140 | 1,115 | 1,145 | 1,155 | 1,130 | 1,145 | 1,150 |
| | Max. gross vehicle weight rating | | 1,640 | 1,670 | 1,640 | 1,670 | 1,665 | 1,675 | 1,675 | 1,675 |
| | Max. axle weight rating-front | | 900 | 900 | 900 | 900 | 900 | 900 | 900 | 900 |
| | Max. axle weight rating-rear | | 850 | 850 | 850 | 850 | 855 | 845 | 845 | 845 |
| Seating capacity | | | 5 | | | | | | | |
| Engine | Model No. | | 4G93 | | | | | F8QT | | |
| | Total displacement mℓ | | 1,834 | | | | | 1,870 | | |
| Transmission | Model No. | | F5MR2 | F4A42 | F5MR2 | F4A42 | F5MR2 | F5MR3 | | |
| | Type | | 5-speed manual | 4-speed automatic | 5-speed manual | 4-speed automatic | 5-speed manual | 5-speed manual | | |
| Fuel system | Fuel supply system | | Electronic control multipoint fuel injection | | | | | Fuel injection pump | | |