

OUTLINE OF CHANGES

WIRING HARNESS CONFIGURATION DIAGRAMS	2
SINGLE PART INSTALLATION POSITION	2
CIRCUIT DIAGRAM	2
TABLE OF CIRCUIT DIAGRAMS	4

WIRING HARNESS CONFIGURATION DIAGRAMS

Wiring harness configuration diagram			Reference page	Description of changes
Connector symbol	Name			
A	ENGINE COMPARTMENT	4G93 SOHC-MPI <R.H. drive vehicles for General Export>	2-2	A wiring harness configuration diagram has been established to correspond to the addition of vehicles with 4G93 SOHC-MPI engine.
		4D68 <L.H. drive vehicles for Europe>	2-6	The contents for the fuel line heater have been changed.
B	DASH PANEL	R.H. drive vehicles except for Europe	2-10	Contents for vehicles with 4G93 SOHC-MPI engine have been added.
C	INSTRUMENT PANEL	L.H. drive vehicles for Europe	2-12	A fuel line heater control unit connector (C-21) has been added.

SINGLE PART INSTALLATION POSITION

Location of changes	Reference page	Description of changes
Control unit	3-2	A fuel line heater control unit has been added in vehicles with 4D68 engine. <Vehicles for Europe>
Diode	3-2	Contents for vehicles with 4G93 SOHC-MPI engine <Vehicles for General Export> have been added.

CIRCUIT DIAGRAM

Circuit diagrams			Ref. page	Description of changes
Main title	Subtitle			
STARTING SYSTEM	Diesel <Vehicles for Europe>		4-2	Contents have been added for vehicles with fuel line heater.
IGNITION SYSTEM	4G93 SOHC <R.H. drive vehicles>		4-3	Dedicated circuits have been added for vehicles with 4G93 SOHC-MPI engine.
SELF-REGULATING GLOW SYSTEM	L.H. drive vehicles for Europe without EGR system		4-4	Contents have been added for vehicles with fuel line heater.
MPI SYSTEM	4G92 <L.H. drive vehicles (MVV)>		4-6	The fuel octane ratio selection connector (B-18) has been abolished.
	4G92 <R.H. drive vehicles (MVV)>		4-13	
	4G93-SOHC <R.H. drive vehicles>		4-20	Dedicated circuits have been added for vehicles with 4G93 SOHC-MPI engine.
	4G93 <L.H. drive vehicles for Europe>		4-26	The fuel octane ratio selection connector (B-18) has been abolished.
	4G93-DOHC <Vehicles for GCC>		4-32	<ul style="list-style-type: none"> The fuel octane ratio selection connector (B-18) has been abolished. Circuits have been changed to correspond to changes in the cooling system.
	4G93-DOHC <R.H. drive vehicles for General Export>		4-38	The fuel octane ratio selection connector (B-18) has been abolished.
COOLING SYSTEM	4G9 <Vehicles for GCC>		4-44	The fan motor control circuit has been changed.

Circuit diagrams			Description of changes
Main title	Subtitle	Ref. page	
STOP LAMP	Hatchback <L.H. drive vehicles>	4-46	The high mounted stop lamp circuit has been changed.
	Hatchback <R.H. drive vehicles except for Europe>	4-47	
	Sedan <L.H. drive vehicles>	4-48	
	Sedan <R.H. drive vehicles except for Europe>	4-49	
	Wagon <L.H. drive vehicles>	4-50	
	Wagon <R.H. drive vehicles except for Europe>	4-51	
POWER WINDOW	2-door sedan <Vehicles for General Export>	4-52	Dedicated circuits have been added to correspond to the addition of 2-door sedans.
AIR CONDITIONER	4G9 <Vehicles for GCC>	4-54	The fan motor control circuit has been changed.
REAR WIPER AND WASHER	R.H. drive vehicles for Europe with intermittent wiper	4-60	Contents for new vehicles models have been added.
HEADLAMP WASHER	—	4-62	Contents have been added for vehicles with fuel line heater.
ANTI-LOCK BRAKE SYSTEM	Hatchback <L.H. drive vehicles for Europe (2WD)>	4-64	Contents for new vehicles models have been added.
	Hatchback <R.H. drive vehicles for Europe>	4-68	
	Sedan and wagon <2WD (L.H. drive vehicles for Europe)>	4-72	
	Sedan and wagon <2WD (R.H. drive vehicles for Europe)>	4-76	
FUEL LINE HEATER	—	4-80	New circuits have been established.
SUPPLEMENTAL RESTRAINT SYSTEM (SRS)	L.H. drive vehicles	4-81	The SRS warning lamp circuit has been changed.
	R.H. drive vehicles	4-83	

TABLE OF CIRCUIT DIAGRAMS

This table of circuit diagrams indicates those circuits in which changes and/or additions, etc. have been made; the circuits are here listed in the sequence in which they are presented in the wiring diagrams. Please use this table for reference when following maintenance or repair procedures.

NOTE

- (1) The [●] symbol indicates a circuit in which a change and/or addition has been made.
- (2) The [○] symbol indicates a circuit in which no change has been made. For details please refer to the wiring diagrams.

Vehicles for Europe

Main circuit	Circuit classifications	Pub. No. PHME9107-D (Basic)	Pub. No. PHME9107-E (Supplement)
JUNCTION BLOCK	L.H. drive vehicles	○	○
	R.H. drive vehicles	○	○
JUMPER CONNECTOR	—	○	○
CENTRALIZED JUNCTION	—	○	○
POWER DISTRIBUTION SYSTEM	L.H. drive vehicles	○	○
	R.H. drive vehicles	○	○
STARTING SYSTEM	Petrol	○	○
	Diesel	○	—
	Diesel <Vehicles for Europe>	—	●
IGNITION SYSTEM	4G13 <L.H. drive vehicles>	○	○
	4G13 <R.H. drive vehicles>	○	○
	4G92 <L.H. drive vehicles>	○	○
	4G92 <R.H. drive vehicles>	○	○
	4G93 <L.H. drive vehicles>	○	○
	4G93 <R.H. drive vehicles>	○	○
SELF-REGURATING GLOW SYSTEM	L.H. drive vehicles with EGR system	○	○
	L.H. drive vehicles without EGR system	○	—
	R.H. drive vehicles	○	○
	L.H. drive vehicles for Europe without EGR system	—	●
CHARGING SYSTEM	4G13 <L.H. drive vehicles>	○	○
	4G13 <R.H. drive vehicles>	○	○
	4G9 <L.H. drive vehicles>	○	○
	4G9 <R.H. drive vehicles>	○	○
	4D68 <L.H. drive vehicles>	○	○
	4D68 <R.H. drive vehicles>	○	○

Main circuit	Circuit classifications	Pub. No. PHME9107-D (Basic)	Pub. No. PHME9107-E (Supplement)
MPI SYSTEM	4G13 <L.H. drive vehicles>	○	○
	4G13 <R.H. drive vehicles>	○	○
	4G92 <L.H. drive vehicles (MVV)>	○	●
	4G92 <R.H. drive vehicles (MVV)>	○	●
	4G92 <L.H. drive vehicles (except MVV)>	○	○
	4G92 <R.H. drive vehicles (except MVV)>	○	○
	4G93 <L.H. drive vehicles>	○	—
	4G93 <R.H. drive vehicles>	○	—
	4G93 <L.H. drive vehicles for Europe>	—	●
	4G93-DOHC <R.H. drive vehicles for General Export>	—	●
COOLING SYSTEM	4G13	○	○
	4G9	○	○
	4D68	○	○
ELC 4-SPEED AUTOMATIC TRANSMISSION	L.H. drive vehicles	○	○
	R.H. drive vehicles	○	○
HEADLAMP	Vehicles with daytime running lamp	○	○
	L.H. drive vehicles without daytime running lamp	○	○
	R.H. drive vehicles	○	○
HEADLAMP LEVELING SYSTEM	L.H. drive vehicles	○	○
	R.H. drive vehicles	○	○
TAIL LAMP, POSITION LAMP, LICENCE PLATE LAMP AND LIGHTING MONITOR BUZZER	Hatchback <L.H. drive vehicles>	○	○
	Hatchback <R.H. drive vehicles>	○	○
	Sedan <L.H. drive vehicles>	○	○
	Sedan <R.H. drive vehicles>	○	○
	Wagon <L.H. drive vehicles>	○	○
	Wagon <R.H. drive vehicles>	○	○
FRONT FOG LAMP	L.H. drive vehicles	○	○
	R.H. drive vehicles	○	○
REAR FOG LAMP	Hatchback and wagon <L.H. drive vehicles>	○	○
	Hatchback and wagon <R.H. drive vehicles>	○	○
	Sedan <L.H. drive vehicles>	○	○
	Sedan <R.H. drive vehicles>	○	○

Main circuit	Circuit classifications	Pub. No. PHME9107-D (Basic)	Pub. No. PHME9107-E (Supplement)
ROOM LAMP AND LUGGAGE COMPARTMENT LAMP	Hatchback <L.H. drive vehicles>	○	○
	Hatchback <R.H. drive vehicles>	○	○
	Sedan <L.H. drive vehicles>	○	○
	Sedan <R.H. drive vehicles>	○	○
	Wagon <L.H. drive vehicles>	○	○
	Wagon <R.H. drive vehicles>	○	○
TURN-SIGNAL LAMP AND HAZARD LAMP	Hatchback and sedan <L.H. drive vehicles>	○	○
	Hatchback and sedan <R.H. drive vehicles>	○	○
	Wagon <L.H. drive vehicles>	○	○
	Wagon <R.H. drive vehicles>	○	○
STOP LAMP	Hatchback <L.H. drive vehicles>	○	●
	Hatchback <R.H. drive vehicles>	○	○
	Sedan <L.H. drive vehicles>	○	●
	Sedan <R.H. drive vehicles>	○	○
	Wagon <L.H. drive vehicles>	○	●
	Wagon <R.H. drive vehicles>	○	○
BACK-UP LAMP	Hatchback <L.H. drive vehicles>	○	○
	Hatchback <R.H. drive vehicles>	○	○
	Sedan <L.H. drive vehicles>	○	○
	Sedan <R.H. drive vehicles>	○	○
	Wagon <L.H. drive vehicles>	○	○
	Wagon <R.H. drive vehicles>	○	○
HORN	L.H. drive vehicles with SRS	○	○
	R.H. drive vehicles with SRS	○	○
	L.H. drive vehicles without SRS	○	○
	R.H. drive vehicles without SRS	○	○
METER AND GAUGE	2WD <L.H. drive vehicles>	○	○
	2WD <R.H. drive vehicles>	○	○
	4WD <L.H. drive vehicles>	○	○
	4WD <R.H. drive vehicles>	○	○
FUEL WARNING LAMP	L.H. drive vehicles <2WD>	○	○
	L.H. drive vehicles <4WD>	○	○
BRAKE WARNING LAMP	L.H. drive vehicles	○	○
OIL PRESSURE WARNING LAMP	L.H. drive vehicles	○	○
FUEL FILTER WARNING LAMP	L.H. drive vehicles <Diesel>	○	○

Main circuit	Circuit classifications	Pub. No. PHME9107-D (Basic)	Pub. No. PHME9107-E (Supplement)
FUEL WARNING LAMP	R.H. drive vehicles <2WD>	○	○
	R.H. drive vehicles <4WD>	○	○
BRAKE WARNING LAMP	R.H. drive vehicles	○	○
OIL PRESSURE WARNING LAMP	R.H. drive vehicles	○	○
FUEL FILTER WARNING LAMP	R.H. drive vehicles <Diesel>	○	○
CENTRAL DOOR LOCKING SYSTEM	Hatchback <L.H. drive vehicles>	○	○
	Hatchback <R.H. drive vehicles>	○	○
	Sedan and wagon <L.H. drive vehicles>	○	○
	Sedan and wagon <R.H. drive vehicles>	○	○
POWER WINDOW	Hatchback <L.H. drive vehicles>	○	○
	Hatchback <R.H. drive vehicles>	○	○
	Sedan and wagon <L.H. drive vehicles>	○	○
	Sedan and wagon <R.H. drive vehicles>	○	○
HEATER	L.H. drive vehicles	○	○
	R.H. drive vehicles	○	○
AIR CONDITIONER	4G13 <L.H. drive vehicles>	○	○
	4G13 <R.H. drive vehicles>	○	○
	4G9 <L.H. drive vehicles>	○	○
	4G9 <R.H. drive vehicles>	○	○
	4D68 <L.H. drive vehicles>	○	○
	4D68 <R.H. drive vehicles>	○	○
WINDSHIELD WIPER AND WASHER	L.H. drive vehicles with intermittent wiper	○	○
	L.H. drive vehicles without intermittent wiper	○	○
	R.H. drive vehicles	○	○
REAR WIPER AND WASHER	L.H. drive vehicles with intermittent wiper	○	○
	L.H. drive vehicles without intermittent wiper	○	○
	R.H. drive vehicles with intermittent wiper	○	—
	R.H. drive vehicles without intermittent wiper	○	○
	R.H. drive vehicles for Europe with intermittent wiper	—	●
HEADLAMP WASHER	—	○	●
DEFOGGER AND DOOR MIRROR HEATER	Hatchback <L.H. drive vehicles>	○	○
	Hatchback <R.H. drive vehicles>	○	○
	Sedan and wagon <L.H. drive vehicles>	○	○
	Sedan and wagon <R.H. drive vehicles>	○	○

OUTLINE OF CHANGES – Table of Circuit Diagrams

Main circuit	Circuit classifications	Pub. No. PHME9107-D (Basic)	Pub. No. PHME9107-E (Supplement)
REMOTE CONTROLLED MIRROR	L.H. drive vehicles	○	○
	R.H. drive vehicles	○	○
CLOCK	L.H. drive vehicles with daytime running lamp	○	○
	L.H. drive vehicles without daytime running lamp	○	○
	R.H. drive vehicles	○	○
CIGARETTE LIGHTER	L.H. drive vehicles	○	○
	R.H. drive vehicles	○	○
RADIO AND TAPE PLAYER	Hatchback <L.H. drive vehicles>	○	○
	Hatchback <R.H. drive vehicles>	○	○
	Sedan <L.H. drive vehicles>	○	○
	Sedan <R.H. drive vehicles>	○	○
	Wagon <L.H. drive vehicles>	○	○
	Wagon <R.H. drive vehicles>	○	○
SUNROOF	L.H. drive vehicles	○	○
	R.H. drive vehicles	○	○
HEATED SEAT	—	○	○
ANTI-LOCK BRAKE SYSTEM	Hatchback <L.H. drive vehicles (2WD)>	○	—
	Hatchback <L.H. drive vehicles (4WD)>	○	○
	Hatchback <R.H. drive vehicles>	○	—
	Sedan and wagon <2WD (L.H. drive vehicles)>	○	—
	Sedan and wagon <2WD (R.H. drive vehicles)>	○	—
	Wagon <4WD (L.H. drive vehicles)>	○	○
	Wagon <4WD (R.H. drive vehicles)>	○	○
	Hatchback <L.H. drive vehicles for Europe (2WD)>	—	●
	Hatchback <R.H. drive vehicles for Europe>	—	●
	Sedan and wagon <2WD (L.H. drive vehicles for Europe)>	—	●
	Sedan and wagon <2WD (R.H. drive vehicles for Europe)>	—	●
FUEL LINE HEATER	—	—	●
SUPPLEMENTAL RESTRAINT SYSTEM (SRS)	L.H. drive vehicles	○	●
	R.H. drive vehicles	○	●

Vehicles except for Europe

Main circuit	Circuit classifications	Pub. No. PHME9339 (Basic)	Pub. No. PHME9339-1 (Supplement)
JUNCTION BLOCK	L.H. drive vehicles	○	○
	R.H. drive vehicles	○	○
JUMPER CONNECTOR	—	○	○
CENTRALIZED JUNCTION	—	○	○
POWER DISTRIBUTION SYSTEM	L.H. drive vehicles	○	○
	R.H. drive vehicles	○	○
STARTING SYSTEM	Petrol	○	○
	Diesel	○	○
IGNITION SYSTEM	4G1 Carburettor <L.H. drive vehicles>	○	○
	4G1 Carburettor <R.H. drive vehicles>	○	○
	4G13 MPI	○	○
	4G91 and 4G93 <R.H. drive vehicles>	○	○
	4G92 <L.H. drive vehicles>	○	○
	4G92 <R.H. drive vehicles>	○	○
	4G93 <L.H. drive vehicles>	○	○
4G93-SOHC <R.H. drive vehicles>	—	●	
SELF-REGURATING GLOW SYSTEM	L.H. drive vehicles	○	○
	R.H. drive vehicles with EGR system	○	○
	R.H. drive vehicles without EGR system	○	○
CHARGING SYSTEM	4G1 <L.H. drive vehicles>	○	○
	4G1 <R.H. drive vehicles>	○	○
	4G9 <L.H. drive vehicles>	○	○
	4G9 <R.H. drive vehicles>	○	○
	4D68 <L.H. drive vehicles>	○	○
	4D68 <R.H. drive vehicles>	○	○
VARIABLE-VENTURI CARBURETTOR	—	○	○
FEED BACK CARBURETTOR	—	○	○

Main circuit	Circuit classifications	Pub. No. PHME9339 (Basic)	Pub. No. PHME9339-1 (Supplement)
MPI SYSTEM	4G13	○	○
	4G91	○	○
	4G92 <L.H. drive vehicles>	○	○
	4G92 <R.H. drive vehicles>	○	○
	4G93 <L.H. drive vehicles>	○	—
	4G93 <R.H. drive vehicles>	○	—
	4G93-SOHC <R.H. drive vehicles>	—	●
	4G93-DOHC <Vehicles for GCC>	—	●
	4G93-DOHC <R.H. drive vehicles for General Export>	—	●
IDLE UP SYSTEM (FBC)	—	○	○
COOLING SYSTEM	4G1 <M/T (Vehicles except for GCC)>	○	○
	4G1 <A/T and vehicles for GCC>	○	○
	4G9 <L.H. drive vehicles except for GCC>	○	—
	4G9 <R.H. drive vehicles>	○	—
	4G9 <Vehicles for GCC>	○	●
	4D68	○	○
3-SPEED AUTOMATIC TRANSMISSION	L.H. drive vehicles	○	○
	R.H. drive vehicles	○	○
ELC 4-SPEED AUTOMATIC TRANSMISSION	4G91	○	○
	4G92 <L.H. drive vehicles>	○	○
	4G92 <R.H. drive vehicles>	○	○
HEADLAMP	L.H. drive vehicles <except TAXI>	○	○
	R.H. drive vehicles <except TAXI>	○	○
	L.H. drive vehicles <TAXI>	○	○
	R.H. drive vehicles <TAXI>	○	○
TAIL LAMP, POSITION LAMP, LICENCE PLATE LAMP AND LIGHTING MONITOR BUZZER	Hatchback <L.H. drive vehicles>	○	○
	Hatchback <R.H. drive vehicles>	○	○
	Sedan <L.H. drive vehicles>	○	○
	Sedan <R.H. drive vehicles except for Hong Kong>	○	○
	Sedan <Vehicles for Hong Kong>	○	○
	Wagon <L.H. drive vehicles>	○	○
	Wagon <R.H. drive vehicles>	○	○
FRONT FOG LAMP	L.H. drive vehicles	○	○
	R.H. drive vehicles	○	○
REAR FOG LAMP	Wagon with 4D68 engine	○	—

Main circuit	Circuit classifications	Pub. No. PHME9339 (Basic)	Pub. No. PHME9339-1 (Supplement)
ROOM LAMP AND LUGGAGE COMPARTMENT LAMP	Hatchback <L.H. drive vehicles>	○	○
	Hatchback <R.H. drive vehicles>	○	○
	Sedan <L.H. drive vehicles>	○	○
	Sedan <R.H. drive vehicles with keyless entry system>	○	○
	Sedan <R.H. drive vehicles without keyless entry system>	○	○
	Wagon <L.H. drive vehicles>	○	○
	Wagon <R.H. drive vehicles>	○	○
TURN-SIGNAL LAMP AND HAZARD LAMP	Hatchback and sedan <L.H. drive vehicles>	○	○
	Hatchback and sedan <R.H. drive vehicles>	○	○
	Wagon <L.H. drive vehicles>	○	○
	Wagon <R.H. drive vehicles>	○	○
STOP LAMP	Hatchback <L.H. drive vehicles>	○	●
	Sedan <L.H. drive vehicles>	○	●
	Hatchback and sedan (except for Hong Kong) <R.H. drive vehicles>	○	—
	Sedan <Vehicles for Hong Kong>	○	—
	Wagon <L.H. drive vehicles>	○	●
	Wagon <R.H. drive vehicles>	○	—
	Hatchback <R.H. drive vehicles except for Europe>	—	●
	Sedan <R.H. drive vehicles except for Europe>	—	●
	Wagon <R.H. drive vehicles except for Europe>	—	●
BACK-UP LAMP	Hatchback and sedan <L.H. drive vehicles>	○	○
	Hatchback and sedan <R.H. drive vehicles>	○	○
	Wagon <L.H. drive vehicles>	○	○
	Wagon <R.H. drive vehicles>	○	○
HORN	L.H. drive vehicles with SRS	○	○
	R.H. drive vehicles with SRS	○	○
	L.H. drive vehicles without SRS <except for GCC>	○	○
	R.H. drive vehicles without SRS	○	○
	Vehicles for GCC	○	○
METER AND GAUGE	Petrol <L.H. drive vehicles>	○	○
	Petrol <R.H. drive vehicles>	○	—
	Diesel <L.H. drive vehicles>	○	○
	Diesel <R.H. drive vehicles>	○	○
FUEL WARNING LAMP	L.H. drive vehicles	○	○

Main circuit	Circuit classifications	Pub. No. PHME9339 (Basic)	Pub. No. PHME9339-1 (Supplement)
BRAKE WARNING LAMP	L.H. drive vehicles	○	○
OIL PRESSURE WARNING LAMP	L.H. drive vehicles	○	○
FUEL FILTER WARNING LAMP	L.H. drive vehicles	○	○
SEAT BELT WARNING LAMP	—	○	○
FUEL WARNING LAMP	R.H. drive vehicles	○	○
BRAKE WARNING LAMP	R.H. drive vehicles	○	○
OIL PRESSURE WARNING LAMP	R.H. drive vehicles	○	○
FUEL FILTER WARNING LAMP	R.H. drive vehicles	○	○
CENTRAL DOOR LOCKING SYSTEM	Hatchback <L.H. drive vehicles>	○	○
	Hatchback <R.H. drive vehicles>	○	○
	Sedan and wagon <L.H. drive vehicles>	○	○
	Sedan and wagon <R.H. drive vehicles without keyless entry system>	○	○
	Sedan <R.H. drive vehicles with keyless entry system>	○	○
POWER WINDOW	Hatchback <L.H. drive vehicles>	○	○
	Hatchback <R.H. drive vehicles>	○	○
	Sedan and wagon <L.H. drive vehicles>	○	○
	Sedan and wagon <R.H. drive vehicles>	○	—
	2-door sedan <Vehicles for General Export>	—	●
HEATER	L.H. drive vehicles	○	○
	R.H. drive vehicles	○	○
AIR CONDITIONER	4G1-M/T <L.H. drive vehicles except for GCC>	○	○
	4G1-M/T <R.H. drive vehicles>	○	—
	4G1-A/T <L.H. drive vehicles> and GCC	○	○
	4G1-A/T <R.H. drive vehicles>	○	—
	4G9 <L.H. drive vehicles except for GCC>	○	—
	4G9 <Vehicles for GCC>	○	●
	4G9 <R.H. drive vehicles>	○	○
	4D68 <L.H. drive vehicles>	○	○
	4D68 <R.H. drive vehicles>	○	○
WINDSHIELD WIPER AND WASHER	L.H. drive vehicles with intermittent wiper	○	○
	L.H. drive vehicles without intermittent wiper	○	○
	R.H. drive vehicles with intermittent wiper	○	○
	R.H. drive vehicles without intermittent wiper	○	○

Main circuit	Circuit classifications	Pub. No. PHME9339 (Basic)	Pub. No. PHME9339-1 (Supplement)
REAR WIPER AND WASHER	Hatchback <L.H. drive vehicles with intermittent wiper>	○	○
	Hatchback <R.H. drive vehicles with intermittent wiper>	○	○
	Hatchback <L.H. drive vehicles without intermittent wiper>	○	○
	Hatchback <R.H. drive vehicles without intermittent wiper>	○	○
	Wagon <L.H. drive vehicles with intermittent wiper>	○	○
	Wagon <R.H. drive vehicles with intermittent wiper>	○	○
	Wagon <L.H. drive vehicles without intermittent wiper>	○	○
	Wagon <R.H. drive vehicles without intermittent wiper>	○	○
DEFOGGER	Hatchback and sedan <L.H. drive vehicles>	○	○
	Hatchback and sedan <R.H. drive vehicles without door mirror heater>	○	○
	Sedan <R.H. drive vehicles with door mirror heater>	○	○
	Wagon <L.H. drive vehicles>	○	○
	Wagon <R.H. drive vehicles>	○	○
REMOTE CONTROLLED MIRROR	L.H. drive vehicles	○	○
	R.H. drive vehicles without electric retractable type	○	○
	R.H. drive vehicles with electric retractable type	○	○
CLOCK	L.H. drive vehicles	○	○
	R.H. drive vehicles	○	○
CIGARETTE LIGHTER	L.H. drive vehicles	○	○
	R.H. drive vehicles	○	○
RADIO AND TAPE PLAYER	Hatchback <L.H. drive vehicles>	○	○
	Hatchback <R.H. drive vehicles>	○	○
	Sedan <L.H. drive vehicles (MW/SW radio and tape player)>	○	○
	Sedan <R.H. drive vehicles (MW/SW radio and tape player)>	○	○
	Sedan <L.H. drive vehicles (except MW/SW radio and tape player)>	○	○
	Sedan <R.H. drive vehicles with motor antenna>	○	○
	Sedan <R.H. drive vehicles without motor antenna (except MW/SW radio and tape player)>	○	○
	Wagon <L.H. drive vehicles (MW/SW radio and tape player)>	○	○
	Wagon <L.H. drive vehicles (except MW/SW radio and tape player)>	○	○
	Wagon <R.H. drive vehicles>	○	○
SUNROOF	L.H. drive vehicles	○	○
	R.H. drive vehicles	○	○
POWER SEAT	—	○	○

Main circuit	Circuit classifications	Pub. No. PHME9339 (Basic)	Pub. No. PHME9339-1 (Supplement)
KEY REMINDER BUZZER	Vehicles for GCC	○	○
	Vehicles for Hong Kong	○	○
ANTI-LOCK BRAKE SYSTEM	—	○	○
SUPPLEMENTAL RESTRAINT SYSTEM (SRS)	L.H. drive vehicles	○	●
	R.H. drive vehicles	○	●