
GENERAL

CONTENTS

HOW TO USE THIS MANUAL	2	Models	2
Model Indications	2	Model code	3
VEHICLE IDENTIFICATION	2	MAJOR SPECIFICATIONS	4

HOW TO USE THIS MANUAL

MODEL INDICATIONS

The following abbreviations are used in this manual for identification of model types.

MPI: Indicates the multi point fuel injection.

GD-D: Indicates the direct injection diesel.

GDI: Indicates the gasoline direct injection.

M/T: Indicates the manual transmission, or models equipped with the manual transmission.


A/T: Indicates the automatic transmission, or models equipped with the automatic transmission.

A/C: Indicates the air conditioner.

VEHICLE IDENTIFICATION


MODELS

Model code	Engine model	Transmission model	Fuel supply system	
DG1A	LNDEL6/R6	4G13 MPI (1,299 mL)	F5MR1 <5M/T>	MPI (Multi Point Fuel Injection)
	LNJEL6/R6			
	LNPEL6/R6			
DG4A	LNDFL6/R6	F9Q1 (1,870 mL)	F5MV1 <5M/T>	DI-D (Direct Injection Diesel)
	LNJFL6/R6			
	LNPFL6/R6			
DG5A	LNDCL6	4G93 GDI (1,834 mL)	F5M42 <5M/T>	GDI (Gasoline Direct Injection)
	LNJCL6/R6			
	LRJCL6/R6		F4A42 <INVECS-II 4A/T with Sports Mode>	
	LNPCL6/R6		F5M42 <5M/T>	
	LRPCL6/R6		F4A42 <INVECS-II 4A/T with Sports Mode>	

**MODEL CODE**

No.	Items	Contents
1	Development	DG: MITSUBISHI SPACE STAR
2	Engine type	1: 1,299 mL petrol engine 4: 1,870 mL diesel engine 5: 1,834 mL petrol engine
3	Sort	A: Passenger car
4	Body style	L: 5-door
5	Transmission type	N: 5-speed manual transmission R: 4-speed automatic transmission
6	Trim level	D: Family J: Comfort P: Sport
7	Specification engine feature	E: MPI F: DI-D C: GDI
8	Steering wheel location	L: Left hand R: Right hand
9	Destination	6: For Europe

MAJOR SPECIFICATIONS



V0109AJ

Items		DG1A			DG4A		
		LNDEL6 /R6	LNJEL6 /R6	LNPEL6 /R6	LNDFL6 /R6	LNJFL6 /R6	LNPFL6 /R6
Vehicle dimensions mm	Overall length	1	4,030				
	Overall width	2	1,715				
	Overall height (unladen)	3	1,515, 1,555 ^{*1}				
	Wheelbase	4	2,500				
	Track-front	5	1,475				
	Track-rear	6	1,470				
	Overhang-front	7	835				
	Overhang-rear	8	695				
	Ground clearance (unladen)	9	155				
Vehicle weight kg	Kerb weight	1,158	1,170	1,173	1,248	1,260	1,258
	Max. gross vehicle weight	1,655			1,730		
	Max. axle weight rating-front	855			920		
	Max. axle weight rating-rear	830			850		
Seating capacity		5					
Engine	Model No.	4G13			F9Q1		
	Total displacement mL	1,299			1,870		
Transmission	Model No.	F5MR1			F5MV1		
	Type	5 speed-manual					
Fuel system	Fuel supply system	Multi Point Fuel Injection			Direct Injection Diesel		

NOTE:

*1: Vehicles with roof rails

Items			DG5A				
			LNDCL6	LNJCL6/R6	LNPCL6/R6	LRJCL6/R6	LRPCL6/R6
Vehicle dimensions mm	Overall length	1	4,030				
	Overall width	2	1,715				
	Overall height (unladen)	3	1,515, [‡] 1,555 ^{*1}				
	Wheelbase	4	2,500				
	Track-front	5	1,475				
	Track-rear	6	1,470				
	Overhang-front	7	835				
	Overhang-rear	8	695				
	Ground clearance (unladen)	9	150				
Vehicle weight kg	Kerb weight		1,228	1,240	1,238	1,255	1,253
	Max. gross vehicle weight		1,730				
	Max. axle weight rating-front		920				
	Max. axle weight rating-rear		850				
Seating capacity			5				
Engine	Model No.		4G93				
	Total displacement mL		1,834				
Transmission	Model No.		F5M42			F4A42	
	Type		5 speed-manual			INVECS-II 4A/T with Sports Mode	
Fuel system	Fuel supply system		Gasoline Direct Injection				

NOTE:

*1: Vehicles with roof rails

NOTES