

CAN Communication System

WIRING SYSTEM


10. CAN Communication System

A: WIRING DIAGRAM

1. NON-TURBO MODEL

1a

1a



ES : WITH EyeSight

IP : WITH IMPACT SENSOR

*1 : TERMINAL No. OPTIONAL ARRANGEMENT AMONG 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 AND 11

*2 : TERMINAL No. OPTIONAL ARRANGEMENT AMONG 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 AND 22

*3 : TERMINAL No. OPTIONAL ARRANGEMENT


WI-40684

CAN Communication System

WIRING SYSTEM

1b

1b



WP : WITH PUSH BUTTON START

- *1 : TERMINAL No. OPTIONAL ARRANGEMENT AMONG 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 AND 11
- *2 : TERMINAL No. OPTIONAL ARRANGEMENT AMONG 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 AND 22
- *3 : WITHOUT PUSH BUTTON START : 1
WITH PUSH BUTTON START : 2
- *4 : WITHOUT PUSH BUTTON START : 2
WITH PUSH BUTTON START : 3


WI-40685

CAN Communication System

WIRING SYSTEM

1c

1c



EM : EXCEPT FOR STANDARD MFD
 ES : WITH EyeSight
 AA : AUTO A/C


*1 : TERMINAL No. OPTIONAL ARRANGEMENT AMONG 1, 2, 3, 6, 7 AND 8
 *2 : TERMINAL No. OPTIONAL ARRANGEMENT AMONG 4, 5, 9, 10, 11 AND 12
 *3 : TERMINAL No. OPTIONAL ARRANGEMENT

WI-40686

1d

1d

LIST OF CONNECTORS



OP : WITHOUT PUSH BUTTON START

WP : WITH PUSH BUTTON START


CAN Communication System

WIRING SYSTEM

2. TURBO MODEL

2a

2a



ES : WITH EyeSight
IP : WITH IMPACT SENSOR

*1 : TERMINAL No. OPTIONAL ARRANGEMENT AMONG 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 AND 11
*2 : TERMINAL No. OPTIONAL ARRANGEMENT AMONG 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 AND 22
*3 : TERMINAL No. OPTIONAL ARRANGEMENT


WI-40688

CAN Communication System

WIRING SYSTEM

2b

2b



WP : WITH PUSH BUTTON START

- *1 : TERMINAL No. OPTIONAL ARRANGEMENT AMONG 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 AND 11
- *2 : TERMINAL No. OPTIONAL ARRANGEMENT AMONG 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 AND 22
- *3 : WITHOUT PUSH BUTTON START : 1
WITH PUSH BUTTON START : 2
- *4 : WITHOUT PUSH BUTTON START : 2
WITH PUSH BUTTON START : 3


WI-40689

CAN Communication System

WIRING SYSTEM

2c

2c



ES : WITH EyeSight

AA : AUTO A/C

*1 : TERMINAL No. OPTIONAL ARRANGEMENT AMONG 1, 2, 3, 6, 7 AND 8

*2 : TERMINAL No. OPTIONAL ARRANGEMENT AMONG 4, 5, 9, 10, 11 AND 12






















*3 : TERMINAL No. OPTIONAL ARRANGEMENT

WI-40690

2d

2d

LIST OF CONNECTORS



OP : WITHOUT PUSH BUTTON START

WP : WITH PUSH BUTTON START