Toyota Prius User-Guide

Seventh Edition for the CLASSIC (2001-2003) model

Table of Contents:

DRIVING	2
Just Drive It !	2
Startup	2
Shutdown	2
Hybrid Driving	3
Stealth Driving	4
Cruise-Control	4
MPG Measurement	5
Brakes	5
Increasing MPG	6
"B" Mode	8
Radio	9

NURTURING10Filling the Gas Tank10Tire Care11Alternate Tires12Multi-Display Care16Washing16Polishing17Long-Term Storage17Valet Use17

10

	10
Dealer Service	18
Oil Changes	18
OTHER STUFF	19
Keys	19
After-Market Items	19
Transmission	20
Information Sources	21
Informational Materials	22

MAINTENANCE

GLOSSARY......26



Disclaimer:

All the information stated in this document was provided by Prius owners. None were affiliated with Toyota Motor Corporation, except as customers.

This document is not sanctioned by Toyota Motor Corporation or any of its affiliates.

The ideas, suggestions, and opinions offered in this document have not been endorsed by the manufacturer of those specific components or Toyota Motor Corporation.

Any harm or damage that may result from the application of or the following of any ideas, suggestions, or opinions contained in this document is the sole responsibility of the individual that applied or followed said ideas, suggestions or opinions.

The authors of this document hereby declare that they cannot and will not be held liable, in any fashion, for the content or the use of this document.

DRIVING

Just Drive It !

Vital Info Ignore the advanced technology!

It's too easy to get preoccupied with everything Prius automatically does for you, especially with the Multi-Display providing constant performance information. The hybrid system was designed so you could to drive it like a traditional car. That way, you can enjoy the remarkably smooth & quiet ride. Let the computer worry about how to save gas and reduce emissions.

Startup

Engine Warm-Up	<i>Reducing Emissions</i> is the highest priority for Prius. It strives to remain a SULEV (Super Ultra Low Emission Vehicle) at all times, which means the catalytic-converter must be kept warm even if that requires consuming some gas to accomplish that. Fortunately, you still get better than average mileage, even if the engine doesn't shut off right away.
Winter Heat	Creating heat for the emissions system and heat to keep you warm is fastest and most efficient if you simply drive gently immediately after starting the Prius in the winter. Allowing the engine to run while the Prius is parked takes longer and is less efficient. "Just Drive It!"
Turning the Key	The user-manual states to turn the key and hold it until you hear a beep. Realistically, you can actually let go of the key immediately. Once the computer accepts your request, the engine will startup after preparation is complete. Think of it as clicking a button on a computer-mouse. The catch is you <i>must</i> still wait for the "READY" prompt before shifting into Reverse or Drive.
Blue Light	The blue light, which looks like a thermometer in liquid, is located to the right of the speedometer. It indicates the engine is still cool. This is normal during engine warm-up, it is <i>not</i> a warning. It will usually disappear about in 5 minutes, depending on the outside temperature and if the Prius was recently used. Driving slowly immediately after startup, rather than just waiting while parked, is the most efficiently method of reducing warm-up time. Idling until warm-up is complete before driving takes longer and wastes gas.

Shutdown

Remote Confirm Use the remote when leaving your Prius. Clicking the "lock" button on it will confirm that all the doors really did get shut all the way. If they didn't, the internal overhead light may remain on. That will drain the small 12-volt auxiliary battery if left that way long enough in a 2001 or 2002 Prius. Beginning with the 2003 model, the light will automatically shut itself off even if a door is left ajar.

Hybrid Driving

From a Stop	The gasoline engine is most efficient when running near full potential. So if you can't press lightly enough on the pedal to accelerate using only electricity, go ahead and press a little harder than usual. That brisk - but not aggressive - increase in speed will save a small amount of gas, resulting in an overall efficiency gain.
Climbing Hills	The hybrid system has 2 electric motors. When you encounter a large hill, those motors are automatically taken advantage of. The gasoline engine will rev to its most efficient high-power RPM. That provides thrust directly to the tires, generates electricity for the motor, and recharges the battery-pack all at the same time. So to the surprise of many new owners, large hills don't drain the system. You'll still have plenty of reserve power available when you reach the top.
Cruising	A beneficial technique for efficient cruising is to feather the accelerator pedal at particular times. Learning to do this is simple and will quickly become second nature with very little practice. (In fact, you may already have that foot control if you in-line skate or bicycle occasionally.) To do it, just lightly reduce pressure on the accelerator-pedal whenever you encounter a section of road that's perfectly flat or has a slight decline. The MPG indicator will sometimes jump all the way to the +100 mark, even though your speed ends up dropping only 1 MPH. Then lightly push the accelerator-pedal to efficiently regain that speed afterward. Overall, MPG will climb a little bit when each time you do that.
Parking	When you place the Prius in Park after "stealth" driving, the engine may startup. This is just simple process needed to insure the engine optimally tuned. If you don't want to wait the 10 to 20 seconds for engine shut off, you may immediately do it yourself. The hybrid system will just perform that "housekeeping" when you startup later.
Without the Pack	The electric motor doesn't actually need electricity from the battery-pack. The gasoline engine creates electricity immediately while you drive. So quite frequently, on the multi-display you'll see that the motor is being fed directly from the engine and the battery-pack isn't even being used. And sometimes, while both the engine and motor are providing thrust, the engine will also recharge the battery-pack at the same time.
A/C Instead	At highway speeds, using the A/C (air-conditioner) or vent to remain cool will result in slightly higher MPG than having the windows open.
Recirculate	Avoid using this mode during the winter, since it causes frost on the inside of the windows. Recirculating warm inside air will prevent the engine from needing to run as often; however, the moisture you naturally exhale will build up after awhile. Allowing the fresh cold air from outside to be drawn in will keep the humidity low. The resulting minor MPG penalty is well worth always having clear glass.

Stealth Driving

Engine Off	While the gasoline engine is off and you're driving using just battery power, the mode you're in is called "stealth" (since movement is completely silent).
	Invoking "stealth" is easy once the engine has warmed up (and you aren't running the A/C or Heater too heavily). While driving, just find a street section without any inclines then lift your foot from the accelerator-pedal. The engine will shut off within a few moments. Once it does, lightly place your foot back on the accelerator-pedal to continue driving with only electricity. Another way to invoke stealth is to just stop completely, that will make the engine shut off.
Up to 42 MPH	The 33 kW electric motor is designed to propel the Prius up to 42 MPH (68 km/h). It takes a steady foot though. Slower speeds, like 35 MPH (56 km/h) and 30 MPH (48 km/h), are easier. Beyond that maximum speed or in conditions when additional power is needed, the motor works in combination with the gasoline engine. Though, you will discover above 42 MPH (68 km/h) that there are times when the engine will spin (pistons in motion) without any fuel being consumed; it is a normal function of the Planetary-CVT.
Acceleration	Accelerating in "stealth" can be very slow. Also using the gasoline engine is both quicker and (surprisingly) more efficient, so don't be afraid to consume a little bit of gas. Remember that even if you use the battery and get "+100 MPG", the engine must run later to recharge it. So short-term gains may actually result in an overall loss.
A/C & Heater	Only the lowest setting for the air-conditioner & heater work in "stealth". Higher settings and airflow durations longer than a minute or two will require the gasoline engine to run.
Be Careful !	Be careful while driving in "stealth", especially in parking lots. Some people use only their ears to verify it's safe, not their eyes! So having a car that's completely silent means you'll probably have someone step out in front of it without even realizing you're driving right at him or her.

Cruise-Control

After Market	Cruise-Control is now available for 2001 model Prius, it wasn't originally. So if you'd like to add it now, just ask your dealer. It can also be added afterward to the 2002 & 2003 model.
24 MPH minimum	Slowing down below 24 MPH (39 km/h) will cause the memory to reset. So if you have to slow down or stop, you'll need to set the speed again rather than using the resume feature.
MPG	Some owners have observed an increase in MPG from using the cruise-control, others have not. Results vary depending on your particular driving habits and road conditions.
Stealth	If you don't have a sensitive foot but would still like to enjoy stealth driving on a light traffic road, just set the cruise-control. This can be done all the way up to 42 MPH (68 km/h) on flat or declining terrain without making the engine startup.
Smoooooth	The CVT (Continuously Variable Transmission, Planetary Type) in the THS (Toyota Hybrid System) makes the cruise-control in Prius remarkably smooth. You'll especially notice the "no shifting" characteristic of the drive when going up hills and accelerating aggressively.

MPG Measurement

Lifetime	LIFETIME is the most useful measurement. Total miles driven, divided by total gallons consumed, informs you how efficiently the car has performed overall.
Tank	TANK is the measurement between each fill up. You press the RESET button when the tank is full. The results are informative, but not perfectly accurate. In cold weather, the bladder inside the gas tank shrinks. This reduces the overall capacity making the "full" level variable. Also, "full" can be misrepresented if the pump doesn't shut off at the proper time. These factors make calculations based on fill-up less accurate.
Trip	TRIP is mostly for fun, since a multitude of variables can affect the measurement to a single destination. Watch the 5-minute summary segments shown on the multi-display. Remember though, if you were to start a drive downhill, with a tail wind, a warm engine, a fully charged battery-pack, and a warm outside temperature, the MPG would be very <i>impressive</i> for that particular trip. But then if the return trip back was uphill, against the wind, with a cold engine, a drained battery-pack, and a cold outside temperature, the MPG would appear very <i>disappointing</i> . In summary, trip results can vary greatly. The overall average is what really matters.
Sudden Drop	Tire pressure may have dropped. For every 10 F degrees colder, pressure will automatically drop 1 PSI. Verify you still have as much air in the tires as you think they do.Increased use of the heater or air-conditioner (which includes the defroster) will force the engine to run more often. Try a less demanding setting.When the temperature drops below freezing, you may notice the engine has to run quite a bit longer to warm up the catalytic-converter. This is to keep the Prius emissions Super-Ultra clean. Avoid driving short trips; instead, take advantage of the time after warm up is complete by running several errands at once.

Brakes

Regenerator	When you reduce pressure on the accelerator-pedal or use the brake-pedal, excess speed turns a motor, causing regeneration of electricity to recharge the battery-pack. The regenerator takes advantage of the kinetic energy that would have otherwise been lost. The brake pads & shoes are not used as much as in a traditional vehicle. This not only makes the Prius more efficient, it also indicates the brakes will last longer.
Foot Pressure	You'll hear comments about the brakes feeling "grabby" from some people taking test-drives. They aren't aware that Prius brakes don't require heavy pressure like traditional brakes; instead, the same pressure you use for the accelerator-pedal is all that's needed. You'll discover this is a pleasant improvement after just a day or two of driving. In fact, you may even ask yourself later why brakes weren't always made like that.

Increasing MPG

Driving	 Brisk Acceleration is an often misunderstood benefit. There's no need to hold back. A gasoline engine works more efficiently when running at higher RPM, about 70 percent of maximum. Take advantage of that by getting to cruising speed quickly (but not aggressively, please drive safely). And remember, while the engine running it is also generating electricity for later use. Coast whenever you have the opportunity. Using the feather technique helps. By lifting your foot lightly from the accelerator-pedal, you can invoke an efficient computer-controlled glide without decelerating much at all (less than 1 MPH). With good road conditions and a bit of practice, you'll find yourself doing this instinctively. Look Ahead. If you see a light turning red or a need to slow down in the distance, there's no reason to continue holding the accelerator-pedal. Remove your foot and allow the generator to decelerate the Prius. That will increase your MPG, charge the battery-pack, and prolong the life of your brakes.
Tire Care	 The pressure recommended by Toyota is actually way too low. That soft ride sacrifices MPG and tire life. 42/40 PSI (2.9/2.8 bar) is what many Prius owners <i>strongly</i> recommend. The original tires for the Classic (2001-2003) Prius support a maximum cold pressure of 50 PSI (3.4 bar), for the HSD (2004-2005) Prius 44 PSI (3.0 bar). So that pressure increase is well within the design specifications. Many of the alternate tires available support a maximum cold pressure of 44 PSI (3.0 bar) too. Whatever you decide, just remember that low pressure results in a MPG drop and the tires wear out faster. Tires will not bulge like in decades past; manufacturers provide much better quality now which maintains a flat contact surface all the way up to the maximum pressure. Every 7,500 (12,000 km) the tires should be rotated, for best lifetime performance. Rotation is preferred in a roll-back, roll-forward pattern.
	than it really is.Check Often since temperature causing pressure to drop, 1 PSI for every 10F degrees. Air will naturally leak out from normal use too.
Highway Speed	62.4 MPH (100 km/h) is the optimal (most fuel efficient) fast speed. So you'll notice a MPG drop driving at 70 MPH (113 km/h), though it isn't huge. But faster than 75 MPH (121 km/h), it is. If you drive fast, you'll consume quite a bit more gas. (This is true of every vehicle, not just Prius.)
A/C & Heater	Minimal use is the key. Using the heater or the air-conditioner (which includes the defroster) on more than the lowest setting may prevent the engine from shutting off. That will reduce MPG; so try to avoid high demand use. Fortunately, on the highway using the air-conditioner is still more efficient than opening the windows.
87 Octane Gas	Prius was designed to run with 87 Octane gasoline (85 in high altitudes). Some owners have experimented with higher octanes, but found there wasn't any MPG improvement. Also, bear in mind that higher octane gasoline may trigger an emission sensor alert. So just save money and continue using the less expensive 87 octane gas.

Engine Warm-Up

Short Trips are horribly inefficient for all vehicles. Prius is no exception; however, it's far more noticeable since the Multi-Display provides immediate feedback showing you lower MPG. The

	efficiency benefits of the system are not utilized until after warm-up is complete, that usually takes about 10 minutes. So try to run several errands at once to take advantage of an already warmed up gasoline engine.
	SULEV (Super Ultra Low Emission Vehicle) is what Prius strives to remain whenever active, even during warm-up. That means the catalytic-converter must be kept hot even if that requires using some gas to do it. Fortunately, you still get better than average mileage, even if the engine doesn't shut off right away.
5W-30 Oil	5W-30 oil is strongly recommended (real or synthetic).
	If a service person puts 10W-30 in by mistake, you may complain since it will negatively impact your MPG slightly and may affect performance in below freezing temperatures. The text on the engine oil cap clearly states 5W-30 should be used.
Synthetic Oil	Owners have observed minor MPG improvements by switching to synthetic oil.
	Plus, since it protects the engine better than real oil, makes extremely cold startups even easier, and change intervals are only 7,500 miles (12,000 km), switching from real oil should be a simple choice.
Oil Level	Too much oil can decrease MPG. Insure that the level is never above the maximum mark on the dipstick.
	Unfortunately, overfilling is a problem commonly overlooked. Oil change services routinely pump oil from large barrels, rather than using quart-size bottles. That makes overfilling very easy to do. Taking a moment afterward to check afterward is truly beneficial.
Measurement	The multi-display averages optimistically, so it will usually read about 2 MPG too high for most owners. The "bladder effect" (caused by the bladder in the gas tank shrinking due to temperatures below freezing), which is very noticeable in the Spring & Fall, causes the readout value and manual calculations to vary greatly for individual measurements. Averaging several fill up amounts documented at the gas station will provide the actual MPG you've been getting. For an example of how to do this, refer to this webpage <u>http://john1701a.com/prius/prius-data.htm</u>
Break-In	For the first 200 Miles (322 km):
	avoid rapid deceleration (hard stops)avoid high speeds (more than 70 MPH, 113 km/h)
	For the first 600 Miles (966 km):
	avoid rapid accelerationavoid racing (high RPM) the engine
	After roughly 10,000 Miles (16,100 km) : - enjoy a MPG increase, from the moving parts having loosened
	Even at 30,000 Miles (48,300 km) : - you may continue observe minor MPG increases as the car ages
External Loads	Hitch Racks & Roof Carriers cause a lot of aerodynamic drag. So, expect a MPG drop when you use one.
"B" Mode	Avoid using this mode unless absolutely necessary; it will cause MPG to drop.

"Your Mileage May Vary" That simple statement about the EPA ratings shown on the new vehicle window sticker is often overlooked, yet it makes a significant difference depending on the type of driving you do. Reading this quote provided by the EPA about Prius reveals why: "Actual Mileage will vary with options, driving conditions, driving habits and vehicle's condition. Results reported to EPA indicate that the majority of vehicles with these estimates will achieve between 44 and 60 mpg in the city and between 38 and 52 on the highway."

EPA tests are generalizations (performed under *ideal* conditions) intended to make vehicle comparisons easier, not to specify what MPG you will actually get. In fact, they rarely reflect the MPG in real-world driving experiences. The following explains how those tests are performed... notice how results can be quite a bit lower if you live in the north or if you drive fast:

The fuel economy estimates are based on results of tests required by the U.S. Environmental Protection Agency (EPA). These tests are used to certify that vehicles meet the Federal emissions and fuel economy standards. Manufacturers test pre-production prototypes of the new vehicle models and submit the test results to EPA. EPA re-tests about 10% of the tested vehicles to confirm manufacturer's results in EPA's lab. The vehicles are driven by a professional driver under controlled laboratory conditions, on an instrument similar to a treadmill. These procedures ensure that each vehicle is tested under identical conditions; therefore, the results can be compared with confidence.

There are two different fuel economy estimates for each vehicle in the Fuel Economy Guide, one for city driving and one for highway driving. To generate these two estimates, separate tests are used to represent typical everyday driving in a city and in a rural setting. Two kinds of engine starts are used: the cold start, which is similar to starting a car in the morning after it has been parked all night; and the hot start, similar to restarting a vehicle after it has been warmed up, driven, and stopped for a short time.

The test used to determine the city fuel economy estimate simulates an 11-mile, stop-and-go trip with an average speed of 20 miles per hour (mph). The trip takes 31 minutes and has 23 stops. About 18 percent of the time is spent idling, as in waiting at traffic lights or in rush hour traffic. The maximum speed is 56 mph. The engine is initially started after being parked overnight. Vehicles are tested at 68 F to 86 F ambient temperature.

The test to determine the highway fuel economy estimate represents a mixture of "non-city" driving. Segments corresponding to different kinds of rural roads and interstate highways are included. The test simulates a 10-mile trip and averages 48 mph. The maximum speed is 60 mph. The test is run with the engine warmed up and has little idling time and no stops (except at the end of the test).

NOTE: To make the numbers in the Fuel Economy Guide more useful for consumers, EPA adjusts these laboratory test results to account for the difference between controlled laboratory conditions and actual driving on the road. The laboratory fuel economy results are adjusted downward to arrive at the estimates in the Fuel Economy Guide and on the labels seen on new cars, light trucks, and vans. The city estimate is lowered by 10% and the highway estimate by 22% from the laboratory test results. Experience has proven that these adjustments make the mileage estimates in the Fuel Economy Guide correspond more closely to the actual fuel economy realized by the average driver.

For more information, please refer to... <u>http://www.fueleconomy.gov/feg/info.shtml</u>

"B" Mode

Engine Braking	The "B" mode works like an exhaust brake on a large truck (except, it's totally silent). The engine is used to slow down the vehicle, allowing you to reduce reliance on the regular brakes. So for steep declines, like driving down a mountain, it's a great way to avoid overheating caused by friction from the brake drums & shoes.
	You can engage or disengage engine-braking at anytime while driving.
	There is no charging benefit over regular braking.
	Avoid using this mode unless absolutely necessary; it will cause MPG to drop.

Radio

Channel Scan Press the "**SCAN**" button next to the tape player. It will begin scanning for radio channels. When it finds a station, a few seconds will play, then it will automatically scan for the next. Press the "SCAN" button again when you want the scanning to stop.

If you press then hold the "SCAN" button, only your preset radio channels will be scanned.

NURTURING

Filling the Gas Tank

87 Octane Gas	Prius was designed to run with 87 Octane gasoline (85 in high altitudes). Several owners have experimented with 90 & 93 Octane; however, there wasn't any improvement to MPG. Since engine knocking is non-existent with Prius, there's no benefit in that respect either. Additionally, higher octane may trigger an emission sensor alert. Therefore, save some money by using 87 Octane.
Low-Sulfur Gas	Without the loss of performance or power, low sulfur gasoline helps to reduce emissions by preventing efficiency loss within the catalytic-converter (a pollution control device) due to sulfur build up. This also extends the life of the emission components.
10% Ethanol Mix	90% Gasoline mixed with 10% Ethanol, known as E10, will not harm any part of the Prius fuel or emission system. Owners in the metro area of Minnesota, where E10 is required by law, have used this type of fuel in their Prius for years without experiencing any problems at all. So there is no need for concern
Empty	Don't ever run out of gas!
	Not having the engine available makes driving a Prius using just electricity very risky. Without gasoline it is very easy to push the motor & battery-pack beyond the tolerances they were designed to operate. The motor is never supposed to exceed 42 MPH (68 km/h) all by itself and the battery-pack is never supposed to be fully depleted. Also, without gas there's no way to prevent certain mechanical & electrical components from overheating. Since Prius can go quite a bit further between fill-ups than most vehicles, there's really no reason you should ever run out of gas anyway. But if you do, drive very slowly and just enough to get out of harm's way.
Another Gauge	When there is less than half a tank of gas remaining, the gas gauge is less accurate due to the flexible nature of the bladder within. A helpful measurement alternative is to base refill timing on the mileage you drive. Just reset one of the three odometers (A, B, or the one on the multi-display) every time you get gas.
	400 miles (644 km) in the summer and 350 miles (563 km) in the winter is a good distance to start with. You'll quickly figure out what works well for your particular needs.
Bladder	Inside the gas tank is a flexible bladder. It contracts and expands to fill the empty void that would otherwise be filled with vapor as gasoline is consumed. The reduction of vapor emissions helps to keep Prius extraordinarily clean.
	Overfilling should be avoided, since adding gas after the pump automatically stops can create pressure within the bladder. This could cause gas to be expelled afterward. So just don't top off.
	Capacity reduces during the winter since cold temperatures cause the bladder to contract, up to 1.5 gallons (5.7 liters) in extreme conditions (below $0F / -18C$ degrees). That means you'll have to fill up sooner. But when temperatures are that dangerously low, you should really fill up at the halfway point anyway.

Gas Cap & Door Twist the cap until it clicks. If it is not tightly secured, you may trigger an alert from the emission sensor. After all, Prius wouldn't be so clean if vapor were allowed to leak out. In the event of an alert, turn off the Prius and tighten the cap. Normal status should return after you restart.

Tuck the tether holding the cap to the car into the interior. Simply allowing it to be pushed by the door may cause a tangle making the door hard to open later.

Lubricate the hinge. After extended exposure to dust, sand, and salt, the spring may struggle to open the door due to the hinge being dry.

Adjust the latch. It's possible to accidentally bend it. Too much can make the door difficult to open. You may need to straighten it.

Tire Care

Prius ships with tires that reduce rolling-resistance to maximize MPG. Using special tires means life-expectancy is similar to highperformance vehicles rather than everyday family cars. The 160 wear-rating is very soft compared to typical tires. To prevent accelerated wear, maximizing miles before replacement, follow these suggestions:

PSI Minimum	35/33 PSI (2.4/2.3 bar) is the PSI for the Prius tires (noted on the driver's door-jam of the car itself).
	42/40 PSI (2.9/2.8 bar) is what many Prius owners <i>strongly</i> recommend. The original tires that Prius comes with support a maximum cold pressure of 50 PSI (3.4 bar), so that increase is well within the design specifications. Many of the alternate tires available support a maximum cold pressure of 44 PSI (3.0 bar). Whatever you decide, just remember that low pressure results in a MPG drop and the tires wear out <i>significantly</i> faster.
	<i>Note:</i> Measuring PSI should always be done when the tires are cold, since driving heats up tires making the results inaccurate due to the air inside expanding (which creates a false impression of higher pressure).
Monthly Checking	<i>At the very least</i> , check your tires monthly. Pressure loss is normal and especially rapid when temperatures drop. Uneven wear is an indication that either you've been driving with tires below the minimum PSI or balancing/alignment is required. Also, don't forget about checking the spare tire in the trunk too.
PSI Convenience	Tire pressure needs to be routinely checked (for all vehicles, not just Prius). Temperature drops cause PSI to decrease. Heat caused by driving increases PSI, making measurements inaccurate until cool. MPG & Safety are directly dependent on properly maintained PSI. Prius owners have found a way to make this simple: use a cordless-inflator.
	One of many examples of available is the "Campbell Hausfeld Cordless-Inflator" is available at Wal-Mart for just \$40. It's small & powerful, which allows you adjust PSI in the convenience & comfort of your own garage when the tires are cool. And as an added bonus, the battery in the cordless-inflator can also be used as a portable 12-volt power-supply to plug your automotive accessories into.
Turning	<i>Never</i> turn the wheels unless they're rolling. That causes unnecessary wear, just as with other vehicles. The power-steering is so powerful, you can't feel the friction caused by turning. But your tires can. So, make sure the wheels are moving before you turn them.
Lug Nuts	When initially tightening the lug nuts after having put a wheel back on and when you retorque them after having driven around 100 miles, make certain the pressure you use is 76 ft-lb (103Nm).

Rotation	Every 5,000 to 7,500 miles (8,000 to 12,000 km) the tires should be rotated, for best lifetime performance. Rotation should be in a "roll-back, cross-forward" pattern. (That's front tires to the rear without switching sides, and rear tires to front switching sides.)
Alignment	0.05 DEGREES of Toe IN each side, for a total of 0.10 DEGREES.
	If steering feels like it wanders at high speeds, it's probably because the alignment isn't adjusted correctly. Remember, "within factory-specified tolerance" is an answer you <i>don't</i> have to accept from a service provider; you can <i>insist</i> that alignment be adjusted to this "exact" setting.
Replacements	If you decide to replace the original tires with a different brand (which many owners have), make sure the new ones provide support for up to 1102 lbs. (500 kg) at the PSI you decide to use. Tires with different width, height, and revolution specifications with fit on the aluminum rims, but they may reduce MPG and prevent battery-only driving. So carefully research before making a purchase.

Alternate Tires

Prius comes standard with XL (Extra-Load), LRR (Low Rolling Resistance) tires. They promote high MPG and provide a safe, comfortable, quiet ride; however, they only last 30,000 miles (48,280 km). Some Prius owners have found this shorter-than-typical duration disappointing, so they've researched alternative tires. Below is a summary of that information.

DISCLAIMER: The ideas, suggestions, and opinions offered here have not been endorsed by the manufacturer of those specific components or Toyota Motor Corporation. Any harm or damage that may result from the application of or the following of any ideas, suggestions, or opinions contained in this document is the sole responsibility of the individual that applied or followed said ideas, suggestions or opinions. The authors of this document hereby declare that they cannot and will not be held liable, in any fashion, for the content or the use of this information.

PSI	Classic Prius is a heavier than average vehicle. That means XL rated tires are required if the standard PSI (Pounds per Square Inch air-pressure) is used. But if you choose a tire that offers a greater PSI capacity, the weight can be supported that way instead.
	An absolute minimum of 35 PSI (2.4 bar) with the original tires is required to provide the 1,102 pounds (500 kg) of support needed for the front-end of the Prius. Using standard tires instead at that pressure only provides support for 1,019 pounds (462 kg). Increasing to 42 PSI (2.9 bar) will compensate for that extra weight, allowing Non-XL tires to be used.
	42/40 PSI (2.9/2.8 bar) is what many Prius owners <i>strongly</i> recommend. (That's 42 front & 40 back, since a 2 PSI bias is required for the front tires.) The original tires that Prius comes with support a maximum cold pressure of 50 PSI (3.4 bar), so that increase is well within the design specifications. Many of the alternate tires available support a maximum cold pressure of 44 PSI (3.0 bar). So using 42/40 is no big deal. In fact, some owners even use 44/42 PSI (3.0/2.9 bar).
LRR	Classic Prius comes with LRR (Low Rolling Resistance) tires. This type maximizes MPG. Switching to Non-LRR tires means you can expect a drop in fuel efficiency by approximately 3 MPG . Owners have found this an acceptable trade-off for getting better handling and significantly increased tread life.
Size	175/65R14 is the standard size tire for Classic Prius. You'll find the choices available for that size very limited. Fortunately, the 5.5 inch (14 cm) aluminum rims of Prius allow you to use an alternate size. Both 185/60R14 and 185/65R14 tires fit very nicely.

Cost	Tire designs vary tremendously, so the price does too. Finding a better Prius tire does not necessarily mean you'll have to spend more money. In fact, owners have discovered some alternative tires are actually <i>less</i> expensive that the original tires.
Treadwear	160 is the treadwear rating for Classic Prius tires. That's simply too low compared to the typical family vehicle. It's actually what you find on high-performance sports cars and high-end luxury vehicles, where the ride is much more important than long tread life. 450 is much more realistic to meet everyday expectations. 800 is what you'll find on the ultra-long-life tires.
	The rating number represents the wear resistance of the tire. It does not correlate directly with the amount of mileage you'll be able to drive. Don't rely exclusively on this value when selecting a tire. Check the warranty, it will usually state an approximate distance expectation.
	Also, using PSI too low will cause <i>significant</i> wear of the tire tread. Consider yourself warned!
Revs	Revs (Revolutions per Mile) indicate the precise "rolling" size of the tire. This measurement is needed since not all tires with the same specification are actually the same. (Notice how both the Michelin & Dunlop 185/65R14 tires appear to similar, but the revs numbers aren't.)
	902 is the Revs value for Classic Prius tires. When selecting an alternate, a number very close to that is required to insure the speedometer and odometer remain accurate. (Being off by a small amount is acceptable since that value will change as tread wears down anyway.)
Original Tire	Bridgestone Potenza RE92
	Classic Prius comes with these tires standard. They are sometimes referred to as OEM (Original Equipment Manufacturer) tires.
	 175 / 65 R14 XL 84S speed & load rating 50 PSI (3.4 bar) maximum pressure 38/37 PSI front/back (2.6/2.6 bar) recommended 42/40 PSI front/back (2.9/2.8 bar) preferred 1102 lbs. (500 kg) maximum load LRR (Low Rolling Resistance) 10/32 inch (8 mm) tread depth 902 revs per mile "A" Traction "A" Temperature 160 Treadwear 30,000 mile (48,280 km) warranty
Alternate Tire	Goodyear Allegra
	These tires manufactured for purchase only at Wal-Mart & Sam's Club. They've proven to be an excellent alternative choice by the Prius owners that have tried them.
	 175 / 65 R14 81T speed & load rating 44 PSI (3.0 bar) maximum pressure 42/40 PSI front/back (2.9/2.8 bar) recommended 1019 lbs. (462 kg) maximum load Non-LRR (Standard Rolling Resistance) 10/32 inch (8 mm) tread depth "A" Traction "B" Temperature 560 Treadwear 75,000 mile (120,700 km) warranty
	Personal experiences with these tires are documented here http://john1701a.com/prius/prius-maintain.htm#AlternateTires

Alternate Tire

Michelin Harmony

There are a number of alternates available from different manufacturers. This example is the successor to the popular "X-One" tire from Michelin, which many Classic Prius owners have tried and recommended to others. (Note: You may also use a 185 size, which will provide full support at just 35 PSI. But the trade-off is a MPG reduction.)

175 / 65 R14
81S speed & load rating
44 PSI (3.0 bar) maximum pressure
42/40 PSI front/back (2.9/2.8 bar) recommended
1019 lbs. (462 kg) maximum load
Non-LRR (Standard Rolling Resistance)
11/32 inch (9 mm) tread depth
902 revs per mile
"A" Traction
"B" Temperature
680 Treadwear
80,000 mile (128,748 km) warranty

Alternate Tire Michelin HydroEdge

This is a popular choice for the HSD model Prius, an excellent choice for those wanting improved traction and much longer tread life. It can be used on the Classic model too; however, only the larger size is available. The size & rubber difference will reduce MPG a little bit. PSI higher than 35 may be used to compensate for this.

175 / 65 R14
85T speed & load rating
44 PSI (3.0 bar) maximum pressure
42/40 PSI front/back (2.9/2.8 bar) recommended
1124 lbs. (510 kg) maximum load
Non-LRR (Standard Rolling Resistance)
11/32 inch (9 mm) tread depth
893 revs per mile
"A" Traction
"B" Temperature
800 Treadwear
90,000 mile (144,841 km) warranty

Alternate Tire

Dunlop SP10

This is the standard tire for the Classic Prius in Canada.

175 / 65 R14
84S speed & load rating
50 PSI (3.4 bar) maximum pressure
42/40 PSI front/back (2.9/2.8 bar) recommended
1102 lbs. (500 kg) maximum load
LRR (Low Rolling Resistance)
11/32 inch (9 mm) tread depth
913 revs per mile
"A" Traction
"B" Temperature
220 Treadwear

Alternate Tire

Dunlop SP Sport A2

There are 2 size choices available for this Classic Prius tire; size, speed rating, maximum load, and revs differ. So you are not limited to particular specifications, though neither is the exact size as the original tire (Potenza).

185 / 65 R14
85H speed & load rating
44 PSI (3.0 bar) maximum pressure
1124 lbs. (510 kg) maximum load
Non-LRR (Standard Rolling Resistance)
10/32 inch (8 mm) tread depth
23.4 inch (59 cm) diameter
894 revs per mile
"A" Traction
"A" Temperature
420 Treadwear
50,000 mile (80,467 km) warranty

185 / 60 R14
82H speed & load rating
44 PSI (3.0 bar) maximum pressure
42/40 PSI front/back (2.9/2.8 bar) recommended
1047 lbs. (475 kg) maximum load
Non-LRR (Standard Rolling Resistance)
10/32 inch (8 mm) tread depth
919 revs per mile
"A" Traction
"A" Temperature
420 Treadwear
50,000 mile (80,467 km) warranty

Alternate Tire

Nokian NRHi

These tires are LRR, just like the OEM tires. So MPG will be maximized, unlike the other alternates available. Unfortunately, these are only "summer" tires.

175 / 65 R14
82H speed & load rating
51 PSI (3.5 bar) maximum pressure
42/40 PSI front/back (2.9/2.8 bar) recommended
1047 lbs. (475 kg) maximum load
LRR (Low Rolling Resistance)
11/32 inch (8.7 mm) tread depth
"A" Traction
"A" Temperature
320 Treadwear
50,000 mile (80,467 km) warranty

185 / 60 R14
82H speed & load rating
51 PSI (3.5 bar) maximum pressure
42/40 PSI front/back (2.9/2.8 bar) recommended
1047 lbs. (475 kg) maximum load
LRR (Low Rolling Resistance)
11/32 inch (8.7 mm) tread depth
"A" Traction
"A" Temperature
320 Treadwear
50,000 mile (80,467 km) warranty

185 / 65 R14 XL
90H speed & load rating
51 PSI (3.5 bar) maximum pressure
42/40 PSI front/back (2.9/2.8 bar) recommended
1323 lbs. (600 kg) maximum load
LRR (Low Rolling Resistance)
11/32 inch (8.7 mm) tread depth
"A" Traction
"A" Temperature
320 Treadwear
50,000 mile (80,467 km) warranty

Multi-Display Care

Cleaning	The best way to remove fingerprints from the touch-screen is actually simpler that some owners realize. You don't need a special solvent or material. Just a plain old soft cotton fabric, like an old clean t-shirt, and some purified drinking water is all you need.
	Also, make sure to only clean when the Multi-Display is off. This will make the fingerprints easy to see and will prevent the "Reset" button from accidentally being pushed.
Washing	
Battery Vent	Owners have observed that the cooling vent for the battery-pack does not cause any problems when going through an automatic car wash. The design prevents water entry. So there isn't any need for concern.
	When washing the Prius by hand, avoid spraying water directly at the vent. Though difficult, it could still be possible for you to aim a high-pressure water stream in a way that water may enter.
Antenna	Removing the antenna is easy, just unscrew it. Then you don't have to worry about it while going

through an automatic car wash.

Polishing

Owner Tests "Nu Finish" has worked well. The great polished look lasts for about 6 months, enough to get through an entire winter. But when you wipe the dried residue off, it actually leaves lightly faded streaks at first. Don't let that deter you. It disappears, leaving a protective layer after a few days.

Long-Term Storage

Less than 3 Weeks	Nothing is needed, at room temperature. The engine should startup just fine. Be aware that this duration can be shortened by the age of the auxiliary-battery and the extreme cold.
More than 3 Weeks	It is helpful to disconnect the small, 12-volt auxiliary battery on the driver side in the trunk. With it disconnected, there will no longer be a drain from the alarm system. (Make note of the radio buttons you have programmed, since you'll need to manually restore them after reconnecting the 12-volt auxiliary battery.)
	Draining the 273.6-volt battery-pack while in long-term storage is never a concern. When you shut off the Prius, an electric-relay automatically deactivates to cut the connection to the hybrid system. So it isn't even connected to the rest of the system until you turn the key again.
Larger Battery	EL014-03 is a TSB (Technical Service Bulletin) that advises your dealer about the larger 12-volt auxiliary battery available for the Classic Prius. 28800–21190 is the part number. A mounting kit is also needed, part number 04003–23147.

Valet Use

Engine On	Stealth can confuse valet drivers, since they expect noise & vibration rather than dead silence. Keeping the engine running could prevent a mishap. Valets may repeatedly turn the key trying to start the Prius not realizing it's already running. Or worse, they may get out while the Prius is still in "Drive" because they think it's off. To minimize this risk, set the defroster to the maximum cold or hot setting. This forces the engine to continue running.
Valet Key	The Valet (gray) colored key prevents a valet driver from opening your trunk. It is cut differently from the Master (black) colored key.
Trunk Disable	The trunk open lever next to the driver's seat can be disabled. Just insert a Master (black) key into the lock on the trunk, turn it counter-clockwise, then remove it. Later, turning the key clockwise will re-enable the lever.

MAINTENANCE

Dealer Service

Air Filters Based on the *free* maintenance covered by the warranty included for United States Prius models 2001, 2002, and 2003, both air filters will be replaced for you. The 22,500 mile (36,210 km) service (using the standard schedule) is when the *air-conditioner* filter should be replaced. The 30,000 mile (48,280 km) service (using the standard schedule) is when the *engine* air filter should be replaced. Be sure the dealer knows when each occurs, since it is easy to mix-up the two "air" filters.

Oil Changes

5 <i>free</i> Changes	5 free oil & filter replacements are covered under the included Toyota warranty for United States Prius models 2001, 2002, and 2003.
7,500 Miles <i>or</i> 6 Months	7,500 miles (12,070 km) or 6 months, whichever comes first. Having the engine shut off frequently and not using it as the sole propulsion source is the reason oil lasts so long. It simply isn't exposed to the strenuous engine conditions found with traditional vehicles.
Overfilling	This is an unfortunate reality. Too much oil causes MPG to be reduced. Way too much oil causes damage to the engine. So it is in your best interest to make sure the level never exceeds the "Full" marker on the dipstick. 3.9 quarts (3.7 liters) is the maximum capacity.Oil pumped from bulk barrels into your engine is not always carefully measured, as it would be coming from a bottle instead. So make sure to check for yourself after an oil-change service is complete. If the level is beyond "Full", insist that they remove the excess. The ideal level is slightly below "Full", that's 1/4 inch (6 cm) lower.If you provide your own oil (which is common for those preferring synthetic), only supply the mechanic with about 3.5 quarts (3.3 liters). That will guarantee they won't overfill. Afterward, verify the level, topping off with the portion set aside if necessary.
Oil	Refer to the "Increasing MPG" section.

OTHER STUFF

Keys

Vital Info Prius is fitted with a very powerful security system. This means that if you lose all the Master (black) keys, you're in a lot of trouble. Losing all your master keys means the computer has to be replaced, that will cost you over \$1000. It's around \$100 to make another master key, but it's a very good investment when you're down to just one since the alternative is much more expensive.

Having a vehicle that can't be hot wired isn't cheap. The rolling-id embedded within the Prius keys requires the computer to first "accept" it before allowing ignition to occur.

After-Market Items

ICE Indicator	An indicator light is available to inform you when the ICE (Internal Combustion Engine) is running. To order this, go to: <u>http://www.coastaletech.com</u>
Brake Indicator	An indicator light is available to inform you when the actual brakes are being used to slow down, rather than just the regenerator. To order this, go to: <u>http://www.coastaletech.com</u>
Trunk Remote	The standard keyless remote can be adapted to allow you to open the trunk with it. To order this, go to: <u>http://www.coastaletech.com</u>
Receiver-Hitch	A Receiver-Hitch (Class-II type) can be conveniently attached using just bolts by reusing the holes originally designed for shipping the Prius from Japan. It can be used to carry several bicycles while still allowing you to use the trunk. For detailed information & photos documenting how to build one yourself, go to: <u>http://john1701a.com/prius/prius-hitch.htm</u> To order one directly, go to: <u>http://www.coastaletech.com</u>
Front-End Mask	To protect the sloping front of your Prius from rock chips, a black leather front-end mask can be added. To order this, go to: <u>http://www.toyotapartsnow.com</u>
Center Arm Rest	If you'd like to lean your right arm against something while driving, an attachment is available to raise the height of the center storage area. To order this, go to: <u>http://www.coastaletech.com</u>
Blind-Spot Mirror	Just like with traditional vehicles, a small convex mirror can be added to ease viewing. These are inexpensive and available at most auto supply stores. To see one attached to the external driver-side mirror, go to: <u>http://john1701a.com/prius/photos/Prius_RoadSpraySnow_17.jpg</u>
Full-Size Spare Tire	You can build a full-size spare tire. It will fit flat inside the trunk once you remove the clips from the floor-cover too. Just order a Bridgestone Potenza RE92 P175/65R14 XL tire (Toyota part# 765SR-4RE92-XL) and have it mounted on a basic black steel rim (Toyota part# 42611-1A140-01). To see a photo of this, go to: <u>http://john1701a.com/prius/photos/PriusTire_FullSizeSpare_InTrunk.jpg</u>

Transmission

Туре	"Planetary" is the type of CVT that Prius uses.
	It has nothing in common with the other type of CVT currently available, called "Cone & Belt".
Design	Technically, Prius really doesn't have a transmission since nothing ever shifts. There are no gears. There are only power-carriers. All they do is rotate, and they are permanently engaged.
Operation	The physical components within the "Planetary" CVT bare a striking resemblance to those within a differential (the power-transfer mechanism found on all vehicles). In fact, they even serve the same purpose.
Lifetime	Due to the fact that the "Planetary" CVT is nearly identical to that of a differential, the expectation is that it will last just as long too. So you can confidently predict it will last the entire lifetime of the vehicle.

Information Sources

Recent News	http://news.google.com/news?hl=en&lr=&ie=ISO-8859-1&q=Prius&sa=N&tab=wn
Toyota's Website	Information directly from Toyota itself is available here http://www.toyota.com/prius
Toyota Online	Repair Manual access & downloading for \$10 per day at http://techinfo.toyota.com
Toyota Manuals	 Available via credit-card from 800-622-2033 2001-2003 Prius Repair Manual, volume 1: NPNRM778U1 (Diagnostics) 2001-2003 Prius Repair Manual, volume 2: NPNRM778U2 (Repair) 2001-2003 Prius Electrical Wiring Diagram: EWD414U Prius New Car Features, 2000: NCF182U
Toyota Tech-Info	 Technical Information System free downloads: Emergency Response Guide (HSD) <u>http://techinfo.toyota.com/public/main/2ndprius.pdf</u> Emergency Response Guide (Classic) <u>http://techinfo.toyota.com/public/main/1stprius.pdf</u> Dismantling Manual <u>http://techinfo.toyota.com/public/main/priusdisman.pdf</u>
Enthusiast Forum	http://priuschat.com A very informative forum where you can participate in online discussions related to Prius.
Owner Webpages	http://john1701a.com/prius/owners/owner-index.htm Where find a variety of hosted Prius owner webpages with many photos.
Graham's website	http://www.ecrostech.com/prius/original/PriusFrames.htm An owner's website that thoroughly documents many aspects of the Prius.
john1701a's website	http://john1701a.com This is a very large Prius owner website. As of 6/01/2007 the combined Classic & HSD Prius content (137,692 miles combined) available consisting of: 574 webpages, 1541 digital photos, 1435 offline pages of personal logs, 83 animations, 54 wallpapers, 15 spreadsheets with graphs, 32 documents, 6 screen-savers, and 4 printable calendars, along with a few other Prius related items. There is also nature gallery with 151 photos.

Informational Materials

Info-Sheet (Classic)



For an illustrated summary, refer to this document. It serves as a convenient means of introduction to all aspects of Prius.

http://john1701a.com/prius/prius-infosheet_classic.htm

Energy Flow



For a basic understanding of the energy flow within the Prius hybrid system, download a copy of this document. Each of the major components are identified and the connection of each is explained in an easy to read format.

http://john1701a.com/prius/prius-energy.htm

Power-Split-Device



For information about the heart of the hybrid system, read this document. This special device within Prius entirely eliminates the need for a traditional transmission. It is how the 2 electric motors and gasoline engine are able to seamlessly interact with each other.

http://john1701a.com/prius/prius-psd.htm

PSD (details)



This document provides a more in-depth look at the PSD. Without being overly technical, the illustrations describe how the wide variety of movements within the device relate to the operation of the hybrid vehicle.

http://john1701a.com/prius/prius-psd_details.htm

Understanding Hybrids

Back in the early I	1990's, the need to develop an entirely new automotive technology which was much cleanor
and more efficient but with unbulance caused a tudically to the competition began in the Unite culling it only a "s lest time as well	because approvert. In (99), efforts to achieve that began in both Tab United States and Japan. In definision all concernis support. That proved to be an adres an adjustment meteorizen. It also different approach to the research, In 1997, the first first was add an Japan. Evans a back, the Maximum Maximum Maximum Maximum Maximum Maximum Maximum Maximum Maximum Maximum Maximum Maximum Maximum Maximum Maximum Maximum program Sensitive Maximum Maximum Maximum Maximum Maximum Maximum program Sensitive Maximum Maximum Maximum Maximum Maximum Maximum Maximum program Sensitive Maximum Maximum Maximum Maximum Maximum Maximum Maximum Antonio Maximum Maximum Maximum Maximum Maximum Maximum Maximum Antonio Maximum Maximum Antonio Maximum Maximum Maximum Maximum Maximum Maximum Maximum Maximum Maximum Maximum Antonio Maximum Maximum Antonio Maximum Maximum Antonio Maximum Maximum Antonio Maximum Maximum Antonio Maximum Maximum Antonio Maximum Maximum Antonio Maximum Maximum Anton
Prior is the undisp	raid charges in of that must to achieve three environing it consumption goals. The technology
it utilizes in new b	sign ratified to its other hype of whiches, charing the breaked of that research its development
investment whi	it is gooving to have been a very wise choice. And by the time three other automation finally
have a comparable	hybrid variables are a quantity its price to compute with Toyeta will have a Hoyen lead for
consumer acceptar	new and real-world data.
The purpose of the	is document is to help clarify that trends the automotive industry is now strangging to
deal with, from a	proparities of the media who offset incorrectly particlys the success of Prins and the
technology it uses	does to not completing understanding it. Both journalists and consumers should find
the contents bene	field for the sharing of hybrid information later.
The lack of a table	-ef-contents in intentional. Promoting the acknowledgement of all aspects of the hybrid
synenhip experie	net should be introngly necessraped in all venues. For this document, that means having to
carefully examine	each page, and in an equivalant arbit, to rook explosition of the hybrid
namual search effi	et will reveal a speic your were narrance of, rather than just allowing jumps to a section you
are already somes	had familiar with.

The understanding of hybrids requires much more than just awareness of the efficiency values listed on the window-sticker and the fact that you don't have to plug them in.

This document spells out the what you need to know.

http://john1701a.com/prius/prius-understanding.htm

Anti-Hybrid Analysis

An	ti-Hybrid Anal	ysis
		Ø
Introduction		
After 5 long years of argoing with nativhy became dovine that formally documents after having done exactly that provided or male identifying their intent much maint	brid people and dealing with their creative appe g flows resistance techniques they used could'b surfless apportunities to refer back to what had	eaches to protecting their own interests, it e quite beneficial. The year which followed been written, proving the analysis had index
This paper is that information compiled in from	to a single document. For more convenient refer	ence than the personal logs they originated
Read through the document keeping in m antigenistic who wanted hybrids to fail re- took to provest propersy. They fixed the the status quo, that they tried anyway.	ind that each topic had emerged from actual in- product to indice messages with harmful intent args. They had eccentrizing to lose. They knew i	tances of anti-lepterid conflict, where . They were determined to do whatever it hybride presented a significant challenge to
Determination to dismade the newbies (0 dedicated to hybride) will typically draw them. Insul. Hopefully, you way't though Ant constructive. Place beiny stiphasis on m	ene who show strong orthonizans for hybrids in the anti-hybrid out. You may get an opportunity iner advances, the resolutions to should continue to al-world data. Doo't lose hops. Time is their o	mediately upon joining an internet forces in p to winnow fluir derivational behavior force- fields. Proces on keeping discussions many.
This analysis of arti-hybrid bahavior was perhaps as interesting foctoole document intellectual combet since change is ner	a very long tane in the muking. Hopefully, it w ing the final days of traditional tobicle reign. It by accepted quickly.	sill just be piece of automotive history fowever, 5 m may actually need to for
Whether it was fance loyalty to a specific simply the four of change itself all the is still, nothing due has proven capable of a sel cast efficiency assume. Taxage contains concerned about. Others have a lost dig of the inference issues in an all how this great confidence. Good has?:	actionalisty, studiews endowed to accept the news mass adwrys builted down to the rary same goal distring disk copycially when you lafe ratios as loged worse. Can priors remain world. Yet, a against the solution hybrids effec anyway. Its focument is help identify what to look for, you	technology, having consulting to loss, or of reducing emission & concernption. And count that it must also be done to a reliable some people dony flow is a splitting to be nerver, now float you have been made some can beidly challenge float resistance with
A/D-P/A/D Analysis	2.4752	Lexuposed \$0x200

Sadly, there are people that intentionally fight against hybrids, doing all they can to prevent their success.

Reading this will provide some insight. It is a summary of behaviors observed within online forums, based on several years of discussion messages posted about hybrids.

http://john1701a.com/prius/anti-hybrid_analysis.htm

Type: FULL



The most dynamic of the hybrid types is known as "Full", since it includes a second electric motor to provide some abilities not available from lesser designs.

Prius is this type of hybrid.

http://john1701a.com/prius/hybrid-type_full.htm

FULL (details)



For a more detailed illustration of the "Full" hybrid type, refer to this document.

http://john1701a.com/prius/hybrid-type_full_details.htm

FULL (operation)





For an in-depth breakdown of how "Full" hybrids operate, download a copy of this document.

Type: TWO-MODE



This alternate variety of the "Full" hybrid is a configuration known as "Two-Mode". It adds another power-split-device for electric motor and engine interaction, plus multiple clutches.

This document highlights the differences you should be aware of.

http://john1701a.com/prius/hybrid-type_two-mode.htm

Type: ASSIST

Assist Hybri	a
	158 volt Battery-Pack
1.3 liter Gasoline	→ (154W Elsentic
Engine	Meter Generator) → √ Transrission
Tased regine - sona reger - rema Gan - rema Auard This type of In-beid docim can b	e decrited as as "scharced traditions".
The enhancement is accomplishe	A by inserting an electric motor between a gasoline engine and a
manual, automatic, or CVT (con-	e & helt type) transmission. By sharing the same connection shaft,
the motor is able to seamlessly p	rould power then the engine is least efficient, which coincident
is when the motor is most efficie	m. This offenting of power is how increased MNG is achieved.
When the engine is running in an	efficient manner, power from the motor is not needed. During the
times, the motor spins in an inert	mate and will remain that way used additional power is required or
braking begins. Supping on the	brokale pedal as decletrate the volicies will cause the motor to operat
an a generator instead. Motion fi	som the wheels is decletrated to the motor, the reserve of what happen
during acceleration. That create	a electricity, which is used to recharge the battery-pask.
The direct connection between or	ngine & motor causes both to rotata at the same RPM. That design
provides simple integration with	the transmission, a benefit. It also means that the notor caunot
operate alone, a shortcoming. El	destric-Oolty propulsion requires the engine to continue pemping
(but without gas being consumed	(J). The same is also true when generating electricity from braking.
Electricity for the motor is suppl	ied excharitedy by the Battery-Pack. Redurging of it primarily
occurs from braking and tricklin	g (similar to the way the 12-volt battery in a funditional vehicle is
charged). However, if electricity	is required scorer, the engine util be run at a higher RPM to enable
the motor act as generator even	heaging the vehicle is not develorming. The catch is that the motor
cannot both create & consume el	lectricity simultaneously; it must weigh between those two roles.

The type of hybrid with only one electric motor that is directly integrated with an engine is known as "Assist".

There are benefits and limitations that those contemplating the purchase of this hybrid type should carefully consider.

http://john1701a.com/prius/hybrid-type_assist.htm

Hybrid Types

	Hybrid Types
When it comes to the mpidly readia are calling a variety of are all the same. They don't choices for consumets very o	expanding bybrid market, ginznicka are rangant. Automakers and the popular different enginerizetar configurations "bybeAP, giving you the impression they revoke a clear explanation of specific design or even a category, making the origing
The following is an attempt s hybrids currently available	o provide standard identification types based on minimum requirements of the
(<u>19)</u>	
Not Really a Hyb	rid
Not Really a Hyb Type I (Los-Velage/ Los- mid hybrid. Ssiely following this definit audify, since there is only a be a called hybrid unless at a netectio-moter that contribut	Control of the second sec
Not Really a Hyb Type I (Los-Vilage Los- mid hybrid. Ssidly following this definit he acated hybrid nucleas a ne activitic meter that controls . Shuts off the engine w	Control of the second sec
Vot Really a Hyb Type I (Los-Vidage/Los- mid'hybei). Ssidir (Roloving this definit and hybei). Sa call bybeid under an a scleretio-motor that conclib Shuts off the engine u Recapares energy wh	Control of the second sec

There is a more diverse collection of hybrid system designs than most people realize.

This document helps by identifying and explaining the different types available.

http://john1701a.com/prius/hybrid-types_print.htm

GLOSSARY

ABS	Anti-Lock Braking System				
AC	All modes of conditioning air inside the passenger area of the vehicle: Heating, Cooling, Venting				
A/C	Condensing of air to cool it and to remove humidity.				
Assist	Hybrid system with a small battery-pack and a single small electric-motor that provides peak power for the gasoline-engine during periods of acceleration.				
AT-PZEV	Advanced Technology Partial Zero Emission Vehicle				
"B" Gear	Engine Braking, (it isn't actually a gear) when you shift the transmission to this setting the engine will be used to slow down the car, it works similar to an exhaust brake used on the large semi-trucks (except the one on Prius is totally silent).				
С	Celsius, a measure of temperature, $(C * 1.8) + 32 = F$, $-25^{\circ}C = -13^{\circ}F$, $-15^{\circ}C = 5^{\circ}F$, $-5^{\circ}C = 23^{\circ}F$, $0^{\circ}C = 32^{\circ}F$, $5^{\circ}C = 41^{\circ}F$, $20^{\circ}C = 68^{\circ}F$, $25^{\circ}C = 77^{\circ}F$, $30^{\circ}C = 86^{\circ}F$				
CARB	California Air Resources Board, an agency dictating emissions requirements for cars sold in California. (These are often more strict than Federal standards.)				
САТ	Catalytic Converter, a vital component in the emissions system				
CC	Cruise Control				
Cd	Coefficient of drag (0.29 for the Original & Classic Prius, 0.26 for the HSD Prius)				
CEL	Check Engine Light				
Classic	The term used to identify the 2001, 2002, 2003 model years of Prius.				
CVT	Continuously Variable Transmission, in Prius is a "Planetary" design using a power-split device, other CVT vehicles use a "Cone & Belt"				
Dinosaur	A very large, gas-guzzling, high-emission vehicle based on 20th century technology.				
DRL	Daytime Running Lights				
DVD	Digital Versatile Disc, used for the Navigational system in Prius				
ECU	Electronics Control Unit, the amazing computer that monitors and controls the two motor-generators, the gas engine, the motion of the planetary gear set, the battery pack power levels etc. to provide the Prius' smooth acceleration and speed control.				
Engine	The common term used to refer to the power device which runs on gasoline.				
ЕРА	Environmental Protection Agency, the group responsible for rating the emissions and gas mileage of vehicles sold in the United States.				
EV	Electric Vehicle, powered exclusively by a battery-pack charged before use				
F	Fahrenheit, a measure of temperature, (F - 32) / 1.8 = C, $-15^{\circ}F = -26.11^{\circ}C$, $0^{\circ}F = -17.78^{\circ}C$, $15^{\circ}F = -9.44^{\circ}C$, $32^{\circ}F = 0^{\circ}C$, $40^{\circ}F = 4.44^{\circ}C$, $60^{\circ}F = 15.56^{\circ}C$, $70^{\circ}F = 21.11^{\circ}C$, $80^{\circ}F = 26.67^{\circ}C$				
FCHV	Fuel Cell Hybrid Vehicle, a fuel-cell vehicle that takes advantage of hybrid technology including the use of a battery-pack				
FUD	Fear, Uncertainty, Doubt				
Full	Hybrid system with a large battery-pack, a small electric-motor, at least one large electric-motor, and a gasoline-engine that combined provide a wide variety of combustion & electric propulsion abilities.				

GPS	Global Positioning System, this is the part of the Prius Navigation System that identifies your exact location on Earth.				
HEV	Hybrid Electric Vehicle				
HID	High Intensity Discharge, bulbs used for headlights				
HSD	Hybrid Synergy Drive - Toyota's modular hybrid design, currently implemented in the 2004, 2005, 2006 Prius with many more vehicles planned to also use it.				
HOV	High Occupancy Vehicle - used to describe the restricted "diamond" lanes on highways				
HP	Horsepower, indicating a unit of power, a measurement different from torque				
ICE	Internal Combustion Engine				
IMA	Integrated Motor Assist - Honda's hybrid technology				
Key-Fob	The device (introduced in 2004) used to unlock doors and start the hybrid system. By default, it works as a wireless remote for unlocking and is inserted into a slot in the dashboard for starting. As an option, it can be upgraded to control the Smart-Entry & Smart-Start feature. And note that there is actually a traditional key within which can be used for unlocking the driver's door manually.				
km	Kilometer, a measure of distance, 1 kilometer is equal to 0.6214 mile				
kW	Kilowatt, an electrical measurement unit used when describing Prius power consumption & storage				
LEV	Low Emission Vehicle				
L/100km	Liters per 100 kilometers				
LMPG	Lifetime Miles Per Gallon				
LRR	Low Rolling Resistant - used to describe minimum friction tires				
Μ	Mile, a measure of distance, 1 mile = 1.6093 kilometers				
MD	Multi-Display - the touch-sensitive liquid-crystal screen on the dashboard of Prius				
MG	Motor Generator, an electric motor which can either provide motive power when electrically driven or generate electricity when mechanically driven.				
MG1	This three-phase AC permanent-magnet synchronous motor/generator starts the ICE, controls the CVT, and generates the electricity (by using thrust from the ICE) to charge the HEV battery.				
MG2	This three-phase AC permanent-magnet synchronous motor/generator drives the wheels, and generates electricity (from the regenerative braking, by recapturing the car's energy of motion) to charge the HEV battery.				
Motor	The common term used to refer to the power device which runs on electricity.				
MPG	Miles Per Gallon				
MSRP	Manufacturer's Suggested Retail Price				
MY2001	Model Year 2001 (which became available in the United States the summer of 2000)				
NAV	DVD-based GPS Navigation System, used in Prius				
NiMH	Nickel-Metal Hydride, the type of modules used in the Prius battery-pack				
NVH	Noise, Vibration, Harshness				
OEM	Original Equipment Manufacturer				

OPEC	Organization of the Petroleum Exporting Countries				
Original	The term used to identify the 1998, 1999, 2000 model years of Prius (which were only available in Japan).				
Priustoric	All that transpired before the Prius				
PHEV	Plug-In Hybrid Electric Vehicle				
PSD	Power-Split Device, the planetary gear set which divides power between the ICE and the two electric motor- generators, also functions as the continuously-variable transmission.				
PZEV	Partial Zero Emission Vehicle. (A manufacturer must eliminate evaporative emissions and ensure that the vehicle will run cleanly for its entire projected life. Even if the vehicle is just sitting in the driveway, it is still polluting. The source of this pollution is hydrocarbons emitted from the gas tank as gasoline slowly evaporates. To achieve PZEV certification, all evaporative emissions must be eliminated.)				
R&D	Research & Development				
SE	Smart-Entry: It is proximity detection system that automatically senses a wireless transmitter (called a "key-fob") in your pocket or purse, allowing you to <i>unlock the doors & hatch</i> without the need to use a physical key or push a button on a remote.				
SE/SS	Smart-Entry & Smart-Start				
SOC	State Of Charge - indicating the amount of stored electricity available in the battery-pack				
SS	Smart-Start: It is proximity detection system that automatically senses a wireless transmitter (called a "key-fob") in your pocket or purse, allowing you to <i>start the hybrid system</i> without the need to use a physical key or push a button on a remote.				
Stealth	Electric-Only driving (up to 42 MPH for Classic & HSD Prius) without the engine running.				
SRS	Supplemental Restraint System, better known as Airbags				
SULEV	Super Ultra Low Emission Vehicle (only a few vehicles qualify for this clean rating category, Prius is among them)				
THS	Toyota Hybrid System - Toyota's hybrid design for the Classic Prius				
Torque	Measurement value indicating wheel turning force, a strength value different from horsepower				
TRAC	Toyota Rent-A-Car, a program by which some have shortened the waiting time: when the demo/rental units reach a time/mileage it permits the dealer to sell them.				
Turtle	Driving a Prius with the battery-pack extremely drained of electricity, in conditions too hot (typically above 105 F degrees), or conditions too cold (typically below -10 F degrees), so that an orange "turtle" icon displays near the speedometer. This warns the driver to avoid forceful acceleration.				
ULEV	Ultra Low Emission Vehicle (as of the 2003 model-year there were 90 vehicle models in the United States that met the rating criteria)				
V	Volt or Voltage, an electrical measurement unit used when describing attributes of Prius propulsion components.				
Vaporware	A term from the computer industry used to describe claims made by a company about a product that was never delivered. It sounded great in concept, but for whatever reason was impractical in the end. In other words, don't believe it until you actually see the product available for consumers to purchase.				
VSC	Vehicle Stability Control, a safety feature that automatically engages side-specific braking for you when it detects the vehicle wheels slip; stepping on the brake is not necessary for the feature to work				
ZEV	Zero Emission Vehicle				

Prius Generations:

	Original	Classic	HSD
Engine HP	58	70	76
Engine kW	43	52	57
Engine RPM Redline	4000	4500	5000
Motor HP	40	44	67
Motor kW	30	33	50
Motor Torque	225	258	295
0-60 MPH (seconds)	14.1	12.5	10.1
Tire Width	165	175	185
Tire Diameter	15	14	15
Battery-Pack Energy (W/kg)	600	900	1250
Battery-Pack Voltage	288	273.6	201.6
Battery-Pack Weight (Ibs)	125	110	99
Battery-Pack Section Type	D-Cell	Module	Module
Battery-Pack Section Count	40	38	28
Hybrid-System Voltage	288	273.6	500

CLASSIC: Touch-Sensitive version of the Multi-Display was introduced.

HSD: *Electric A/C was introduced. Multi-Display size was increased.*