

Engine & Cooling	Fuel	Ignition	Electrical	Running gear	Torque settings	Capacities	Notes & Illustrations
------------------	------	----------	------------	--------------	-----------------	------------	-----------------------



Automotive Technical DATA BOOK

Click on one of the buttons above to view data for this car. To return to this screen and make another choice, click anywhere on the data screen.

MENU

HELP

Engine and cooling system Discovery MPi 2.0 1993 to 1995

Type		M16i, 20 HD DOHC 16V 100kW
Capacity (cm ³) / number of cylinders		1994 / 4
Compression ratio / pressure	bar	10.0 / _
Oil pressure	bar	0.7 [3.8]
Oil temperature	°C	_
Valve clearance - inlet	mm	0: Hyd.
Valve clearance - exhaust	mm	0: Hyd.
Firing order		1-3-4-2
No 1 cylinder position		TBE
Thermostat opening temperature	°C	88
Radiator cap pressure	bar	1.04

Fuel system Discovery MPi 2.0 1993 to 1995

Idle speed - manual [auto]	rpm	Base: 750±15
Fast idle speed - manual [auto]	rpm	_
CO @ idle speed [3000 rpm] - see page VI	%	0.25 to 0.5
HC @ idle speed [3000 rpm] - see page VI	ppm	≤1200
CO ₂ @ idle speed [3000 rpm] - see page VI	%	_
O ₂ @ idle speed [3000 rpm] - see page VI	%	_
Carburettor / fuel injection		Rover
Type / ref		MPI (H)
Main jet / needle		_
Injection pressure	bar	3.0 above manifold
Pump pressure	bar	4.1
Octane rating	RON	95[U]

Ignition system Discovery MPi 2.0 1993 to 1995

Type		DIS
Ignition coil		Quad output coil
Primary resistance	ohms	_
Ballast resistor	ohms	_
Voltage - Tmnl 15(+) to earth	V	_
Distributor		_
Points gap (air gap)	mm	_
Dwell angle	° (%)	_
Condenser capacity	µF	_
Rotation		Anticlockwise
Ignition timing - basic [static	° Crankshaft @ rpm	9 to 11 BTDC @ 1500 N/A
V = Vacuum NV = No Vacuum		NV
Total ignition advance	° Crankshaft @ rpm	_
	° Crankshaft @ rpm	_
	° Crankshaft @ rpm	_
Centrifugal check.	° Crankshaft @ rpm	Computer control
	° Crankshaft @ rpm	_
	° Crankshaft @ rpm	_
Vacuum range check	mbar	Computer control
Maximum vacuum advance	° Crankshaft	_
Spark plugs		Unipart/Champion
Type		GSP4662 / RC9YC
Electrode gap	mm	0.85

Electrical system Discovery MPi 2.0 1993 to 1995

Battery	V / CC / RC	12 / 380 / 120
Alternator voltage / full load current / engine rpm		14.2±0.25 / _ / 3000
Starter motor current / voltage - cranking	A / V	_
- locked	A / V	_

Running gear Discovery MPi 2.0 1993 to 1995

Brakes -		
Front (min. friction material thickness)	mm	_
Rear (min. friction material thickness)	mm	_
Tyres		
Saloon	Size	_
Estate / Van	Size	205x16: 235/70x16
Pressure - front / rear - Saloon	bar	_
- Estate / Van	bar	1.9 / 2.6
Front suspension / wheel alignment		
Toe-in (+) / Toe-out (-)	mm [°]	-1.2 to -2.4
Camber		0
Castor		+3°
King pin inclination		+7°
Rear suspension / wheel alignment		
Toe-in (+) / Toe-out (-)	mm [°]	_
Camber		_

Torque wrench settings Discovery MPi 2.0 1993 to 1995

Cylinder head - stage 1	Nm	45
- stage 2	Nm	80
Cylinder head - stage 3	Nm	+ 60°, or 108 ¹
- stage 4	Nm	_
Big-end bearings	Nm	55
Main bearings	Nm	105
Clutch cover	Nm	26
Flywheel [driveplate]	Nm	85 [110]
Front hubs	Nm	_
Rear hubs	Nm	_
Wheel nuts / bolts	Nm	129
Spark plugs	Nm	18


Capacities Discovery MPi 2.0 1993 to 1995

Engine oil & filter	litres	4.5
Gearbox - 4-speed [5-speed]	litres	2.7. Transfer:2.5
Automatic transmission - refill	litres	9.1
Final drive	litres	Front & rear: 1.7
Cooling system	litres	10.0
Fuel tank	litres	88.6


Notes and Illustrations

¹Whichever occurs first


1: Idle speed 2: CO / Mixture



1994 cm³



Rover MPI



Rover MPI