






Audio System

- In order to increase attractiveness to customers, there is a line-up of three kinds of audio units.

Audio Head Unit Design	Audio Unit	Equipment
Lexus Premium Sound System		
 0150MO04C	• AM/FM Tuner • In-dash CD Changer • Audio Head Unit: Pioneer • Stereo Amplifier: Pioneer • 13-Speaker: Pioneer	Standard
Mark Levinson Premium Surround Sound Audio System		
 0150MO05C	• AM/FM Tuner • In-dash CD Changer • Audio Head Unit: Pioneer • Stereo Amplifier: Mark Levinson • 14-Speaker: Mark Levinson	Option
 0150MO06C	• AM/FM Tuner • In-dash DVD Changer • Audio Head Unit: Pioneer • Stereo Amplifier: Mark Levinson • 14-Speaker: Mark Levinson	Option

- An AUX adapter, which is located in the console box, is used by the audio system as an input terminal for a portable audio device.




Speaker Layout (Lexus Premium Sound System)

0140MO11Z

Speaker Specification

Speaker		Specification		
		Caliber	Impedance	Input Rating
(1)	Tweeter × 2	25 mm (1.0 in.)	4 Ω	25 W
(2)	Midrange × 2	65 mm (2.6 in.)	4 Ω	21 W
(3)	Woofer × 2	160 mm (6.5 in.)	4 Ω	21 W
(4)	Tweeter × 2	25 mm (1.0 in.)	4 Ω	25 W
(5)	Midrange × 2	65 mm (2.6 in.)	4 Ω	21 W
(6)	Woofer × 2	160 mm (6.5 in.)	4 Ω	21 W
(7)	Sub-Woofer × 1	200 mm (8 in.)	4 Ω/4 Ω	35 W/35 W

Speaker Layout
(Mark Levinson Premium Surround Sound Audio System)



0140MO10Z

Speaker Specification

Speaker		Specification		
		Caliber	Impedance	Input Rating
(1)	Center × 1	65 mm (2.6 in.)	8 Ω	25 W
(2)	Tweeter × 2	25 mm (1.0 in.)	8 Ω	20 W
(3)	Midrange × 2	65 mm (2.6 in.)	8 Ω	25 W
(4)	Woofer × 2	160 mm (6.5 in.)	8 Ω	25 W
(5)	Tweeter × 2	25 mm (1.0 in.)	8 Ω	20 W
(6)	Midrange × 2	100 mm (4 in.)	8 Ω	25 W
(7)	Satellite × 2	65 mm (2.6 in.)	8 Ω	25 W
(8)	Sub-Woofer × 1	200 mm (8 in.)	8 Ω	40 W