




SERVICE BULLETIN

QUALITY INFORMATION ANALYSIS
OVERSEAS SERVICE DEPT. MITSUBISHI MOTORS CORPORATION

SERVICE BULLETIN		No.: MSB-98E00-011	
		Date: 1998-10-15	<Model> (EC,EXP)PAJERO V10,V20,V30,V40
Subject: CHANGE IN YEAR MODEL FOR '99 PAJERO		<M/Y> 99-10	
Group: GENERAL		Draftno: 98SY020216	
INFORMATION	OVERSEAS SERVICE DEPT	 T.NITTA - VICE GENERAL MANAGER QUALITY INFORMATION ANALYSIS	

1. Description:

This Service Bulletin informs you of change in year model for the 1999 Pajero.

2. Applicable Manuals:

Manual	Pub. No.	Language	Page(s)
'98 PAJERO Workshop Manual Chassis	PWJE9086-I	(English)	
	PWJS9087-I	(Spanish)	
	PWJF9088-I	(French)	
	PWJG9089-I	(German)	
	PWJD9090-I	(Dutch)	
	PWJW9091-I	(Swedish)	

3. Details:

MITSUBISHI PAJERO

WORKSHOP MANUAL SUPPLEMENT

FOREWORD

This manual outlines changes in servicing procedures related to the chassis including vehicle inspections, adjustments and improvements in the newly equipped models.

Use the following manuals in combination with this manual as required

TECHNICAL INFORMATION MANUAL

PYJE9002

WORKSHOP MANUAL

ENGINE GROUP

PWEE □□□□
(Looseleaf edition)

CHASSIS GROUP

PWJE9086
(Looseleaf edition)

PWJE9086-G

(Supplement)

PWJE9086-H

(Supplement)

PWJE9086-I

(Supplement)

ELECTRICAL WIRING

PWJE9026

(Looseleaf edition)

PWJE9026-D

(Supplement)

PWJE9026-E

(Supplement)

PWJE9026-F

(Supplement)

PWJE9026-G

(Supplement)

PWJE9026-H

(Supplement)

PARTS CATALOGUE

B6035609A □

All information, illustrations and product descriptions contained in this manual are current as at the time of publication. We however, reserve the right to make changes at any time without prior notice or obligation.



General	00
Fuel	13
Engine Electrical	16
Service Brakes	35
Body	42

GROUP 00 GENERAL

VEHICLE IDENTIFICATION

MODELS

<2-DOOR MODELS>

Model code		Body style	Engine model	Transmission model	Fuel supply system
V24C	NSGL6*	Canvas top	4D56 [2,477 mℓ] with turbocharger and inter-cooler	V5MT1 (5M/T)	Injection
V23C	GNHVL6/R6 GRHVL6/R6	Canvas top with blistered fender	6G72 [2,972 mℓ]	V4AW3 (4A/T)	MPI
V24W	NDGL6* NHGL/R6*	Wagon	4D56 [2,477 mℓ] with turbo-charger and inter-cooler	V5MT1 (5M/T)	Injection
V24WG	NXGL6/R6*	Wagon with blistered fender			
V26W	NDGL6*	Wagon	4M40 [2.835 mℓ] with turbocharger and inter-cooler	V5MT31 (5M/T)	
V26WG	NXGL6/R6*	Wagon with blistered fender			
V23W	NHVL6	Wagon	6G72 [2,972 mℓ]	V5MT31 (5M/T)	MPI
V23WG	NXVL6/R6 RXVL6/R6	Wagon with blistered fender		V4AW3 (4A/T)	
V25WG	NXVL6/R6 RXVL6/R6	Wagon with blistered fender	6G72 [3,497 mℓ]	V5M31 (5M/T) V4AW3 (4A/T)	

NOTE


*:Indicates change.

<4-DOOR MODELS>



Model code		Body style	Engine model	Transmission model	Fuel supply system		
V44W	NDGL6*	Wagon	4D56 [2,477 mℓ] with turbo-charger and inter-cooler	V5MT1 (5M/T)	Injection		
	NDGCL6*	Wagon without 3rd seat row					
	NHGL6*	Wagon					
V44WG	NXGL6/R6*	Wagon with blistered fender					
V46W	NDGL6*	Wagon	4M40 [2,835 mℓ] with turbo-charger and inter-cooler	V5M31 (5M/T)			
	NDGCL6*	Wagon without 3rd seat row					
	NHGL6/R6*	Wagon		V4AW3 (4A/T)			
	RHGR6*			V5M31 (5M/T)			
V46WG	NXGL6*/R6*	Wagon with blistered fender				V4AW3 (4A/T)	
	RXGL6*/R6*						
V43W	NHVL6/R6	Wagon		6G72 [2,972 mℓ]	V5MT1 (5M/T)	MPI	
	RHVL6/R6				V4AW3 (4A/T)		
V43WG	NXVL6/R6	Wagon with blistered fender					V5MT1 (5M/T)
	RXVL6/R6				V4AW3 (4A/T)		
V45WG	NXVL6/R6		6G74 [3,497 mℓ]	V5MT31 (5M/T)			
	RXVL6/R6			V4AW3 (4A/T)			

NOTE

*:Indicates change

**CHASSIS NUMBER**

The chassis number is stamped on the side wall of the frame near the right rear wheel.


J M B 0 N V24 0 X J 000001


└─┘	└─┘	└─┘	└─┘	└─┘	└─┘	└─┘	└─┘	└─┘	└─┘
1	2	3	4	5	6	7	8	9	10

1. Asia

7. Body style
0: Frame

2. Japan

8. Model year
X: 1999*

3. MITSUBISHI

A: Right hand drive for Europe
B: Left hand drive for Europe

9. Plant

J, P, Y: Oye Plant of NAGOYA Motor Vehicle Works

4. Sorts

0: 4 or 2-door with tailgate (backdoor)
A: 2-door semi-open (canvas top)10. Serial number
000001 -

5. Transmission

N: 5 x 2-speed manual transmission
R: 4 x 2-speed automatic transmission

NOTE

*: Indicates change

6. Development order

V23: 2,972 ml
Petrol engine <2-door models>V24: 2,477 ml
Diesel engine <2-door models>V25: 3,497 ml
Petrol engine <2-door models>V26: 2,835 ml
Diesel engine <2-door models>V43: 2,972 ml
Petrol engine <4-door models>V44: 2,477 ml
Diesel engine <4-door models>V45: 3,497 ml
Petrol engine <4-door models>V46: 2,835 ml
Diesel engine <4-door models>

GROUP 13 FUEL SYSTEM

GENERAL

OUTLINE OF CHANGE

- The idle-up mechanism in vehicles mounted with the anti-skid brake (ABS) system was eliminated. <Diesel-powered vehicles>

GROUP 16 ENGINE ELECTRICAL

GENERAL

OUTLINE OF CHANGE

- The general specifications were set as follows due to changes in the 4D56 engine's starter motor.

STARTING SYSTEM

GENERAL SPECIFICATIONS

STARTER MOTOR


Items	Specifications
Type	Planetary gear reduction drive
Rated output kW/V	2.2/12
No. Of teeth	12

GROUP 35 SERVICE BRAKES

GENERAL

OUTLINE OF CHANGE

- The idle-up solenoid valve in vehicles mounted with the anti-skid brake (ABS) system was eliminated. <Diesel-powered vehicles>.



GROUP 42 BODY

GENERAL

OUTLINE OF CHANGE

- The clutch slip force inspection was eliminated due to the elimination of the sunroof wrench in the tools provided with the vehicle.