

SECTION **GI**

OUTLINE OF MODIFICATION:

Following changes have been made.

Engine

- The TD25Ti engine has been added for Europe.

Electrical system

- Automatic air conditioner has been added for Europe.

CONTENTS

PRECAUTIONS	1002	IDENTIFICATION INFORMATION	1004
Precautions for Turbocharger	1002	Model Variation	1004
CONSULT CHECKING SYSTEM	1003	Dimensions	1007
Checking Equipment.....	1003		

PRECAUTIONS

Precautions for Turbocharger

The turbocharger turbine revolves at extremely high speeds and becomes very hot. Therefore, it is essential to maintain a clean supply of oil flowing through the turbocharger and to follow all required maintenance instructions and operating procedures.


For proper operation of the system, follow the procedure below.

1. Always use the recommended oil. Follow the instructions for proper time to change the oil and proper oil level.
2. Avoid accelerating engine to a high rpm immediately after starting.
3. If engine had been operating at high rpm for an extended period of time, let it idle for a few minutes prior to shutting it off.

CONSULT CHECKING SYSTEM

Checking Equipment

When ordering the below equipment, contact your NISSAN distributor.

Tool name	Description
<p>NISSAN CONSULT</p> <ul style="list-style-type: none">① CONSULT unit and accessories② Program card<ul style="list-style-type: none">● AE950 for Australia● EE980 except for Australia● NATS-E940* for NATS	<div style="text-align: center;"></div> <p>NT004</p>

*: An order for NATS program card must be placed only with NISSAN EUROPE N.V.

IDENTIFICATION INFORMATION

Model Variation

PICKUP (2WD)

Destination	Class			Grade	Model		Engine	Transmission	Differential carrier
	Wheelbase	Cab	Class		LH drive	RH drive			
General areas (Except for Australia, the Middle East and Europe)	Standard	Single Cab	Single Cab	STD	ABKALCFD22SWL	—	NA20S	FS5W71C	C200
					ABKGLCFD22SWL	ABKGRCFD22SWL	NA20S		
	Long	Double Cab	Double Cab	STD	AVPGLCFD22NWL	AVPGRCFD22NWL	TD27		
					CBKGLCFD22SWL	CBKGRCFD22SWL	NA20S		
					CBKGLCFD22SWL	—	—		
					CVPGLCFD22NWL	CVPGRCFD22NWL	TD27		
Australia	Standard	Single Cab	Single Cab	STD	—	ABFGRCFD22EML	KA24E		
					—	ABFGRDFD22EML	—		
	Long	Double Cab	Double Cab	DX	—	AVPGRDFD22NML	TD27		
					—	CBFGRDFD22EML	KA24E		
					—	CBFGRDFD22EML	—		
					—	CBFGRDFD22EML	—		
Middle East	Standard	Single Cab	Single Cab	DX	—	CVPGRDFD22NML	TD27		
					ABEALDFD22SKL	—	Z24S		
	Long	Double Cab	Double Cab	DX	ABEALDFD22SKL	—	—		
					AVPALDFD22NKL	—	TD27		
					ABEGLCFD22SKL	—	Z24S		
					CBEGLDFD22SKL	—	—		
Europe	Standard	Single Cab	Single Cab	STD	AVNGLCFD22NQL	AVNGRCFD22NQL	TD25		
					AVNGLCFD22NQL	AVNGRDFD22NQL	—		
	Long	Double Cab	Double Cab	DX	BVNGLDFD22NQN	BVNGRDFD22NQN	KA24E		
					BBFGLDFD22EQN	—	—		
					—	—	—		
					CVNGLDFD22NQN	—	TD25		

IDENTIFICATION INFORMATION

Model Variation (Cont'd)


PICKUP (4WD)

Destination	Class		Grade	Model		Engine	Transmission	Differential carrier		Transfer	
	Wheelbase	Cab		LH drive	RH drive			Front	Rear		
General areas (Except for Australia, the Middle East and Europe)	Single Cab	STD	ABEULCFD22SWL	ABEURCFD22SWL	Z24S	FS5W71C	R180A	Rear	Transfer		
			AVRULCFD22NWL	AVRURCFD22NWL	QD32	FS5R30A					
	Double Cab	STD	CBEULCFD22SWN	CBEURCFD22SWN	Z24S	FS5W71C	R180A	H233B			
			—	CVRURCFD22NWN	QD32	FS5R30A		H233B			
			CBFULCFD22EWN	—	KA24E	FS5W71C		C200			
			CVRULCFD22NWN	—	QD32	FS5R30A		H233B			
			CBFULFFD22EWN	—	KA24E	FS5W71C		C200			
			CVRULFFD22NWN	—	QD32	FS5R30A		H233B			
	Australia	Single Cab	STD	—	ABFURDFD22EML	KA24E	FS5W71C	R180A	H233B		
				—	AVRURCFD22NML	QD32	FS5R30A		H233B		
Double Cab		DX	—	AVRURDFD22NML	KA24E	FS5W71C	R180A		H233B		
			—	CBFURDFD22EMN	QD32	FS5R30A			H233B		
Middle East		Double Cab	ST	—	CVRURDFD22NMN	QD32	FS5W71C		R180A	H233B	
				—	CVRUREFD22NMN	Z24S	FS5R30A			H233B	
Europe	Single Cab	STD	AVNULCFD22UQL	AVNURCFD22UQL	TD25Ti	FS5W71C	R180A	H233B			
			AVNULDFD22UQL	AVNURDFD22UQL	TD25Ti	FS5R30A		H233B			
	King Cab	DX	BVNULDFD22UQN	BVNURDFD22UQN	KA24E	FS5W71C		R180A	H233B		
			BBFULDFD22EQN	—	TD25Ti	FS5R30A			H233B		
	Double Cab	ST	BVNULEFD22UQN	—	KA24E	FS5W71C		R180A	H233B		
			CVNULDFD22UQN	CVNURDFD22UQN	TD25Ti	FS5R30A			H233B		
			CBFULDFD22EQN	—	KA24E	FS5W71C			H233B		
			CVNULEFD22UQN	—	TD25Ti	FS5R30A			H233B		

IDENTIFICATION INFORMATION

Model Variation (Cont'd)

Prefix and suffix designations (Pickup)



IDENTIFICATION INFORMATION

Dimensions

Destination		Europe				
Vehicle type		2-wheel drive model			4-wheel drive model	
Wheelbase		Long			Long	
Cab or bed type		Single Cab	King Cab	Double Cab	King Cab	Double Cab
Overall length*1	mm (in)	4,975 (195.9)	4,975 (195.9)	4,885 (192.3)	4,975 (195.9)	4,885 (192.3)
Overall width	mm (in)	1,690 (66.5)	1,690 (66.5)	1,690 (66.5)	1,820 (71.7)	1,820 (71.7)
Overall height	mm (in)	1,600 (63.0)	1,620 (63.8)*2	1,610 (63.4)	1,700 (66.9)	1,720 (67.7)
Wheelbase	mm (in)	2,950 (116.1)	2,950 (116.1)	2,950 (116.1)	2,950 (116.1)	2,950 (116.1)
Tread	Front	mm (in)	1,395 (54.9)	1,395 (54.9)	1,395 (54.9)	1,525 (60.0)
	Rear	mm (in)	1,390 (54.7)	1,390 (54.7)	1,390 (54.7)	1,505 (59.3)
Ground clearance	mm (in)	190 (7.5)*3	200 (7.9)	190 (7.5)*3	230 (9.1) 215 (8.5)*4	230 (9.1) 215 (8.5)*4

*1: On step bumper equipped models, the bumper adds 155 mm (6.1 in) to the overall length above.

*2, *3: For models equipped with 195R14C tires, add 10 mm (0.4 in) to the overall height on ground clearance.

*4: For TD25Ti engine models