

<SUPPLEMENT-V>

ELECTRICAL SYSTEM

SECTION **EL**

MODIFICATION NOTICE:



- Wiring diagrams have been changed.
- Harness layouts have been changed.

CONTENTS

INTERIOR ROOM LAMP	5002
Wiring Diagram - ROOM/L -	5002
ILLUMINATION	5003
Wiring Diagram - ILL -/LHD Models	5003
POWER WINDOW	5005
Schematic/With Interruption Detection Function	5005
Wiring Diagram - WINDOW -/With Interruption Detection Function	5006
THEFT WARNING SYSTEM	5010
Wiring Diagram - PRWIRE -	5010
HARNESS LAYOUT	5012
Main Harness.....	5012
Engine Room Harness.....	5018
Room Lamp Harness/LHD Models.....	5026


INTERIOR ROOM LAMP

Wiring Diagram — ROOM/L —




ILLUMINATION

Wiring Diagram — ILL —/LHD Models






| Refer to last page (Foldout page).



ILLUMINATION

Wiring Diagram — ILL —/LHD Models (Cont'd)

EL-ILL-02




*: This connector is not shown in "HARNESS LAYOUT".

GEL676A

EL-5004


POWER WINDOW

Schematic/With Interruption Detection Function




POWER WINDOW

Wiring Diagram — WINDOW —/With Interruption Detection Function



Refer to last page (Foldout page).

(M5), (E101)



POWER WINDOW

Wiring Diagram — WINDOW —With Interruption Detection Function (Cont'd)

Preceding page A PU

-  : LHD models
-  : RHD models
-  : For Europe
-  : For the Middle East







*1 G/R : 

R/Y : 

**IGNITION SWITCH
ON or START**




EL-WINDOW-02

Refer to EL-POWER.



POWER WINDOW







Wiring Diagram — WINDOW — With Interruption Detection Function (Cont'd)



POWER WINDOW

Wiring Diagram — WINDOW — With Interruption Detection Function (Cont'd)


EL-WINDOW-04



THEFT WARNING SYSTEM


Wiring Diagram — PRWIRE —

EL-PRWIRE-01



Refer to last page (Foldout page).

(M5), (E101)



THEFT WARNING SYSTEM


NOTE

EL-5011

HARNESS LAYOUT

Main Harness

INSTRUMENT PANEL — LHD MODELS




*1...With KA engine except for Europe
*2...With KA engine for Europe,
YD engine and ZD engine

HARNESS LAYOUT

Main Harness (Cont'd)


A4 (M1)	—	Body ground	F3 (M34)	W/2	Ashtray illumination (With gasoline engine for the Middle East)	B2 (M71)	GY/24	TCM (Transmission control module) (KA engine with A/T)
A4 (M2)	W/2	Warning buzzer (Diesel engine except for Europe and the Middle East)	E1 (M35)	W/10	Audio unit (For Europe)	B2 (M72)	-/6	Joint connector-2 (With A/T)
A4 (M3)	W/20	To (D1)	E1 (M36)	W/4	To CD changer sub-harness (For Europe except double cab without power window)	F1 (M74)	W/2	Intake air temperature sensor (With auto A/C)
A3 (M4)	W/12	To (D2) (With power window)	F3 (M37)	B/2	Cigarette lighter	F1 (M75)	B/2	Sunload sensor (With auto A/C)
A3 (M5)	SMJ	To (E101)	G2 (M38)	W/3	A/C switch (Without auto A/C)	C2 (M76)	W/6	Option connector (For Europe)
A3 (M6)	W/24	To (N1)	G2 (M39)	W/6	Fan switch (Without auto A/C)			(For theft warning system)
B3 (M7)	BR/24	To (N2)	E2 (M40)	W/2	Fan switch illumination (Without auto A/C)	C3 (M78)	L/2	Shift lock brake switch (With A/T)
A2 (M8)	-/2	Diode (Diesel engine except for Europe and the Middle East)	E2 (M41)	W/8	Hazard switch	E4 (M80)	Y/20	Air bag diagnosis sensor unit (For pre-tensioner seat belt)
C4 (M9)	L/4	Fuel pump relay (KA engine)	E2 (M42)	W/6	Defogger switch (For Europe or double cab except for the Middle East)	F4 (M81)	Y/12	Air bag diagnosis sensor unit (Air bag diagnosis sensor unit (For pre-tensioner seat belt))
B4 (M10)	—	Fuse block	G1 (M43)	Y/2	Front passenger air bag module	C3 (M82)	B/2	Brake pedal position switch (YD25)
B4 (M11)	W/16	Data link connector	F1 (M44)	BR/4	Thermo control amplifier (Without auto A/C)	B5 (M83)	L/10	Diode
B3 (M12)	W/6	Fuse block	G2 (M45)	BR/4	Fan resistor (Without auto A/C)			(KA engine except for Europe)
B3 (M14)	W/4	Fuse block	G2 (M46)	W/2	Blower motor	A3 (M84)	BR/2	Resistor (With A/T)
E3 (M15)	B/3	Combination flasher unit	G3 (M49)	W/20	To (D31)	C2 (M85)	GY/6	Accelerator work unit (YD25)
C3 (M16)	B/2	Stop lamp switch	G3 (M50)	W/6	To (D32) (With power window)	E3 (M86)	BR/10	Mode door motor (With auto A/C)
A4 (M17)	L/4	Front fog lamp relay (YD engine for Europe)	F3 (M51)	W/8	Door lock timer	E3 (M87)	W/2	In-vehicle sensor (With auto A/C)
B4 (M18)	W/6	Not used (QD engine with A/T)	G3 (M52)	W/2	(With power door lock except for Europe)	F3 (M88)	GY/20	A/C auto amp. (With auto A/C)
A2 (M19)	W/6	To (R1)	G3 (M53)	L/4	Circuit breaker-2 (For Europe and KA engine for the Middle East – except double cab without power window)	G3 (M89)	GY/16	A/C auto amp. (With auto A/C)
D3 (M20)	W/6	Ignition switch	G3 (M54)	—	Diode (KA engine for Europe)	G3 (M90)	L/2	Aspirator motor (With auto A/C)
D2 (M21)	W/1	Parking brake switch (Stick type)	B4 (M55)	W/2	(With auto A/C)	G2 (M91)	B/6	Air mix door motor (With auto A/C)
D2 (M23)	BR/8	Lighting switch • Turn signal lamp switch	G3 (M56)	—	Body ground	F1 (M92)	W/4	Fan control amp. (With auto A/C)
D2 (M24)	BR/4	Lighting switch	F1 (M57)	W/2	Security indicator (With NATS)	F1 (M93)	W/4	Intake door motor (With auto A/C)
D3 (M25)	Y/7	Spiral cable (With air bag)	C3 (M58)	BR/8	Multi-remote control unit (For Europe)	C2 (M94)	BR/3	Accelerator position sensor (ZD30)
C3 (M26)	L/2	A/T check switch	F3 (M59)	BR/6	Defogger relay (For Europe or double cab except for the Middle East)	C2 (M95)	GY/3	Accelerator position switch (ZD30)
D2 (M27)	B/1	Horn switch (Without air bag)	F4 (M60)	L/4	Rear fog lamp relay (For Europe)	C2 (M96)	W/3	Accelerator switch (F/C) (ZD30)
D2 (M28)	GY/8	Wiper and washer switch	F4 (M61)	L/4	Front fog lamp relay (ZD engine)	E1 (M98)	W/12	Audio unit (Via sub-harness (Except for Europe))
D3 (M29)	W/12	Glow control unit	F3 (M62)	W/18	Smart entrance control unit (For Europe)			
		(TD engine except for cold areas and QD engine)	D3 (M63)	W/3	Front fog lamp switch (ZD engine)	Diode (M8)		
C3 (M30)	W/16	Glow control unit (TD engine for cold areas)	D2 (M65)	W/6	Fog lamp switch (For Europe)			
D4 (M31)	GY/6	Joint connector-1 (KA engine)	E3 (M66)	W/8	NATS IMMU (For Europe)			
D4 (M32)	SMJ	ECM (KA, YD and ZD engines)	B2 (M69)	W/48	TCM (Transmission control module) (QD engine with A/T)			
D4 (M33)	—	Joint connector-3 (KA engine for Europe)	B2 (M70)	W/24	TCM (Transmission control module) (KA engine with A/T)			



HARNESS LAYOUT

Main Harness (Cont'd)

INSTRUMENT PANEL — RHD MODELS




HEL084C

EL-5014

HARNESS LAYOUT

Main Harness (Cont'd)


G4 (M1)	—	Body ground	A2 (M46) W/2	Blower motor	E4 (M82) B/2	: Brake pedal position switch (YD engine)
G4 (M3) W/20	To (D1)	To (F55) (KA, VG, YD and ZD engines)	A2 (M47) W/16	To (F55) (KA, VG, YD and ZD engines)	A4 (M83) L/10	: Diode (Double cab with KA engine)
G4 (M4) W/12	To (D2) (With power window)	To (F54) (KA, VG, YD and ZD engines)	A2 (M48) W/24	To (F54) (KA, VG, YD and ZD engines)	A1 (M84) BR/2	: Resistor (With A/T)
G3 (M5) SMJ	To (E101)	To (D31)	A3 (M49) W/20	To (D31)	G3 (M85) GY/6	: Accelerator work unit (YD engine)
F4 (M6) W/24	To (N1)	To (D32) (With power window)	A3 (M50) W/6	To (D32) (With power window)	D3 (M86) BR/10	: Mode door motor (With auto A/C)
G2 (M7) BR/24	To (N2)	Door lock timer (With power door lock)	B3 (M51) W/8	Door lock timer (With power door lock)	D3 (M87) W/2	: In-vehicle sensor (With auto A/C)
E4 (M9) L/4	Fuel pump relay (KA and VG engines)	except for Europe)	G3 (M52) W/2	Circuit breaker-2 (For Europe except double cab without power window)	B3 (M88) GY/20	: A/C auto amp. (With auto A/C)
F4 (M10) —	Fuse block	Diode (Single cab with KA engine)	A3 (M53) L/4	Diode (Single cab with KA engine)	B3 (M89) GY/16	: A/C auto amp. (With auto A/C)
F4 (M11) W/16	Data link connector	Body ground	A3 (M54) —	Body ground	B3 (M90) L/2	: Aspirator motor (With auto A/C)
F3 (M12) W/6	Fuse block	Security indicator (For Europe)	B1 (M55) W/2	Security indicator (For Europe)	B3 (M91) B/6	: Air mix door motor (With auto A/C)
F3 (M14) W/4	Fuse block	Multi-remote control unit (For Europe)	F2 (M58) BR/8	Multi-remote control unit (For Europe)	C1 (M92) W/4	: Fan control amp. (With auto A/C)
C4 (M15) B/3	Combination flasher unit	Defogger relay (For Europe or king cab and double cab)	C4 (M59) BR/6	Defogger relay (For Europe or king cab and double cab)	B1 (M93) W/4	: Intake door motor (With auto A/C)
E3 (M16) B/2	Stop lamp switch	Rear fog lamp relay (For Europe)	C3 (M60) L/4	Rear fog lamp relay (For Europe)	G3 (M94) BR/3	: Accelerator position sensor (ZD engine)
A3 (M17) L/4	Front fog lamp relay (For Europe)	C4 (M61) W/4	Front fog lamp relay (ZD engine)	G3 (M95) GY/3	: Accelerator switch (F/C) (ZD engine)	
F1 (M19) W/6	To (R1)	Parking brake switch (Stick type)	B4 (M62) W/18	Smart entrance control unit (For Europe)	C1 (M96) W/3	: Audio unit (Via sub-harness) (Except for Europe)
E3 (M20) W/6	Ignition switch	• Turn signal lamp switch	D3 (M64) L/6	Front fog lamp switch (ZD engine)	C1 (M98) W/12	
D1 (M21) W/1	Parking brake switch	D3 (M65) W/6	Front and rear fog lamp switch (For Europe)			
D2 (M23) BR/8	Lighting switch	D3 (M66) GY/20	ECM (Diesel engine with EGR)			
D2 (M24) BR/4	Lighting switch	D4 (M67) GY/16	ECM (Diesel engine with EGR)			
D3 (M25) Y/7	Spiral cable (With air bag)	E3 (M68) W/8	NATS MMU (For Europe)			
D3 (M27) B/1	Horn switch (Without air bag)	E1 (M70) W/24	TCM (Transmission control module)			
D2 (M28) GY/8	Wiper and washer switch	E1 (M71) GY/24	TCM (Transmission control module) (With A/T)			
D4 (M29) W/12	Glow control unit (TD engine without EGR and QD engine)	E1 (M73) W/4	A/T device (With A/T with column shift)			
C1 (M35) W/16	Audio unit (For Europe)	B1 (M74) W/2	Intake air temperature sensor (With auto A/C)			
C1 (M36) W/4	To CDS changer sub-harness (For Europe except double cab without power window)	B1 (M75) B/2	Sunload sensor (With auto A/C)			
C3 (M37) B/2	Cigarette lighter	F2 (M76) W/6	Option connector for theft warning system (For Europe)			
C3 (M38) W/3	A/C switch (Without auto A/C)	E4 (M78) L/2	Shift lock brake switch (With A/T)			
C2 (M39) W/6	Fan switch (Without auto A/C)	C4 (M79) Y/12	Air bag diagnosis sensor unit (With air bag for Europe and Australia)			
C2 (M40) W/2	Fan switch illumination (Without auto A/C)	C4 (M80) Y/20	Air bag diagnosis sensor unit (With air bag)			
C2 (M41) W/8	Hazard switch	D4 (M81) Y/12	Air bag diagnosis sensor unit (With air bag for Europe and Australia)			
C2 (M42) W/6	Defogger switch (For Europe or king cab and double cab)					
A2 (M43) Y/2	Air bag module passenger side					
B1 (M44) BR/4	Thermo control amplifier (Without auto A/C)					
A2 (M45) BR/4	Fan resistor (Without auto A/C)					



HARNESS LAYOUT

Main Harness (Cont'd)


BODY SIDE — LHD MODELS



HARNESS LAYOUT

Main Harness (Cont'd)


BODY SIDE — RHD MODELS



HARNESS LAYOUT

Engine Room Harness

LHD MODELS — GASOLINE ENGINE




EL-5018

HEL088C

HARNESS LAYOUT

Engine Room Harness (Cont'd)

G3 (E1) GY/2	: Side turn signal lamp LH (With multi-beam type headlamp)	D1 (E52)	: Air conditioner relay
F2 (E2) GY/2	: Brake fluid level switch	E1 (E53)	: Horn relay
G3 (E4) B/31	: ABS actuator and electric unit (For ABS)	E1 (E54)	: Park/Neutral position relay (With A/T)
E4 (E6) -	: Body ground	E1 (E55)	: ECM relay (KA engine)
F4 (E11) GY/3	: Front combination lamp LH (Without multi-beam type headlamp)	D4 (E57)	-/3 : Headlamp aiming motor LH (For the Middle East and Europe)
E5 (E12) GY/3	: Front combination lamp LH (With multi-beam type headlamp)	D5 (E58)	GY/2 : Headlamp washer motor (For Europe)
E5 (E13) B/3	: Headlamp LH	C4 (E59)	B/2 : Not used (For Europe)
D5 (E14) GY/2	: Washer motor	A3 (E60)	-/3 : Headlamp aiming motor RH (For the Middle East and Europe)
E3 (E15) BR/2	: Front wheel sensor LH (For ABS)	C1 (E63)	SB/6 : Daytime light unit (With daytime light system)
E3 (E16) GY/2	: Intake air temperature sensor (KA engine for Europe)	B1 (E64)	SB/8 : Daytime light unit (With daytime light system)
D4 (E20) GY/2	: Option connector (For hood switch) (For Europe)	B1 (E65)	W/6 : Headlamp washer amplifier (For Europe)
B3 (E22) B/1	: Horn low	C3 (E69)	BR/2 : Ambient temperature switch (KA engine)
C4 (E23) B/1	: Horn high	D3 (E85)	GY/2 : Cooling fan motor (KA engine for the Middle East and Europe)
B4 (E25) GY/4	: Triple-pressure switch		
A3 (E26) B/3	: Headlamp RH		
A2 (E27) GY/3	: Front combination lamp RH (Without multi-beam type headlamp)		
A3 (E28) GY/3	: Front combination lamp RH (With multi-beam type headlamp)		
B2 (E29) GY/2	: To (E204)		
B2 (E30) GY/8	: To (E203)		
C3 (E31) GY/2	: Front wheel sensor RH (For ABS)		
B1 (E32) -	: Relay box (Fusible link and fuse box)		
C2 (E33) SB/8	: To (E205)		
C2 (E34) B/1	: Battery		
D2 (E39) -	: Body ground		
C3 (E40) B/2	: Power steering oil pressure switch (For Europe)		
D2 (E41) B/1	: Option connector (For front fog lamp) (For Europe)		
C1 (E45) GY/2	: Side turn signal lamp RH (With multi-beam type headlamp)		
D1 (E46) GY/3	: Power antenna (For the Middle East and Europe)		
E1 (E50) -	: Fusible link and fuse box	(E101)	SMJ : To (M5)
D1 (E51) L/4	: Cooling fan relay (KA engine for the Middle East and Europe)	(E103)	B/2 : Fuse block




PASSENGER COMPARTMENT

E1 (E50) -	: Fusible link and fuse box	(E101)	SMJ : To (M5)
D1 (E51) L/4	: Cooling fan relay (KA engine for the Middle East and Europe)	(E103)	B/2 : Fuse block

HARNESS LAYOUT

Engine Room Harness (Cont'd)


LHD MODELS — DIESEL ENGINE



HARNESS LAYOUT

Engine Room Harness (Cont'd)

G3 (E1) GY/2	Side turn signal lamp LH (Except for the Middle East)	D4 (E57)	-/3	: Headlamp aiming motor LH (For the Middle East and Europe)
F2 (E2) GY/2	Brake fluid level switch (With M/T)	D5 (E58)	GY/2	: Headlamp washer motor (For Europe)
G2 (E4) B/31	ABS actuator and electric unit (For ABS)	B4 (E59)	B/2	: Ambient sensor (For auto A/C) (YD and ZD engines)
F3 (E6) —	Body ground	A3 (E60)	-/3	: Headlamp aiming motor RH (For the Middle East and Europe)
F4 (E11) GY/3	Front combination lamp LH (For the Middle East)	C1 (E63)	SB/6	: Daytime light unit (With daytime light system)
E5 (E12) GY/3	Front combination lamp LH (Except for the Middle East)	C1 (E64)	SB/8	: Daytime light unit (With daytime light system)
E5 (E13) B/3	Headlamp LH	C1 (E65)	W/6	: Headlamp washer amplifier (For Europe)
D5 (E14) GY/2	Washer motor	E3 (E68)	GY/8	: To (A13) (TD and QD engines with M/T)
E4 (E15) BR/2	Front wheel sensor LH (For ABS)	E3 (E70)	BR/3	: To (A14) (YD and ZD engines)
E3 (E16) GY/2	Intake air temperature sensor (YD and ZD engines)	A2 (E71)	B/2	: To (E231) (YD and ZD engines)
E3 (E17) B/2	To (A2)	A2 (E72)	B/1	: To (E232) (YD and ZD engines)
D3 (E18) GY/2	Thermoswitch (TD engine for the Middle East and QD engines)	A4 (E74)	B/2	: Front fog lamp RH (For Europe or with ZD engine)
E5 (E20) GY/2	Option connector (For hood switch) (For Europe)	E3 (E75)	GY/10	: To (A15) (With A/T)
C3 (E22) B/1	Horn low	G2 (E76)	GY/2	: Dropping resistor (With A/T)
C4 (E23) B/1	Horn high	B4 (E85)	GY/2	: Cooling fan motor (TD engine for the Middle East, QD, YD and ZD engines)
B4 (E25) GY/4	Triple-pressure switch			
A3 (E26) B/3	Headlamp RH			
A2 (E27) GY/3	Front combination lamp RH (For the Middle East)			
A3 (E28) GY/3	Front combination lamp RH (Except for the Middle East)			
B1 (E29) GY/2	To (E204)			
B1 (E30) GY/8	To (E203) (YD and ZD engines)			
C3 (E31) GY/2	Front wheel sensor RH (For ABS)			
B1 (E32) —	Relay box (Fusible link and fuse box)			
B1 (E33) SB/8	To (E205)			
C3 (E35) B/1	To (E206) (TD and QD engines)			
D3 (E36) B/1	IACV-FCID solenoid valve (TD and QD engines)			
D3 (E37) B/1	IACV-FCID solenoid valve (TD and QD engines)			
D2 (E39) —	Body ground			
D2 (E42) W/1	Glow relay-1 (YD and ZD engines)			
D2 (E43) W/1	Glow relay-1 (YD and ZD engines)			
D2 (E44) G/2	Glow relay-1 (YD and ZD engines)			
C1 (E45) GY/2	Side turn signal lamp RH (Except for the Middle East)			
D1 (E46) GY/3	Power antenna (For Europe)			
F1 (E50) —	Fusible link and fuse box			
F1 (E51) L/4	Cooling fan relay (TD engine for the Middle East, QD, YD and ZD engines)			
F1 (E52) L/4	Air conditioner relay			
F1 (E53) W/3	Horn relay			
G1 (E54) L/4	Park/Neutral position (PNP) relay (With A/T)			
G1 (E55) BR/6	ECM relay (YD and ZD engines)			
B/5	ATP relay (With A/T)			
D5 (E56) B/2	Front fog lamp LH (For Europe or with ZD engine)			




(E101) SMJ : To (M5)
 (E103) B/2 : Fuse block

HARNESS LAYOUT

Engine Room Harness (Cont'd)

RHD MODELS — GASOLINE ENGINE




HARNESS LAYOUT

Engine Room Harness (Cont'd)

G3 (E1)	GY/2	: Side turn signal lamp LH	E3 (E73)	GY/2	: To <u>A3</u> (VG engine)
D2 (E2)	GY/2	: Brake fluid level switch	D2 (E76)	GY/2	: Dropping resistor (With A/T)
E3 (E6)	-	: Body ground	D2 (E77)	GY/2	: Park/Neutral position switch (With A/T)
C4 (E12)	GY/3	: Front combination lamp LH	D2 (E78)	GY/8	: Park/Neutral position switch (With A/T)
E5 (E13)	B/3	: Headlamp LH	D2 (E79)	BR/8	: To terminal cord assembly (With A/T)
D5 (E14)	GY/2	: Washer motor	C2 (E80)	GY/3	: Revolution sensor (With A/T)
E3 (E17)	B/2	: To <u>A2</u> (VG engine)			
B3 (E22)	B/1	: Horn low			
B4 (E26)	GY/4	: Triple-pressure switch			
A3 (E26)	B/3	: Headlamp RH			
A3 (E28)	GY/3	: Front combination lamp RH (For Australia)			
B2 (E29)	GY/2	: To <u>E204</u> (Except VG engine)			
		: To <u>E502</u> (VG engine)			
B2 (E30)	GY/8	: To <u>E203</u> (Except VG engine)			
B1 (E32)	-	: Relay box (Fusible link and fuse box)			
B1 (E33)	SB/8	: To <u>E205</u> (Except VG engine)			
C3 (E34)	B/1	: Battery			
C1 (E39)	-	: Body ground			
C1 (E45)	GY/2	: Side turn signal lamp RH			
F1 (E50)	-	: Fusible link and fuse box			
F1 (E52)	L/4	: Air conditioner relay			
F1 (E53)	W/3	: Horn relay			
G1 (E54)	BR/6	: Park/Neutral position relay (With A/T)			
G1 (E55)	BR/6	: ECM relay (KA engine)			
	L/4	: ECM relay (VG engine)			
C3 (E69)	BR/2	: Ambient temperature switch (KA engine)			
			(E101)	SMJ	: To <u>M5</u>
			(E103)	B/2	: Fuse block


PASSENGER COMPARTMENT



HARNESS LAYOUT

Engine Room Harness (Cont'd)

RHD MODELS — DIESEL ENGINE



HEL968B


EL-5024

HARNESS LAYOUT

Engine Room Harness (Cont'd)

G3 E1	GY/2	Side turn signal lamp LH	D2 E61	B/2	EGRC-solenoid valve (Throttle chamber)
D2 E2	GY/2	Brake fluid level switch			(TD engine with EGR)
G2 E4	B/31	ABS actuator and electric unit (For ABS)	D2 E62	BR/2	EGRC-solenoid valve (EGR valve)
F2 E5	BR/2	Fuel filter switch			(TD engine with EGR)
F2 E6	—	Body ground	D1 E66	GY/6	Dim-dip lamp unit (For Europe)
C5 E12	GY/3	Front combination lamp LH	C1 E67	GY/4	Dim-dip lamp unit (For Europe)
E4 E13	B/3	Headlamp LH	E3 E68	GY/8	To A13 (TD and QD engines)
D5 E14	GY/2	Washer motor	E3 E70	BR/3	To A14 (YD and ZD engines)
E4 E15	BR/2	Front wheel sensor LH (For ABS)	A2 E71	B/2	To E231 (YD and ZD engines)
F2 E16	GY/2	Intake air temperature sensor (YD and ZD engines)	A2 E72	B/1	To E232 (YD and ZD engines)
E3 E17	B/2	To A2	A4 E74	B/2	Front fog lamp RH (For Europe)
D3 E18	GY/2	Thermoswitch (QD engine)	B3 E85	GY/2	Cooling fan motor (Except TD engine)

PASSENGER COMPARTMENT




Sub-harness

G1	<u>E55</u>	BR/6	: ECM relay (YD and ZD engines)	D1	<u>E901</u>	B/1	: To <u>E48</u> (QD engine)
D5	<u>E56</u>	B/2	: Front fog lamp LH (For Europe)	D2	<u>E902</u>	L/2	: To <u>E49</u> (TD engine)
C3	<u>E59</u>	B/2	: Ambient sensor (YD and ZD engines)	E2	<u>E903</u>	—	: Glow plug (TD and QD engines)

HARNESS LAYOUT

Room Lamp Harness/LHD Models

DOUBLE CAB



WIRING DIAGRAM CODES (CELL CODES) HARNESS LAYOUT

Use the chart below to find out what each wiring diagram code stands for.

Refer to the wiring diagram code in the alphabetical index to find the location (page number) of each wiring diagram.

Code	Section	Wiring Diagram Name
ABS	BR	Anti-lock Brake System
A/C, M	HA	Manual Air Conditioner
FICD	EC	IACV-FICD Solenoid Valve
GLOW	EC	Quick-glow System
ILL	EL	Illumination
PRWIRE	EL	Theft Warning System Pre-wire
ROOM/L	EL	Interior Room Lamp
SRS	RS	Supplemental Restraint System
WINDOW	EL	Power Window