

## 2. OUTBACK

### A: DIMENSION

#### 1. SEDAN MODEL

| Model                    |        |         | 2.5 L SOHC    | 3.0 L DOHC |
|--------------------------|--------|---------|---------------|------------|
| Overall length           |        | mm (in) | 4,730 (186.2) |            |
| Overall width            |        | mm (in) | 1,770 (69.7)  |            |
| Overall height (at C.W.) |        | mm (in) | 1,515 (59.6)  |            |
| Compartment              | Length | mm (in) | 1,900 (74.8)  |            |
|                          | Width  | mm (in) | 1,445 (56.9)  |            |
|                          | Height | mm (in) | 1,100 (43.3)  |            |
| Wheelbase                |        | mm (in) | 2,670 (105.1) |            |
| Tread                    | Front  | mm (in) | 1,495 (58.9)  |            |
|                          | Rear   | mm (in) | 1,490 (58.7)  |            |
| Minimum road clearance   |        | mm (in) | 215 (8.5)     |            |

#### 2. WAGON MODEL

| Model                    |        |         | 2.5 L SOHC                               | 2.5 L DOHC turbo | 3.0 L DOHC |
|--------------------------|--------|---------|------------------------------------------|------------------|------------|
| Overall length           |        | mm (in) | 4,795 (188.8)                            |                  |            |
| Overall width            |        | mm (in) | 1,770 (69.7)                             |                  |            |
| Overall height (at C.W.) |        | mm (in) | 1,605 (63.2)                             |                  |            |
| Compartment              | Length | mm (in) | 1,840 (72.4)                             |                  |            |
|                          | Width  | mm (in) | 1,445 (56.9)                             |                  |            |
|                          | Height | mm (in) | 1,190 (46.9), 1,145 (45.1)* <sup>1</sup> |                  |            |
| Wheelbase                |        | mm (in) | 2,670 (105.1)                            |                  |            |
| Tread                    | Front  | mm (in) | 1,495 (58.9)                             |                  |            |
|                          | Rear   | mm (in) | 1,490 (58.7)                             |                  |            |
| Minimum road clearance   |        | mm (in) | 215 (8.5)                                | 220 (8.7)        | 215 (8.5)  |

\*1: With sunroof

# OUTBACK

## SPECIFICATIONS

### B: ENGINE

| Model                                      | 2.5 L SOHC                                                                | 2.5 L DOHC turbo      | 3.0 L DOHC                                                                |
|--------------------------------------------|---------------------------------------------------------------------------|-----------------------|---------------------------------------------------------------------------|
| Engine type                                | Horizontally opposed, liquid cooled, 4-cylinder, 4-stroke gasoline engine |                       | Horizontally opposed, liquid cooled, 6-cylinder, 4-stroke gasoline engine |
| Valve arrangement                          | Overhead camshaft                                                         |                       |                                                                           |
| Bore × stroke mm (in)                      | 99.5 × 79.0 (3.917 × 3.110)                                               |                       | 89.2 × 80.0 (3.512 × 3.150)                                               |
| Displacement cm <sup>3</sup> (cu in)       | 2,457 (149.9)                                                             |                       | 3,000 (183.06)                                                            |
| Compression ratio                          | 10.0                                                                      | 8.4                   | 10.7                                                                      |
| Ignition order                             | 1 — 3 — 2 — 4                                                             |                       | 1 — 6 — 3 — 2 — 5 — 4                                                     |
| Idle speed at Park or Neutral position rpm | 650 (MT)<br>700 (AT)                                                      | 750                   | 650                                                                       |
| Maximum output kW (HP)/rpm                 | 130 (175)/6,000                                                           | 184 (243)/6,000       | 185 (245)/6,600                                                           |
| Maximum torque N·m (kgf-m, ft-lb)/rpm      | 229 (23.4, 169)/4,400                                                     | 327 (33.3, 241)/3,600 | 291 (29.7, 215)/4,200                                                     |

### C: ELECTRICAL

| Model                            | 2.5 L SOHC              | 2.5 L DOHC turbo   | 3.0 L DOHC          |
|----------------------------------|-------------------------|--------------------|---------------------|
| Ignition timing (at idling) BTDC | MT: 10°<br>AT: 15°      | MT: 12°<br>AT: 17° | 15°                 |
| Spark plug Type and manufacturer | NGK: FR5AP-11           | NGK: SILFR6A       | NGK: ILFR6B         |
| Generator                        | 12V — 110A              |                    |                     |
| Battery                          | Type and capacity (5HR) | MT                 | 12V — 48AH (55D23L) |
|                                  |                         | AT                 | 12V — 52AH (75D23L) |

### D: TRANSMISSION

| Model                  | 2.5 L SOHC         | 2.5 L DOHC turbo | 3.0 L DOHC |
|------------------------|--------------------|------------------|------------|
| Transmission type      | 5MT                | 4AT              | 5MT        |
| Clutch type            | DSPD               | TCC              | DSPD       |
| Gear ratio             | 1st                | 3.454            | 2.785      |
|                        | 2nd                | 2.062            | 1.545      |
|                        | 3rd                | 1.448            | 1.000      |
|                        | 4th                | 1.088            | 0.694      |
|                        | 5th                | 0.871            | —          |
|                        | Rev.               | 3.333            | 2.272      |
| Reduction gear (Front) | 1st reduction      | Type of gear     | —          |
|                        |                    | Gear ratio       | —          |
|                        | Final reduction    | Type of gear     | Hypoid     |
|                        |                    | Gear ratio       | 4.111      |
| Reduction gear (Rear)  | Transfer reduction | Type of gear     | Helical    |
|                        |                    | Gear ratio       | 1.000      |
|                        | Final reduction    | Type of gear     | Hypoid     |
|                        |                    | Gear ratio       | 4.111      |

5MT: 5-forward speeds with synchromesh and 1-reverse

4AT: Electronically controlled fully-automatic, 4-forward speeds and 1-reverse

5AT: Electronically controlled fully-automatic, 5-forward speeds and 1-reverse

DSPD: Dry Single Plate Diaphragm

TCC: Torque Converter Clutch

### E: STEERING

|                                 |              |               |                  |            |
|---------------------------------|--------------|---------------|------------------|------------|
| Model                           |              | 2.5 L SOHC    | 2.5 L DOHC turbo | 3.0 L DOHC |
| Type                            |              | Rack & pinion |                  |            |
| Turns, lock to lock             |              | 3.2           |                  |            |
| Minimum turning diameter m (ft) | Curb to curb | 10.8 (35.4)   |                  |            |
|                                 | Wall to wall | 11.6 (38.1)   |                  |            |

### F: SUSPENSION

|       |                                  |
|-------|----------------------------------|
| Front | Macpherson strut type suspension |
| Rear  | Multi-link type suspension       |

### G: BRAKE

|                      |                                                         |                  |
|----------------------|---------------------------------------------------------|------------------|
| Model                | Except for 2.5 L DOHC turbo                             | 2.5 L DOHC turbo |
| Service brake system | Dual circuit hydraulic with vacuum suspended power unit |                  |
| Front                | Ventilated disc brake                                   |                  |
| Rear                 | Disc brake                                              |                  |
| Parking brake        | Mechanical on rear brakes                               |                  |

### H: TIRE

|            |                                       |                                                                |                  |            |
|------------|---------------------------------------|----------------------------------------------------------------|------------------|------------|
| Model      | 2.5L SOHC BASE                        | 2.5 L SOHC                                                     | 2.5 L DOHC turbo | 3.0 L DOHC |
| Wheel size | 16 × 6 <sup>1</sup> / <sub>2</sub> JJ | 16 × 6 <sup>1</sup> / <sub>2</sub> JJ <sup>*1</sup> , 17 × 7JJ | 17 × 7JJ         | 17 × 7JJ   |
| Tire size  | P225/60 R16 97H                       | P225/60 R16 97H <sup>*1</sup> , P225/55 R17 95V                |                  |            |
| Type       | Tubeless, Steel belted radial         |                                                                |                  |            |

\*1: 2.5 L SOHC model for Canada

### I: CAPACITY

| Model                                         |                                                |                                          | 2.5 L SOHC      |                | 2.5 L DOHC turbo |                 | 3.0 L DOHC      |
|-----------------------------------------------|------------------------------------------------|------------------------------------------|-----------------|----------------|------------------|-----------------|-----------------|
|                                               |                                                |                                          | 5MT             | 4AT            | 5MT              | 5AT             | 5AT             |
| Fuel tank ℓ (US gal, Imp gal)                 |                                                |                                          | 64 (16.9, 14.1) |                |                  |                 |                 |
| Engine oil                                    | Total capacity (Overhaul) ℓ (US qt, Imp qt)    |                                          | 5.0 (5.3, 4.4)  |                |                  |                 | 7.0 (7.4, 6.2)  |
|                                               | Filling amount of engine oil ℓ (US qt, Imp qt) | When replacing engine oil and oil filter | 4.2 (4.4, 3.7)  |                | 4.3 (4.5, 3.8)   |                 | 5.7 (6.0, 5.0)  |
|                                               |                                                | When replacing engine oil only           | 4.0 (4.2, 3.5)  |                |                  |                 | 5.5 (5.8, 4.8)  |
| Transmission gear oil ℓ (US qt, Imp qt)       |                                                |                                          | 3.5 (3.7, 3.1)  | —              | 3.5 (3.7, 3.1)   | —               | —               |
| ATF ℓ (US qt, Imp qt)                         |                                                |                                          | —               | 9.3 (9.8, 8.2) | —                | 9.8 (10.4, 8.6) | 9.8 (10.4, 8.6) |
| Front differential gear oil ℓ (US qt, Imp qt) |                                                |                                          | —               | 1.2 (1.3, 1.1) | —                | 1.4 (1.5, 1.2)  | 1.4 (1.5, 1.2)  |
| Rear differential gear oil ℓ (US qt, Imp qt)  |                                                |                                          | 0.8 (0.8, 0.7)  |                |                  |                 |                 |
| Power steering fluid ℓ (US qt, Imp qt)        |                                                |                                          | 0.7 (0.7, 0.6)  |                |                  |                 |                 |
| Engine coolant ℓ (US qt, Imp qt)              |                                                |                                          | 6.4 (6.8, 5.6)  | 6.3 (6.7, 5.5) | 7.3 (7.7, 6.4)   | 7.2 (7.6, 6.3)  | 7.2 (7.6, 6.3)  |

# OUTBACK

## SPECIFICATIONS

### J: WEIGHT

#### 1. US MODEL

| Model                                 |                          | Sedan            |                  |                  | Wagon            |                  |                  |                  |                  |
|---------------------------------------|--------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
|                                       |                          | 2.5 L SOHC       | 3.0 L DOHC       |                  | 2.5 L SOHC       |                  |                  |                  |                  |
|                                       |                          | 2.5 i Limited    | 3.0 R            |                  | 2.5 i            |                  |                  | 2.5 i Limited    |                  |
|                                       |                          | 4AT              | 5AT              |                  | 5MT              | 4AT              |                  | 5MT              | 4AT              |
| Curb weight (C.W.)                    | Front kg (lb)            | 839<br>(1,850)   | 925<br>(2,040)   | 928<br>(2,045)   | 810<br>(1,785)   | 830<br>(1,830)   | 832<br>(1,835)   | 819<br>(1,805)   | 839<br>(1,850)   |
|                                       | Rear kg (lb)             | 689<br>(1,520)   | 694<br>(1,530)   | 694<br>(1,530)   | 701<br>(1,545)   | 701<br>(1,545)   | 701<br>(1,545)   | 717<br>(1,580)   | 717<br>(1,580)   |
|                                       | Total kg (lb)            | 1,529<br>(3,370) | 1,619<br>(3,570) | 1,622<br>(3,575) | 1,510<br>(3,330) | 1,531<br>(3,375) | 1,533<br>(3,380) | 1,535<br>(3,385) | 1,556<br>(3,430) |
| Gross axle weight ratio (G.A.W.R.)    | Front kg (lb)            | 1,040<br>(2,295) | 1,040<br>(2,295) | 1,040<br>(2,295) | 1,040<br>(2,295) | 1,040<br>(2,295) | 1,040<br>(2,295) | 1,040<br>(2,295) | 1,040<br>(2,295) |
|                                       | Rear kg (lb)             | 1,061<br>(2,340) | 1,061<br>(2,340) | 1,061<br>(2,340) | 1,061<br>(2,340) | 1,061<br>(2,340) | 1,061<br>(2,340) | 1,061<br>(2,340) | 1,061<br>(2,340) |
| Gross vehicle weight (G.V.W.) kg (lb) |                          | 1,960<br>(4,325) | 2,060<br>(4,545) | 2,060<br>(4,545) | 2,010<br>(4,435) | 2,010<br>(4,435) | 2,010<br>(4,435) | 2,010<br>(4,435) | 2,010<br>(4,435) |
| Option                                | Vehicle dynamics control | —                | ○                | ○                | —                | —                | —                | —                | —                |
|                                       | Power package            | ○                | ○                | ○                | —                | —                | ○                | ○                | ○                |
|                                       | Side airbag              | ○                | ○                | ○                | ○                | ○                | ○                | ○                | ○                |
|                                       | Curtain airbag           | ○                | ○                | ○                | ○                | ○                | ○                | ○                | ○                |
|                                       | Sunroof                  | ○                | ○                | ○                | —                | —                | —                | ○                | ○                |
|                                       | Navigation (DVD)         | —                | —                | ○                | —                | —                | ○                | —                | —                |

| Model                                 |                          | Wagon            |                  |                  |                  |                  |                  |                  |                  |
|---------------------------------------|--------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
|                                       |                          | 2.5 L DOHC turbo |                  |                  |                  |                  |                  |                  |                  |
|                                       |                          | 2.5 XT           |                  |                  |                  | 2.5 XT Limited   |                  |                  |                  |
|                                       |                          | 5MT              |                  | 5AT              |                  | 5MT              |                  | 5AT              |                  |
| Curb weight (C.W.)                    | Front kg (lb)            | 860<br>(1,895)   | 866<br>(1,910)   | 891<br>(1,965)   | 898<br>(1,980)   | 880<br>(1,940)   | 882<br>(1,945)   | 912<br>(2,010)   | 914<br>(2,015)   |
|                                       | Rear kg (lb)             | 699<br>(1,540)   | 699<br>(1,540)   | 699<br>(1,540)   | 699<br>(1,540)   | 723<br>(1,595)   | 723<br>(1,595)   | 723<br>(1,595)   | 723<br>(1,595)   |
|                                       | Total kg (lb)            | 1,558<br>(3,435) | 1,565<br>(3,450) | 1,590<br>(3,505) | 1,597<br>(3,520) | 1,603<br>(3,535) | 1,606<br>(3,540) | 1,635<br>(3,605) | 1,637<br>(3,610) |
| Gross axle weight ratio (G.A.W.R.)    | Front kg (lb)            | 1,040<br>(2,295) | 1,040<br>(2,295) | 1,040<br>(2,295) | 1,040<br>(2,295) | 1,040<br>(2,295) | 1,040<br>(2,295) | 1,040<br>(2,295) | 1,040<br>(2,295) |
|                                       | Rear kg (lb)             | 1,061<br>(2,340) | 1,061<br>(2,340) | 1,061<br>(2,340) | 1,061<br>(2,340) | 1,061<br>(2,340) | 1,061<br>(2,340) | 1,061<br>(2,340) | 1,061<br>(2,340) |
| Gross vehicle weight (G.V.W.) kg (lb) |                          | 2,060<br>(4,545) | 2,060<br>(4,545) | 2,060<br>(4,545) | 2,060<br>(4,545) | 2,060<br>(4,545) | 2,060<br>(4,545) | 2,060<br>(4,545) | 2,060<br>(4,545) |
| Option                                | Vehicle dynamics control | —                | ○                | —                | ○                | ○                | ○                | ○                | ○                |
|                                       | Power package            | —                | —                | —                | —                | ○                | ○                | ○                | ○                |
|                                       | Side airbag              | ○                | ○                | ○                | ○                | ○                | ○                | ○                | ○                |
|                                       | Curtain airbag           | ○                | ○                | ○                | ○                | ○                | ○                | ○                | ○                |
|                                       | Sunroof                  | —                | —                | —                | —                | ○                | ○                | ○                | ○                |
|                                       | Navigation (DVD)         | —                | —                | —                | —                | —                | ○                | —                | ○                |

| Model                              |                          |         | Wagon         |               |               |               |               |
|------------------------------------|--------------------------|---------|---------------|---------------|---------------|---------------|---------------|
|                                    |                          |         | 3.0 L DOHC    |               |               |               |               |
|                                    |                          |         | 3.0 R         | 3.0 R Limited | 3.0 R LL Bean |               |               |
|                                    |                          |         |               |               | 5AT           |               |               |
| Curb weight (C.W.)                 | Front                    | kg (lb) | 898 (1,980)   | 916 (2,020)   | 914 (2,015)   | 916 (2,020)   |               |
|                                    | Rear                     | kg (lb) | 703 (1,550)   | 730 (1,610)   | 723 (1,595)   | 723 (1,595)   |               |
|                                    | Total                    | kg (lb) | 1,601 (3,530) | 1,647 (3,630) | 1,637 (3,610) | 1,640 (3,615) |               |
| Gross axle weight ratio (G.A.W.R.) | Front                    | kg (lb) | 1,040 (2,295) | 1,040 (2,295) | 1,040 (2,295) | 1,040 (2,295) |               |
|                                    | Rear                     | kg (lb) | 1,061 (2,340) | 1,061 (2,340) | 1,061 (2,340) | 1,061 (2,340) |               |
| Gross vehicle weight (G.V.W.)      |                          |         | kg (lb)       | 2,100 (4,635) | 2,100 (4,635) | 2,100 (4,635) | 2,100 (4,635) |
| Option                             | Vehicle dynamics control |         | ○             | ○             | ○             | ○             |               |
|                                    | Power package            |         | —             | ○             | ○             | ○             |               |
|                                    | Side airbag              |         | ○             | ○             | ○             | ○             |               |
|                                    | Curtain airbag           |         | ○             | ○             | ○             | ○             |               |
|                                    | Sunroof                  |         | —             | ○             | ○             | ○             |               |
|                                    | Navigation (DVD)         |         | —             | —             | —             | ○             |               |

## 2. CANADA MODEL

| Model                                    |                             |         | Wagon            |                  |                  |                  |                  |                  |                  |
|------------------------------------------|-----------------------------|---------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
|                                          |                             |         | 2.5 L SOHC       |                  |                  |                  |                  |                  |                  |
|                                          |                             |         | 2.5 i            |                  |                  |                  |                  | 2.5 i Limited    |                  |
|                                          |                             |         | 5MT              |                  | 4AT              |                  |                  | 5MT              | 4AT              |
| Curb weight<br>(C.W.)                    | Front                       | kg (lb) | 810<br>(1,785)   | 819<br>(1,805)   | 830<br>(1,830)   | 832<br>(1,835)   | 839<br>(1,850)   | 819<br>(1,805)   | 839<br>(1,850)   |
|                                          | Rear                        | kg (lb) | 701<br>(1,545)   | 719<br>(1,585)   | 701<br>(1,545)   | 701<br>(1,545)   | 719<br>(1,585)   | 717<br>(1,580)   | 717<br>(1,580)   |
|                                          | Total                       | kg (lb) | 1,510<br>(3,330) | 1,538<br>(3,390) | 1,531<br>(3,375) | 1,533<br>(3,380) | 1,558<br>(3,435) | 1,535<br>(3,385) | 1,556<br>(3,430) |
| Gross axle<br>weight ratio<br>(G.A.W.R.) | Front                       | kg (lb) | 1,040<br>(2,295) | 1,040<br>(2,295) | 1,040<br>(2,295) | 1,040<br>(2,295) | 1,040<br>(2,295) | 1,040<br>(2,295) | 1,040<br>(2,295) |
|                                          | Rear                        | kg (lb) | 1,060<br>(2,340) | 1,060<br>(2,340) | 1,060<br>(2,340) | 1,060<br>(2,340) | 1,060<br>(2,340) | 1,060<br>(2,340) | 1,060<br>(2,340) |
| Gross vehicle weight<br>(G.V.W.)         |                             | kg (lb) | 2,010<br>(4,435) | 2,010<br>(4,435) | 2,010<br>(4,435) | 2,010<br>(4,435) | 2,010<br>(4,435) | 2,010<br>(4,435) | 2,010<br>(4,435) |
| Option                                   | Vehicle<br>dynamics control |         | —                | —                | —                | —                | —                | —                | —                |
|                                          | Power package               |         | —                | —                | —                | —                | —                | ○                | ○                |
|                                          | Side airbag                 |         | ○                | ○                | ○                | ○                | ○                | ○                | ○                |
|                                          | Curtain airbag              |         | ○                | ○                | ○                | ○                | ○                | ○                | ○                |
|                                          | Sunroof                     |         | —                | ○                | —                | —                | ○                | ○                | ○                |
|                                          | Navigation<br>(DVD)         |         | —                | —                | —                | ○                | —                | —                | —                |

# OUTBACK

## SPECIFICATIONS

| Model                              |                          |         | Wagon            |                   |                  |                  |                  |                   |                  |                  |                  |                  |
|------------------------------------|--------------------------|---------|------------------|-------------------|------------------|------------------|------------------|-------------------|------------------|------------------|------------------|------------------|
|                                    |                          |         | 2.5 L DOHC turbo |                   |                  |                  |                  |                   |                  |                  |                  |                  |
|                                    |                          |         | 2.5 XT           |                   |                  |                  | 2.5 XT Limited   |                   |                  |                  |                  |                  |
|                                    |                          |         | 5MT              |                   | 5AT              |                  | 5MT              |                   |                  | 5AT              |                  |                  |
| Curb weight (C.W.)                 | Front                    | kg (lb) | 860<br>(1,895)   | 866<br>(1,910)    | 891<br>(1,965)   | 898<br>(1,980)   | 873<br>(1,925)   | 880<br>(1,940)    | 882<br>(1,945)   | 905<br>(1,995)   | 912<br>(2,010)   | 914<br>(2,015)   |
|                                    | Rear                     | kg (lb) | 699<br>(1,540)   | 699<br>(1,540)    | 699<br>(1,540)   | 699<br>(1,540)   | 723<br>(1,595)   | 723<br>(1,595)    | 723<br>(1,595)   | 723<br>(1,595)   | 723<br>(1,595)   | 723<br>(1,595)   |
|                                    | Total                    | kg (lb) | 1,558<br>(3,435) | 1,565<br>(3,450)  | 1,590<br>(3,505) | 1,597<br>(3,520) | 1,597<br>(3,520) | 1,603<br>(3,535)  | 1,606<br>(3,540) | 1,628<br>(3,590) | 1,635<br>(3,605) | 1,637<br>(3,610) |
| Gross axle weight ratio (G.A.W.R.) | Front                    | kg (lb) | 1,040<br>(2,295) | 1,040<br>(2,295)  | 1,040<br>(2,295) | 1,040<br>(2,295) | 1,040<br>(2,295) | 1,040<br>(2,295)  | 1,040<br>(2,295) | 1,040<br>(2,295) | 1,040<br>(2,295) | 1,040<br>(2,295) |
|                                    | Rear                     | kg (lb) | 1,060<br>(2,340) | 1,060<br>(2,3340) | 1,060<br>(2,340) | 1,060<br>(2,340) | 1,060<br>(2,340) | 1,060<br>(2,3340) | 1,060<br>(2,340) | 1,060<br>(2,340) | 1,060<br>(2,340) | 1,060<br>(2,340) |
| Gross vehicle weight (G.V.W.)      |                          | kg (lb) | 2,060<br>(4,545) | 2,060<br>(4,545)  | 2,060<br>(4,545) | 2,060<br>(4,545) | 2,060<br>(4,545) | 2,060<br>(4,545)  | 2,060<br>(4,545) | 2,060<br>(4,545) | 2,060<br>(4,545) | 2,060<br>(4,545) |
| Option                             | Vehicle dynamics control |         | —                | ○                 | —                | ○                | —                | ○                 | ○                | —                | ○                | ○                |
|                                    | Power package            |         | —                | —                 | —                | —                | ○                | ○                 | ○                | ○                | ○                | ○                |
|                                    | Side airbag              |         | ○                | ○                 | ○                | ○                | ○                | ○                 | ○                | ○                | ○                | ○                |
|                                    | Curtain airbag           |         | ○                | ○                 | ○                | ○                | ○                | ○                 | ○                | ○                | ○                | ○                |
|                                    | Sunroof — —              |         | —                | —                 | —                | —                | ○                | ○                 | ○                | ○                | ○                | ○                |
|                                    | Navigation (DVD)         |         | —                | —                 | —                | —                | —                | —                 | ○                | —                | —                | ○                |

| Model                              |                          |         | Wagon         |               |               |
|------------------------------------|--------------------------|---------|---------------|---------------|---------------|
|                                    |                          |         | 3.0 L DOHC    |               |               |
|                                    |                          |         | 3.0 R         | 3.0 R Limited |               |
|                                    |                          |         | 5AT           |               |               |
| Curb weight (C.W.)                 | Front                    | kg (lb) | 898 (1,980)   | 916 (2,020)   | 919 (2,025)   |
|                                    | Rear                     | kg (lb) | 703 (1,550)   | 730 (1,610)   | 730 (1,610)   |
|                                    | Total                    | kg (lb) | 1,601 (3,530) | 1,647 (3,630) | 1,649 (3,635) |
| Gross axle weight ratio (G.A.W.R.) | Front                    | kg (lb) | 1,040 (2,295) | 1,040 (2,295) | 1,040 (2,295) |
|                                    | Rear                     | kg (lb) | 1,060 (2,340) | 1,060 (2,340) | 1,060 (2,340) |
| Gross vehicle weight (G.V.W.)      |                          | kg (lb) | 2,100 (4,635) | 2,100 (4,635) | 2,100 (4,635) |
| Option                             | Vehicle dynamics control |         | —             | ○             | ○             |
|                                    | Power package            |         | —             | ○             | ○             |
|                                    | Side airbag              |         | ○             | ○             | ○             |
|                                    | Curtain airbag           |         | ○             | ○             | ○             |
|                                    | Sunroof — —              |         | —             | ○             | ○             |
|                                    | Navigation (DVD)         |         | —             | —             | ○             |

### 3. OPTION

| Option                       | Front kg (lb) | Rear kg (lb) | Total kg (lb) |
|------------------------------|---------------|--------------|---------------|
| Vehicle dynamics control     | 5.6 (12.4)    | 0.2 (0.4)    | 5.8 (12.7)    |
| Audio                        | 1.8 (4.0)     | 0.7 (1.5)    | 2.5 (5.5)     |
| Power package                | 1.8 (4.0)     | 3.1 (6.8)    | 4.9 (10.8)    |
| Side airbag                  | 1.9 (4.2)     | 1.9 (4.2)    | 3.8 (8.4)     |
| Curtain airbag (Sedan model) | 0.4 (0.9)     | 5.3 (11.7)   | 5.7 (12.6)    |
| Curtain airbag (Wagon model) | 0.5 (1.1)     | 5.0 (11.0)   | 5.5 (12.1)    |
| Sunroof (Sedan model)        | 8.1 (17.9)    | 8.9 (19.6)   | 17.0 (37.5)   |
| Sunroof (Wagon model)        | 8.3 (18.3)    | 18.7 (41.3)  | 27.0 (59.6)   |
| Navigation (DVD)             | 2.2 (4.9)     | 0.8 (1.8)    | 3.0 (6.6)     |





# PRECAUTION

*PC*

---

|                     | Page |
|---------------------|------|
| 1. Precaution ..... | 2    |

