MIRROR SYSTEM


■ GENERAL

1. Outer Rear View Mirror Assembly

- The electrical remote control and the power retractable feature type outer rear view mirror assembly LH has been provided depending on the specifications.
- An outer under rear view mirror assembly has been provided depending on the specification.
- A wide view mirror*, which contains a wider field of vision for the lower rear area of the vehicle, is used in the outer rear view mirror assembly LH and outer rear view mirror assembly RH.
- The wide view mirror* has a different curvature above and below the boundary line that is provided on the mirror surface. The area above the boundary line provides a field of vision with the same curvature as a conventional mirror. However, the curvature of the area below the boundary line has been changed in order to provide a field of vision for the lower rear area of the vehicle that is wider than a conventional mirror.

*: Models with Hong Kong package and Singapore package.

Wide View Mirror Field of Vision (Outer Rear View Mirror Assembly RH Side)





0479BO59

Text in Illustration

*1	Outer Rear View Mirror Assembly RH	-	-
*a	Fixed Curve	*b	Gradually Changes
*c	Boundary Line	*d	Area with Changed Curvature
*e	Outer Rear View Mirror Assembly RH Field of Vision	*f	The illustrations shown are examples only.
0479BO62	Widened Range of Field of Vision	-	-

Wide View Mirror Field of Vision (Outer Rear View Mirror Assembly LH Side)





*f

0479BO61


Text in Illustration

*1	Outer Rear View Mirror Assembly LH	-	-
*a	Fixed Curve	*b	Gradually Changes
*c	Boundary Line	*d	Area with Changed Curvature
*e	Outer Rear View Mirror Assembly LH Field of Vision	*f	The illustrations shown are examples only.
0479BO62	Widened Range of Field of Vision	-	-

NOTICE:

Objects below the boundary line appear to be farther away than they actually are compared to objects as above the boundary line.

Outer Under Rear View Mirror Assembly




0479BE105

Text in Illustration

*A	Models with Double-leaf Type Back Door	*B	Models with Luggage Type Back Door
*1	Outer Under Rear View Mirror Assembly	-	-
*a	The illustrations shown are examples only.	-	-

Outer Under Rear View Mirror Assembly Field of View



Text in Illustration


*A	Models with Luggage Type Back Door	*B	Models with Double-leaf Type Back Door
*1	Outer Under Rear View Mirror Assembly	-	-
*a	About 2450 mm	*b	About 2300 mm
*c	Point of view when driver looks over shoulder (visually checking center of the mirror).	*d	Field of view
*e	The illustrations shown are examples only.	-	-

(Continued)

 0479BO63	Field of view of outer under rear view mirror assembly for luggage back door models (ground surface)	 0479BO62	Field of view of outer under rear view mirror assembly for luggage back door models (ground surface)

■ SYSTEM DIAGRAM

▸ Electric Remote Mirror System ◂



0479BE98