






PREPARATION

SST(SPECIAL SERVICE TOOLS)

ACGEY-03

	07110–58060 Air Conditioner Service Tool Set	
	(07117–58060) Refrigerant Drain Service Valve	
	(07117–58070) T–Joint	
	(07117–58080) Quick Coupler	Discharge (diam. 16 mm)
	(07117–58090) Quick Coupler	Suction (diam. 13 mm)
	(07117–78050) Refrigerant Charging Gauge	
	(07117–88060) Refrigerant Charging Hose	Discharge (Red)
	(07117–88070) Refrigerant Charging Hose	Suction (Blue)
	(07117–88080) Refrigerant Charging Hose	Utility (Green)
	07110–61050 Wrench Set	
	(07111–21020) Holder	
	(07111–32020) Hexagon Wrench	
	(07111–32050) Hexagon Wrench	

AC

	07112–45021	Key Remover	
	07112–67010	Magnetic Clutch Stopper	
	07112–71010	Magnetic Clutch Remover	
	07114–84010	Snap Ring Pliers	
	07114–84020	Snap Ring Pliers	
	07116–38360	Gas Leak Detector Assembly	
	07117–48050	Vacuum Pump Assembly	Rated voltage AC 220 V
	07116–28030	Vacuum Pump Adaptor	Rated voltage AC 220 V

AC0046-06

AC

RECOMMENDED TOOLS

	09082–00015	TOYOTA Electrical Tester	

AC0EU–03

LUBRICANT

Item	Capacity		Classification
	cc	fl. oz	
Compressor oil			ND OIL 8
When replacing receiver	20	0.7	
When replacing condenser	40 – 50	1.4 – 1.7	
When replacing evaporator	40 – 50	1.4 – 1.7	

V01992