SERVICE SPECIFICATIONS

TORQUE SPECIFICATIONS

BO0Z1-01

Part tightened	N·m	kgf·cm	ft·lbf
FRONT BUMPER	–	–	–
Front bumper x Body	12	120	9
REAR BUMPER	–	–	–
Rear bumper x Body	12	120	9
WIPER AND WASHER	–	–	–
Front wiper arm x Wiper link	20.5	210	15
Rear wiper arm x Wiper motor	5.4	55	48 in.·lbf
SEAT (Driver's Seat)	–	–	–
Seat track x Body	39	400	29
Outer adjuster x Outer track	52	530	38
SEAT (Front Passenger Seat)	–	–	–
Seat leg x Body	43	440	32
SEAT (Single Rear Passenger Seat)	–	–	–
Seat leg x Body	43	440	32
SEAT (Rear Passenger Seat for 2 Persons)	–	–	–
Seat leg x Body	43	440	32
SEAT (Rear Passenger Seat for 4 Persons)	–	–	–
Seat leg x Body	39	400	29
Seat hinge x Body	19	195	14
SEAT (Subseat)	–	–	–
Subseat x Subseat cushion bracket	19	195	14
Lower back frame x Subseat cushion	18	185	13
SEAT BELT (Driver's ELR Type)	–	–	–
Outer belt x Body	43	440	32
Inner belt x Seat	41	420	30
ELR x Body	4.9	50	43 in.·lbf
SEAT BELT (Passenger ELR Type)	–	–	–
Shaft x Body	18	185	13
Outer belt x Shaft	41	420	30
Inner belt x Seat	50	510	37
ELR x Body	41	420	30
SEAT BELT (Passenger Manual Type)	–	–	–
Outer belt x Seat	50	510	37
Inner belt x Seat	50	510	37
SEAT BELT (Rear Passenger Seat Belt 2 Persons)	–	–	–
Outer belt x Seat	50	510	37
Inner belt x Seat	50	510	37
SEAT BELT (Rearmost Passenger Seat Belt)	–	–	–
Outer belt x Seat	37	380	27
Inner belt x Seat	37	380	27

TORQUE SPECIFICATIONS (Cont'd)

SEAT BELT (Subseat)	–	–	–
Outer belt x Body	41	420	30
Inner belt x Body	41	420	30
ROOF RACK	–	–	–
Roof rack x Body	18	185	13
Rack step x Body	18	185	13
Rack ladder x Body	18	185	13
FUEL TANK AND LINE	–	–	–
Fuel evaporation tube x Fuel tank	1.5	15	13 in.-lbf
Fuel vert tube x Fuel tank	1.5	15	13 in.-lbf
Fuel sender gauge x Fuel tank	1.5	15	13 in.-lbf
Filler pipe x Fuel tank	3.0	30	26 in.-lbf

BO