

REFERENCE VALUE
ENGINE COMPARTMENT (Standard body)

(Three-Dimensional Distance)






HINT:
1) These values are actual measurements made on this model.
   Use these reference values.
2) Measure point “A, a” with the radiator grill removed.


mm (in.)

Symbol	Name	Hole dia.	Symbol	Name	Hole dia.
A, a	Headlight installation bolt	—	C, c	Headlight installation bolt	—
B, b	Front end of front fender	—	D, d	Front fender installation bolt	—

ENGINE COMPARTMENT (Wide body)

(Three-Dimensional Distance)





HINT:
1) These values are actual measurements made on this model.
   Use these reference values.
2) Measure point “A, a” with the radiator grill removed.


mm (in.)

Symbol	Name	Hole dia.	Symbol	Name	Hole dia.
A, a	Headlight installation bolt	—	C, c	Headlight installation bolt	—
B, b	Front end of front fender	—	D, d	Front fender installation bolt	—


UNDER BODY

(Two-Dimensional Distance)

Front sidemember reinforcement installation area



Front shock absorber installation area



mm

MEMO

BODY DIMENSION DRAWINGS

DASH PANEL: NARROW RHD


(Three-Dimensional Distance)

Vehicle Dimensions

A-H	A-h	a-H	a-h	A-i or a-I	B-H	b-h	C-h	c-H	c-h	C-i	c-I	c-i	D-i
1,024 (40.31)	1,611 (63.43)	1,574 (61.97)	963 (37.91)	1,831 (72.09)	996 (39.21)	946 (37.24)	1,614 (63.54)	1,578 (62.13)	939 (36.97)	2,051 (80.75)	2,044 (80.47)	1,475 (58.07)	1,961 (77.20)

d-I	d-i	E-H	E-h	e-H	E-i or e-I	F-H	F-h	f-H	f-h	F-i or f-I	G-H	G-h	g-H
2,011 (79.17)	1,557 (61.30)	960 (37.80)	1,611 (63.43)	1,567 (61.69)	1,739 (68.46)	853 (33.58)	1,554 (61.18)	1,506 (59.29)	785 (30.91)	1,895 (74.61)	863 (33.98)	1,559 (61.38)	1,508 (59.37)

G-i or g-I
2,059 (81.06)



HINT: For symbols, capital letters indicate right side of vehicle, small letters indicate left side of vehicle (seen from rear).

mm (in.)

Symbol	Name	Hole dia.	Symbol	Name	Hole dia.
A, a	Cowl outer panel standard hole	ø13 (0.51)	F, f	Front body pillar assembly mark	—
B, b	Cowl inner panel standard hole	ø10 (0.39)	G, g	Front body pillar assembly mark	—
C, c	Dash panel standard hole	ø15 (0.59)	H, h	Front floor pan standard hole	ø25 (0.98)
D, d	Dash panel standard hole	ø15 (0.59)	I, i	Seat belt anchor installation nut	M11 (0.43)
E, e	Front body pillar assembly mark	—	—	—	—

DASH PANEL: NARROW LHD


(Three-Dimensional Distance)

Vehicle Dimensions

A-H	A-h	a-H	a-h	A-i or a-I	B-H	b-h	C-h	c-H	c-h	C-i	c-I	c-i	D-i
1,024 (40.31)	1,611 (63.43)	1,574 (61.97)	963 (37.91)	1,831 (72.09)	996 (39.21)	946 (37.24)	1,585 (62.40)	1,578 (62.13)	939 (36.97)	1,996 (78.58)	2,044 (80.47)	1,475 (58.07)	1,961 (77.20)

d-I	d-i	E-H	E-h	e-H	E-i or e-I	F-H	F-h	f-H	f-h	F-i or f-I	G-H	G-h	g-H
2,011 (79.17)	1,557 (61.30)	960 (37.80)	1,611 (63.43)	1,567 (61.69)	1,739 (68.46)	853 (33.58)	1,554 (61.18)	1,506 (59.29)	785 (30.91)	1,895 (74.61)	863 (33.98)	1,559 (61.38)	1,508 (59.37)

G-i or g-I
2,059 (81.06)



HINT: For symbols, capital letters indicate right side of vehicle, small letters indicate left side of vehicle (seen from rear).

mm (in.)

Symbol	Name	Hole dia.	Symbol	Name	Hole dia.
A, a	Cowl outer panel standard hole	ø13 (0.51)	E, e	Front body pillar assembly mark	—
B, b	Cowl inner panel standard hole	ø10 (0.39)	F, f	Front body pillar assembly mark	—
C	Dash panel standard hole	ø44 (1.73)	G, g	Front body pillar assembly mark	—
c	Dash panel standard hole	ø15 (0.59)	H, h	Front floor pan standard hole	ø25 (0.98)
D, d	Dash panel standard hole	ø15 (0.59)	I, i	Seat belt anchor installation nut	M11 (0.43)

DASH PANEL: WIDE RHD


(Three-Dimensional Distance)

Vehicle Dimensions

A-H	A-h	a-H	a-h	A-i or a-I	B-H	b-h	C-h	c-H	c-h	C-i	c-I	c-i	D-i
1,024 (40.31)	1,763 (69.41)	1,720 (67.72)	963 (37.91)	1,975 (77.76)	996 (39.21)	946 (37.24)	1,768 (69.61)	1,727 (67.99)	939 (36.97)	2,182 (85.91)	2,176 (85.67)	1,475 (58.07)	2,084 (82.05)

d-I	d-i	E-H	E-h	e-H	E-i or e-I	F-H	F-h	f-H	f-h	F-i or f-I	G-H	G-h	g-H
2,133 (83.98)	1,557 (61.30)	960 (37.80)	1,768 (69.61)	1,719 (67.68)	1,894 (74.57)	853 (33.58)	1,717 (67.60)	1,664 (65.51)	785 (30.91)	2,039 (80.28)	863 (33.98)	1,721 (67.76)	1,665 (65.55)

G-i or g-I
2,192 (86.30)



HINT: For symbols, capital letters indicate right side of vehicle, small letters indicate left side of vehicle (seen from rear).

mm (in.)

Symbol	Name	Hole dia.	Symbol	Name	Hole dia.
A, a	Cowl outer panel standard hole	ø13 (0.51)	F, f	Front body pillar assembly mark	—
B, b	Cowl inner panel standard hole	ø10 (0.39)	G, g	Front body pillar assembly mark	—
C, c	Dash panel standard hole	ø15 (0.59)	H, h	Front floor pan standard hole	ø25 (0.98)
D, d	Dash panel standard hole	ø15 (0.59)	I, i	Seat belt anchor installation nut	M11 (0.43)
E, e	Front body pillar assembly mark	—	—	—	—

DASH PANEL: WIDE LHD


(Three-Dimensional Distance)

Vehicle Dimensions

A-H	A-h	a-H	a-h	A-i or a-I	B-H	b-h	C-h	c-H	c-h	C-i	c-I	c-i	D-i
1,024 (40.31)	1,763 (69.41)	1,720 (67.72)	963 (37.91)	1,975 (77.76)	996 (39.21)	946 (37.24)	1,737 (68.39)	1,727 (67.99)	939 (36.97)	2,127 (83.74)	2,176 (85.67)	1,475 (58.07)	2,084 (82.05)

d-I	d-i	E-H	E-h	e-H	E-i or e-I	F-H	F-h	f-H	f-h	F-i or f-I	G-H	G-h	g-H
2,133 (83.98)	1,557 (61.30)	960 (37.80)	1,768 (69.61)	1,719 (67.68)	1,894 (74.57)	853 (33.58)	1,717 (67.60)	1,664 (65.51)	785 (30.91)	2,039 (80.28)	863 (33.98)	1,721 (67.76)	1,665 (65.55)

G-i or g-I
2,192 (86.30)




HINT: For symbols, capital letters indicate right side of vehicle, small letters indicate left side of vehicle (seen from rear).

mm (in.)

Symbol	Name	Hole dia.	Symbol	Name	Hole dia.
A, a	Cowl outer panel standard hole	ø13 (0.51)	E, e	Front body pillar assembly mark	—
B, b	Cowl inner panel standard hole	ø10 (0.39)	F, f	Front body pillar assembly mark	—
C	Dash panel standard hole	ø44 (1.73)	G, g	Front body pillar assembly mark	—
c	Dash panel standard hole	ø15 (0.59)	H, h	Front floor pan standard hole	ø25 (0.98)
D, d	Dash panel standard hole	ø15 (0.59)	I, i	Seat belt anchor installation nut	M11 (0.43)

SIDE PANEL

(Three-Dimensional Distance)



Vehicle Dimensions

A-E	a-e	A-F	a-f	A-G	C-E or c-e
587 (23.11)	580 (22.83)	1,313 (51.69)	1,310 (51.57)	1,194 (47.01)	492 (19.37)

HINT: For symbols, capital letters indicate right side of vehicle, small letters indicate left side of vehicle (seen from rear).

mm (in.)

Symbol	Name	Hole dia.	Symbol	Name	Hole dia.
A, a	Cowl top side panel standard hole	ø10 (0.39)	E, e	Front door hinge installation nut	M8 (0.31)
B, b	Cowl top side panel standard hole	ø13 (0.51)	F, f	Center body pillar assembly mark	—
C, c	Headlight mounting blacket standard hole	ø10 (0.39)	G, g	Center body pillar assembly mark	—
D, d	Headlight mounting blacket standard hole	ø10 (0.39)	—	—	—