

REFERENCE VALUE
ENGINE COMPARTMENT

(Three - Dimensional Distance)






HINT:
1) For symbols, capital letters indicate right side of vehicle, small letters indicate left side of vehicle (seen from rear).
2) These values are actual measurements made on model. Use these reference values.
3) Measure points with the Air intake duct removed.

mm (in.)

Symbol	Name	Hole dia.	Symbol	Name	Hole dia.
A, a	Radiator grill support installation bolt	—	C, c	Headlight installation screw	—
B, b	Headlight installation screw	—	D, d	Front fender installation bolt	—
			E, e	Front fender installation bolt	—

UNDER BODY

(Three - Dimensional Distance)



Vehicle Dimensions

A-D or a-d	B-D or b-d
1,698 (66.85)	1,467 (57.76)

HINT:
1) For symbols, capital letters indicate right side of vehicle, small letters indicate left side of vehicle (seen from rear).
2) These values are actual measurements made on model. Use these reference values.
3) Measure points with the Engine under cover and Engine under No. 1 cover removed.


mm (in.)

Symbol	Name	Hole dia.			
A, a	Front crossmember lower standard hole	—	C, c	Front suspension member installation bolt	—
B, b	Front suspension member installation bolt	—	D, d	Front sidemember standard hole	—
			—	—	—


UNDER BODY

(Two - Dimensional Distance)


Front bumper reinforcement





Front spring support





Rear spring support











mm