
OIL PUMP

COMPONENTS


LU0HX–01




N·m (kgf·cm, ft·lbf) : Specified torque
◆ Non–reusable part

Y

A10775


Alternator
21 (216, 15)
Alternator Bracket
62 (620, 45)
21 (216, 15)
Camshaft Oil Seal Retainer
x 7
★ 9 (90, 78 in.·lbf)
Water Pump
13 (130, 9)
13 (130, 9)
◆ Gasket
Water Pump Cover
◆ Gasket
◆ Gasket
Water Pump Pulley
6 (60, 52 in.·lbf)
Fluid Coupling
18 (185, 13)
Drive Belt
Fan
13 (130, 9)
Vacuum Pump
Timing Gear Cover
◆ O–Ring
Injection Pump Drive Gear
◆ Crankshaft Fromt Oil Seal
Crank Shaft Pulley
Bearing
64 (650, 47)
323 (3,700, 268)
Crankshaft Timing Gear
Plate Washer
21 (210, 15)
◆ O–Ring
◆ Injection Pump Drive Gear Oil Seal
Snap Ring
No.1 Idler Sub Gear
Idler Gear
No.2 Idler Sub Gear
Snap Ring
Idler Gear Shaft
Wave Washer
50 (500, 36)
Idler Gear Spring
Idler Gear Spring
Wave Washer
Thrust Plate
N·m (kgf·cm, ft·lbf) : Specified torque
◆ Non–reusable part
★ Precoated part
Y
B09501



N·m (kgf·cm, ft·lbf) : Specified torque
◆ Non–reusable part
★ Precoated part

B09001