
OIL PUMP

COMPONENTS


LU0HX–02




N·m (kgf·cm, ft·lbf) : Specified torque
◆ Non–reusable part

Y

B19725


Alternator
21 (216, 15)
Alternator Bracket
62 (620, 45)
21 (216, 15)
Camshaft Oil Seal Retainer
x 7
★ 9 (90, 78 in.·lbf)
Water Pump
13 (130, 9)
13 (130, 9)
◆ Gasket
Water Pump Cover
13 (130, 9)
◆ Gasket
◆ Gasket
6 (60, 52 in.·lbf)
Fluid Coupling
Water Pump Pulley
18 (185, 13)
Drive Belt
Fan
13 (130, 9)
Vacuum Pump
Timing Gear Cover
◆ O–Ring
Injection Pump Drive Gear
◆ Crankshaft Front Oil Seal
Crank Shaft Pulley
Bearing
64 (650, 47)
365 (3,700, 268)
Crankshaft Timing Gear
Plate Washer
21 (210, 15)
◆ O–Ring
◆ Injection Pump Drive Gear Oil Seal
Snap Ring
No. 1 Idler Sub Gear
Idler Gear
No. 2 Idler Sub Gear
Snap Ring
Idler Gear Shaft
Wave Washer
50 (500, 36)
Idler Gear Spring
Idler Gear Spring
Wave Washer
Thrust Plate
N·m (kgf·cm, ft·lbf) : Specified torque
◆ Non–reusable part
★ Precoated part
Y
B09501



Y 16 (160, 12) : N·m (kgf·cm, ft·lbf) : Specified torque

◆ Non–reusable part

★ Precoated part

B13117