


TURBOCHARGER SUB–ASSY (1KZ–TE)

COMPONENTS

1304U–01




◆ Gasket
Exhaust Pipe Assy Front
62 (630, 46)
Turbo Insulator No. 1
6 (65, 56 in.·lbf)
6 (65, 56 in.·lbf)
EGR Pipe Sub–assy No. 1
19 (195, 14)
◆ Gasket
Exhaust Manifold
Heat Insulator No. 1
◆ 39 (390, 28)
x 6
Ventilation Pipe
13 (133, 10)
52 (530, 38)
◆ Gasket
Turbine Outlet Elbow
Exhaust Manifold Assy
w/ Turbocharger
◆ Gasket
12 (120, 9)
8 (82, 71 in.·lbf)
◆ Gasket
24 (245, 18)
Turbocharger
Stay
Turbo Water Pipe
Sub–assy No. 1
Water By–pass Hose
N·m (kgf·cm, ft·lbf) : Specified torque
◆ Non–reusable part
A73783


Exhaust Manifold Assy
52 (530, 38)
◆ Gasket
Turbocharger Sub–assy
Compressor Inlet Elbow
◆ Gasket
19 (195, 14)
◆ Gasket
19 (195, 14)
Turbo Oil Inlet Sub–assy
N·m (kgf·cm, ft·lbf) : Specified torque
◆ Non–reusable part
B09283