


TIMING GEAR CASE SUB–ASSY (3RZ–FE)

COMPONENTS

170C4–04




A/T:
Transmission Oil Level Gage Sub–assy
12 (122, 9)
◆ Transmission Oil Filler Tube O–ring
A/T:
Transmission Oil Filler Tube Sub–assy
25 (250, 18)
w/ A/C:
Compressor and Magnetic Clutch
39 (398, 29)
Vane Pump Assy
◆ Exhaust Pipe Gasket
w/ A/C:
Compressor Mounting Bracket No. 1
47 (475, 34)
◆ 62 (630, 46)
Exhaust Pipe Assy Front
29 (300, 21)
64 (650, 47)
Fan Belt Adjusting Bar
Generator Assy
18 (185, 13)
75 (760, 55)
59 (600, 43)
Generator Bracket No. 1
N·m (kgf·cm, ft·lbf): Specified torque
◆ Non–reusable part
A73567





N·m (kgf·cm, ft·lbf) : Specified torque

◆ Non–reusable part

P

A73561


w/ EGR:
EGR Pipe Sub–assy No. 1
◆ 20 (200, 14)
18 (185, 13)
19 (195, 14)
◆ EGR Pipe No. 1 Gasket
◆ EGR Inlet Gasket
X10
See page 14–63
1st 39 (400, 29)
2nd Turn 90°
3rd Turn 90°
Fuel Pressure Pulsation Damper Assy
29 (300, 21)
◆ Pulsation Damper Hose Gasket
Fuel Pipe Sub–assy No. 1
Washer
21 (210, 15)
Heater Water Outlet Hose A
Water By–pass Hose
Radiator Hose No. 1
Cylinder Head Sub–assy
◆ Air Surge Tank to Intake manifold Gasket
Intake Air Surge Tank
◆ Cylinder Head Gasket
Fuel Hose No. 2
Vacuum Hose
Fuel Vapor Feed Hose Assy
w/ Oil Cooler:
20 (200, 14)
21 (210, 15)
Water By–pass Pipe Hose No. 3
Surge Tank Stay No. 1
20 (200, 14)
Thermostat
◆ Water Inlet Housing Gasket
Water Inlet
20 (200, 14)
N·m (kgf·cm, ft·lbf) : Specified torque
◆ Non–reusable part
A76170


◆ Timing Gear Rear Cover Gasket
◆ Timing Gear Cover Gasket
w/o A/C:
Vane Pump Drive Pulley Spacer
Timing Gear Case Sub–assy
See page 17–8
Crankshaft Pulley
w/ A/C:
Crankshaft Pulley
◆ Water By–pass Pipe Gasket
Crankshaft Position Sensor
8.5 (85, 75 in.·lbf)
19 (194, 14)
260 (2,650, 193)
◆ Timing Gear Case Oil Seal
Flywheel Housing Dust Seal
Flywheel Housing Under Cover
Vane Pump Drive Pulley
Camshaft Timing Gear
18 (185, 13)
37 (377, 27)
20 (200, 14)
Stiffener Plate RH
37 (377, 27)
Stiffener Plate LH
Chain Sub–assy
◆ Oil Strainer Gasket
Oil Strainer Sub–assy
18 (185, 13)
18 (185, 13)
Oil Pan Sub–assy
◆ Oil Pan Drain Plug Gasket
X16
37 (375, 27)
Oil Pan Drain Plug
13 (130, 9)
N·m (kgf·cm, ft·lbf) : Specified torque
◆ Non–reusable part
A76169