



(IG)
(BAT)
(BAT)
(BAT)
(IG)
(ACC)
L7(A), L8(B), L190(C), L201(D)
Main Body ECU
10A
GAUGE
40A
P/I 2
7. 5A
ECU–B
25A
DOOR
NO. 1
10A
ECU–IG
NO. 1
10A
ECU–
ACC
ACC
IG
ALTB
29
32
31
2
31
2C
1
B
R
Y
Y
14
1G
7
1H
IG1
BATT
Integration Relay
GND1
GND2
HL4
22
1G
3
1H
9
1G
G
G
W–B
W–B
W–B
A3





* 5 : w/ Automatic Light Control
* 6 : Before May 2016 Production
* 7 : From May 2016 Production



L7(A), L8(B), L190(C), L201(D)
Main Body ECU
TAIL
HEAD
A
GND2
GND1
30 A
30 D (*12)
17 D (*11)
29 A
29 D
28 A
28 D
3 B (*6)
3 C (*7)
11
6 2B
Y
P
G (*5)
W–B (RHD)
W–B (LHD)
W–B
18 A
13 B
20 A
11 B
19 A (*1)
12 B (*2)
T
H
A
Light Control Switch
T
H
A
EL
OFF (*10)
Tail
Head
AUTO (*5)
EL
L47(A), (B)
Headlight Dimmer Switch Assembly
12 A (*1)
19 B (*2)
BR (*4)
G (*3)
59 A (LHD)
59 B
30 B (RHD)
20 A (LHD)
20 B (RHD)
L71(A), (B)
Junction Connector
BR (*4)
W–B (*3)
L179
Junction Connector
3
2
1
W–B (*4)
60 A
60 B (RHD)
50 A (LHD)
100 A (LHD)
10 B (RHD)
L70(A), (B)
Junction Connector
W–B (RHD *4)
W–B (LHD *4)
W–B (RHD *3)
W–B (LHD *3)
L92
Junction Connector
7
W–B (LHD)
W–B (RHD)
L4
L3
L3
L6


L7(A), L8(B), L190(C), L201(D)
Main Body ECU

∗1 : Light Control Switch LH Side Type
∗2 : Light Control Switch RH Side Type
∗3 : Before Nov. 2014 Production
∗4 : From Nov. 2014 Production
∗5 : w/ Automatic Light Control
∗6 : Before May 2016 Production
∗7 : From May 2016 Production
∗8 : w/o Tire Pressure Warning System
∗9 : w/ Tire Pressure Warning System
∗10 : w/ Off Position
∗11 : From Aug. 2020 Production
∗12 : From May 2016 Production until Aug. 2020 Production





L7(A), L8(B), L190(C), L201(D)
Main Body ECU
CANH
CANL
TRLY
(BAT)
125A
DC/DC
TAIL
Relay
L132(A), L133(B)
Junction
Connector
L94(A), (B)
Junction Connector
(LHD)
(RHD)
G(*3)
SB(*3)
G(*4)
SB(*4)


(IG)
(BAT)
7. 5A
MET
7. 5A
ECU–B
∗ 3 : Before Nov. 2014 Production
∗ 4 : From Nov. 2014 Production
∗ 6 : Before May 2016 Production
∗ 7 : From May 2016 Production
2
44 2A
2
1
Y (∗3)
18 2C
37 2A
BR (∗3)
L (∗3)
2 A
1 A
L27(A)
Combination Meter Assembly
IG+
B
IGN2
12V2
+5B
+5V
Buzzer
Power
Supply IC
I/F
I/F
I/F
I/F
I/F
CAN Driver
CANL
CANH
ES
11 A
20 A
19 A
BR (∗3)
G (∗3)
SB (∗3)
60 A (LHD)
60 B (RHD)
L70(A), (B)
Junction
Connector
100 A (LHD)
10 B (RHD)
W–B (∗3)
10 A (LHD)
80 B (RHD)
L71(A), (B)
Junction
Connector
20 A (LHD)
20 B (RHD)
W–B (LHD ∗3)
W–B (RHD ∗3)
G(∗3)
SB(∗3)
G(∗4)
SB(∗4)
G(∗4)
SB(∗4)
L3
L4




* 4 : From Nov. 2014 Production


I 1
Black




L 7
White




L 8
White




L 27
White




L 47
Black




L 62
White




L 63
White




L 70
White




L 71
White




L 92
White




L 94
White




L132
Blue




L133
Gray




L179
Black




L190
White




L196
White



L197
White




L201
White



R 6
Black




R 42
White




S 5
Black




S 12
Blue




S 20
White




1D
Black




1G
White




1H
White




2A
White




2B
White




2C
White




2D
White





2E
White




2F
White




LI1
Blue
1 2 8 9
10 11 3 4 5 6 7 17 18
12 13 14 15 16
9 8 2 1
18 17 7 6 5 4 3 11 10
16 15 14 13 12


LR1
White
1 2 3 4 5 6 7 8 9
10 11 12 13 14 15 16 17 18 19 20
21 22 23 24 25 26 27 28
29 30 31 32 33 34 35 36 37 38
39 40 41 42 43 44 45 46
47 48 49 50 51 52 53 54 55 56
57 58 59 60 61 62 63 64 65
66 67 68 69 70 71 72 73 74 75 76
9 8 7 6 5 4 3 2 1
20 19 18 17 16 15 14 13 12 11 10
28 27 26 25 24 23 22 21
38 37 36 35 34 33 32 31 30 29
46 45 44 43 42 41 40 39
56 55 54 53 52 51 50 49 48 47
65 64 63 62 61 60 59 58 57
76 75 74 73 72 71 70 69 68 67 66


LS1
White
1 2 3 4 5 6 7 8 9
10 11 12 13 14 15 16 17 18 19 20
21 22 23 24 25 26 27 28
29 30 31 32 33 34 35 36 37 38
39 40 41 42 43 44 45 46
47 48 49 50 51 52 53 54 55 56
57 58 59 60 61 62 63 64 65
66 67 68 69 70 71 72 73 74 75 76
9 8 7 6 5 4 3 2 1
20 19 18 17 16 15 14 13 12 11 10
28 27 26 25 24 23 22 21
38 37 36 35 34 33 32 31 30 29
46 45 44 43 42 41 40 39
56 55 54 53 52 51 50 49 48 47
65 64 63 62 61 60 59 58 57
76 75 74 73 72 71 70 69 68 67 66