
NEW FEATURES

■ EXTERIOR


1. Front Design

The front design on the models for Australia, G.C.C. countries, and general countries has been changed as follows:

- The design of the front bumper and radiator grille has been changed. A plated radiator grille is provided on the models for Australia with 2GR-FE engine.
- A newly designed headlight incorporating a front side turn light and a clearance light within the same lens is used.
  The models for Australia with 2GR-FE engine use a smoke-painted extension in the headlight to achieve a sporty design.
- The models with fog lights use plated rings for a luxurious look.




New RAV4 01NMO112Y




Previous RAV4 01NMO113Y

▶ Headlight ◀




New RAV4




Previous RAV4

▶ Radiator Grille and Front Bumper ◀



01NMO116Y

New RAV4




01NMO117Y

Previous RAV4


2. Rear Design

- The shape of the rear bumper has been changed. In addition, it is provided with a material portion to withstand abrasion during loading and unloading of cargo.
- The rear design varies by destination, such as a different position for installing the license plate.
- Newly designed rear combination lights are provided with 12 LEDs (Light Emitting Diodes) in the taillights and stop lights.




01NMO118Y

New RAV4
with License Plate Frame




01NMO119Y

Previous RAV4




Without License Plate Frame




With Rear Fog Light

▶ Rear Combination Light ◀




New RAV4



Previous RAV4




3. Side Design

Outside rear view mirrors with attached side turn signal lights are provided as standard equipment on all models for Australia and G.C.C. countries and on the high grade of the models for general countries. They are also provided as optional equipment on the standard grade of the models for Taiwan with the automatic transaxle.



4. Tire and Disc Wheel

- The design of the 17-inch aluminum disc wheel has been changed. The following 2 types of disc wheel are provided; 5-spoke and 6-spoke.
- The offset of the 18-inch aluminum disc wheel has been changed from 45 mm (1.8 in.) to 39 mm (1.5 in.) to achieve a powerful appearance.

Destination	Australia		Australia		G.C.C. Countries and General Countries	Taiwan
Engine	2AZ-FE		2GR-FE		2AZ-FE	2AZ-FE
Grade	Standard	High	Standard	High	High	High
Provision	Option	Standard	Option	Standard	Standard	Option
Tire Size	225/65R17		225/65R17			235/55R18
Disc Wheel Size	17 × 7J		17 × 7J			18 × 7 $^{1}/_{2}$J
Disc Wheel Material	Aluminum		Aluminum			Aluminum
P.C.D.*	114.3 mm (4.5 in.)		114.3 mm (4.5 in.)			114.3 mm (4.5 in.)
Offset	45 mm (1.8 in.)		45 mm (1.8 in.)			39 mm (1.5 in.)
Wheel Design	 10SMO17Y		 10SMO16Y			 01NMO13Y

*: Pitch Circle Diameter