

COMPORNENTS

1. Front bumper






CAUTION:
The bolts must be tightened to the torque specification, as they are related to vehicle safety during a collision.

N·m (kgf·cm, ft·lbf) : Specified torque

B135274

2. Rear bumper




CAUTION:
The bolts must be tightened to the torque specification, as they are related to vehicle safety during a collision.

N·m (kgf·cm, ft·lbf) : Specified torque

B127949

3. Instrument panel




CAUTION:
The bolts and nuts must be tightened to the torque specification, as they are related to vehicle safety during a collision.

N·m (kgf·cm, ft·lbf) : Specified torque

B129865


4. Interior trim



CAUTION:
The bolts must be tightened to the torque specification, as they are related to vehicle safety during a collision.

N·m (kgf·cm, ft·lbf) : Specified torque

B134616




CAUTION:
The bolts must be tightened to the torque specification, as they are related to vehicle safety during a collision.


N·m (kgf·cm, ft·lbf) : Specified torque

B130167


w/ Rear No.2 Seat




w/o Rear No.2 Seat




B130111a


REAR ASSIST GRIP ASSEMBLY
ASSIST GRIP SUB-ASSEMBLY
ASSIST GRIP COVER (for Front Grip)
ASSIST GRIP COVER (for Rear Grip)
REAR ROOM PARTITION NET HOOK
ROOF HEADLINING ASSEMBLY
VANITY LIGHT ASSEMBLY
MAP LIGHT ASSEMBLY
CHILD RESTRAINT SEAT TETHER ANCHOR COVER
SHOULDER BELT ANCHOR COVER
VISOR ASSEMBLY
VISOR HOLDER
NO.4 ROOF HEADLINING SUPPORT
NO.2 ROOF HEADLINING SUPPORT


PACKAGE TRAY TRIM POCKET SUB-ASSEMBLY
BACK DOOR WEATHERSTRIP
TONNEAU COVER ASSEMBLY
REAR FLOOR FINISH PLATE

B129846

5. Front seat




CAUTION:
The bolts must be tightened to the torque specification, as they are related to vehicle safety during a collision.

N·m (kgf·cm, ft·lbf) : Specified torque

B131610

6. Rear seat




CAUTION:
The bolts must be tightened to the torque specification, as they are related to vehicle safety during a collision.

N·m (kgf·cm, ft·lbf) : Specified torque

B131608

w/ Rear No.2 Seat



CAUTION:
The bolts must be tightened to the torque specification, as they are related to vehicle safety during a collision.

N·m (kgf·cm, ft·lbf)	: Specified torque

B131609