# POWER SEAT SYSTEM

## ■ DESCRIPTION

- The power seat system is provided for the front seats and the rear No. 2 seat.
- The power seat system is provided as follows.

●: Standard OP: Option —: Not Available

| Seat | Function | Grade | | |
|---|---|---|---|---|
| | | SR5 | Limited | Platinum |
| Front Seat | Lumbar Support (Driver Only) | ● | — | — |
| | Lumbar Support (Driver + Front Passenger) | OP | ● | ● |
| | Power (D: 8-way), Manual (P: 4-way) | OP | — | — |
| | Power (D: 10-way, P: 4-way) | OP | ● | — |
| | Power (D: 10-way, P: 4-way) + Memory (Driver Only) | — | OP | ● |
| Rear No. 2 Seat | Reclining + Tilt Up/Down | OP | ● | ● |


## ■ FRONT SEAT

### 1. General

The power seat system for the front seat has the following functions and strokes:

○: Equipped —: Not Equipped


| Adjustment Function | | Stroke | Seat | | |
|---|---|---|---|---|---|
| | | | Driver | | Passenger |
| | | | 8-way | 10-way | 4-way |
| (1) | Fore-and-aft Slide | 240 mm (9.45 in.) | ○ | ○ | ○ |
| (2) | Reclining | 50 degrees | ○ | ○ | ○ |
| (3) | Front Vertical | 30 mm (1.2 in.) | ○ | ○ | — |
| (4) | Vertical Lifter | 50 mm (2.0 in.) | ○ | ○ | — |
| (5) | Leg Support | 27 mm (1.1 in.) | — | ○ | — |
| (6) | Lumbar Support | 25 mm (1.0 in.) | ○ | ○ | ○ |



## 2. System Diagram


**▶ Power (D: 10-way, P: 4-way) with Memory System ◀**

**Driver Seat**




04E0BE102C

**Front Passenger Seat**





04E0BE103C

BE


▶ Others ◀

**Driver Seat***




04E0BE104C

**Front Passenger Seat***





*: The provided equipment varies by setting. See page BE-200.

04E0BE103C

## 3. Leg Support Adjustment

A leg support adjustment function is provided in order to deal with a wide range of driver heights. The length of the cushion pad front edge can be adjusted.
Adjustment is operated through a link connected to the motor, which extends and contracts the cushion pad.




**No Stroke Condition** **Full Stroke Condition**

04E0BE105C