





(BAT)
7. 5A
ECU–B1
2
1
GR
(ACC)
7. 5A
ACC
(IG)
7. 5A
ECU–IG
No. 2
(BAT)
25A
DR/LCK
J2(B), J3(C), J4(D)
Main Body ECU
ALTB
IG
ACC
BECU
GND1
GND2
6
15
22
26
5
4
13 DB
21 DB
GR
B
A1

J2(B), J3(C), J4(D)
Main Body ECU








J2(B), J3(C), J4(D)
Main Body ECU
CANH
CANL
PKB
5 B
6 B
19
11 DB
L
W
BE
5
16
1
J75
Junction Connector
1
12
4
15
A5
Parking Brake
Switch
R
W
SB
W
R
W
W
SB





* 9 : w/ Daytime Running Light LED Type





J2(B), J3(C), J4(D)
Main Body ECU
DRL
8
C
(BAT)
7. 5A
LED
DRL
2
1
GR
(*10)
GR
(*9)
10
AJ10
LG
(*9)
L
(*9)
BE
(*9)
P
(*9)
3
1
LED
DRL
Relay
5
2
LG
(*9)
5
A50
Junction
Connector
4
V
(*9)
R
(*9)
P
(*9)
V
(*9)
R
(*9)
V
(*9)
R
(*9)
2
1
2
1
B
B
B
B
Driver Circuit
Driver Circuit
Daytime
Running
Light
Daytime
Running
Light
E
E
3
A10
Headlight
Assembly LH
3
A11
Headlight
Assembly RH
W–B
(*9)
W–B
(*9)
4
A44
Junction
Connector
5
A52
Junction
Connector
5
9
W–B
(*9)
W–B
(*9)
W
SB
W
SB
A2
A3


J2(B), J3(C), J4(D)
Main Body ECU
(IG)
(BAT)
GR
(*10)
GR
(*10)
7. 5A
LH–IG
15A
TURN–HAZ
55 DD
2
1
SB
(*10)
BE
(*10)
* 9 : w/ Daytime Running Light LED Type
*10 : w/ Daytime Running Light Halogen Type
9 A
J70(A), J71(B)
Junction
Connector
1 AJ9
1 B
V
(*10)
W
(*10)
5
3
1
L
IG
B
J29
Flasher Relay
TRNL
TRNR
10
17
G
(*10)
BE
(*10)
11 AJ11
11 AJ3
R
(*10)
P
(*10)
3
3
B
B
Turn/Daytime
Running Light
Parking
E
A12
Headlight Assembly LH
A13
Headlight Assembly RH
2
2
W–B
(*10)
W–B
(*10)
B
(*10)
W
W
SB
SB
A1
A4


J2(B), J3(C), J4(D)
Main Body ECU
HRLY
DIM
8
18 DB
11
16 DB
(BAT)
40A
MAIN
3 1
R
L
G
P
R
HEAD Relay
DIM Relay
15A
HEAD LL
15A
HEAD LH
15A
HEAD RL
15A
HEAD RH
LG
W
BR
LO
HI
Low
High
E
A8
Headlight Assembly LH
A9
Headlight Assembly RH
B
SB
W–B
A1
A3
A4


J2(B), J3(C), J4(D)
Main Body ECU
HF
HU
TAIL
HEAD
A
CLTE
CLTB
CLTS
13 D
13
13 DD
23 D
17 C
21 D
18 C
20 C
19 C
GR
V
BE
W
G (*30)
BE (*30)
B (*30)
G (*30)
3
6
5
CLTE
CLTB
CLTS
J128
Automatic Light Control Sensor
17
11
18
20
19
HF
HU
HL
EL
T
H
A
Light Control Switch
Off (*31)
OFF (*32)
Tail
Head
AUTO (*30)
Dimmer Switch
Flash
Low
High
J10
Headlight Dimmer Switch Assembly
12
W–B
12
J60
Junction Connector
7
W–B
*30 : w/ Automatic Light Control
*31 : Canada, South America
*32 : Except *31
W
SB
W
SB
J1


(BAT)
(IG)
5A
MET–B
7. 5A
MET
2
1
G
BE
9 AJ10
8 AJ10
LG
P
1
2
J28
Combination Meter
B
IG+
5V IC
5V+B
Telltale
LED
Driver
CPU
CAN I/F
ES
CANL
CANH
24
40
39
W–B
W
SB
15
J61
Junction
Connector
22
W–B
W
SB
J3


A 5

White



A 8


Brown



(High, Low)

A 9

Brown



(High, Low)

A 10


White



(Daytime Running Light LED Type and Parking LED Light Type)

A 11


White



(Daytime Running Light LED Type and Parking LED Light Type)

A 12


Gray



(Parking Halogen Type, Daytime Running Light Halogen Type and Turn Signal Light)

A 13


Gray



(Parking Halogen Type, Daytime Running Light Halogen Type and Turn Signal Light)


A 24

Black




A 44

White




A 50

White




A 52

White




D 3


Black




D 74
Black




J 2
White




J 3
White




J 4
White




J 10
White




J 28
Black




J 29
White




J 60
White




J 61
Gray




J 70
Blue




J 71
White




J 74
Gray




J 75
Gray




J128
Black




1F




1I
White




DA
White




DB
White




DD
White




AJ3
White




AJ5
Gray



AJ9
White



AJ10
Gray



AJ11
Gray

