
Seat

1. Hatchback Model


- Manual type front seats and 60/40 split retractable type rear seats are provided as standard equipment on all models.
- Fabric seat covers are provided as standard equipment on all models.



00SMO26Y


2. Sedan Model

- Manual type front seats and a fixed type rear seat or a 60/40 split retractable type rear seat are provided. The type of the rear seat varies by destinations. For details, see the Equipment List starting on page MO-48.
- Fabric seat covers are provided as standard equipment on all the models.



01VMO22Y

Fixed Type Rear Seat



01VMO21Y

60/40 Split Retractable Type Rear Seat


Front Seat


1. Hatchback Model

- Seat slide and reclining functions are provided in the driver seat and front passenger seat to enable the seat position to be adjusted to the most comfortable position.
- A vertical lifter on the driver seat is provided as standard equipment on the SOL grade for the Europe models and on the Australia models. This is available as optional equipment on the G.C.C. countries models and general countries models.
- A flat mat structure that consists of springs and straight cables is used in the seatback frame to realize an excellent ride feel.
- Seatback pockets on both the driver and front passenger seats are provided as standard equipment on the SOL grade for the Europe models, and available as optional equipment on the standard grade for the Europe models and all other models.
- A seat under tray in the lower section of the front passenger seat is provided as standard equipment on the Europe models, and available as optional equipment on all other models.
- A walk-in lever is provided in the shoulder area of the front passenger seat on the 3-door hatchback models.


Item	New		Previous	
	Driver	Front Passenger	Driver	Front Passenger
Seat Slide	240 mm (9.4 in.) 15 mm (0.6 in.) x 16 Steps [10 mm (0.4 in.) x 24 Steps]*		225 mm (8.9 in.) 15 mm (0.6 in.) x 15 Steps [230 mm (9.1 in.)* 10 mm (0.4 in.) x 23 Steps*]	
Seat Reclining	52° (2° x 26 Steps) [50.7° (1.88° x 27 Steps)]*		52° (2° x 26 Steps) [46.9° (1.88° x 25 Steps)]*	
Vertical Lifter	45 mm (1.8 in.)	—	30 mm (1.2 in.) [45 mm (1.8 in.)]*	—

*: TMMF Models






Seat Slide and Reclining



Vertical Lifter




New **Previous**


Walk-in Function
(Only for 3-door Hatchback Models)

2. Sedan Model


- Seat slide and reclining functions are provided in the driver seat and front passenger seat to enable the seat position to be adjusted to the most comfortable position.
- A flat mat structure that consists of springs and straight cables is used in the seatback frame to realize an excellent ride feel.
- A vertical lifter is provided as standard equipment.
- Seatback pockets are provided on both the driver seat and front passenger seat.

Item	New		Previous	
Seat	Driver	Front Passenger	Driver	Front Passenger
Seat Slide	240 mm (9.4 in.) 15 mm (0.6 in.) x 16 Steps		225 mm (8.9 in.) 15 mm (0.6 in.) x 15 Steps	
Seat Reclining	52° (2° x 26 Steps)		←	
Vertical Lifter	45 mm (1.8 in.)	—	30 mm (1.2 in.)	—






Seat Slide and Reclining




Vertical Lifter




Rear Seat


1. Hatchback Model

- A 60/40 split retractable type rear seat with slide and tilt-down function is provided as standard equipment.
- The seat slide movement is 150 mm (5.9 in.), and seat reclining angle is 10°.
- The tilt-down mechanism is used to move the seatback and lower the seat cushion simultaneously by operating the lever on the shoulder of the seatback. This enables the seat to be stored even when the front seat is at its rearmost position.






Seat Slide



Seat Reclining





Tilt-down Function


2. Sedan Model

60/40 Split Retractable Type Rear Seat

- A 60/40 split retractable type rear seat is provided as standard equipment on the Australia models, and is available as optional equipment on the G.C.C. countries and general countries models.
- An L-shaped headrest is used to achieve excellent rearward visibility.
- A headrest for the center seat is provided on the Australia and G.C.C. countries models.
- An armrest with a cup holder is provided on the center seat.







01VMO40Y

Fixed Type Rear Seat


- The fixed type rear seat is provided as standard equipment on the G.C.C. countries and general countries models.
- An L-shaped headrest is used to achieve excellent rearward visibility.
- A headrest for the center seat is provided on the G.C.C. countries models.



01VMO29Y


Seat Arrangement

▶ 60/40 Split Retractable Type Rear Seat for Hatchback Model ◀




00RMO39Y

Default



00RMO40Y

Rear Seat: One Side Slide




00RMO41Y

Rear Seat: Slide



00RMO42Y


Rear Seat: One Side Tilt-down



00RMO43Y


Rear Seat: Tilt-down

▶ 60/40 Split Retractable Type Rear Seat for Sedan Model ◀




01VMO30Y

Default



01VMO31Y

Rear Seat: One Side Folding Down



01VMO32Y

Rear Seat: Folding Down